



**US Army Corps  
of Engineers®**  
Engineer Research and  
Development Center

*Wetlands Regulatory Assistance Program*

## **A Bibliography of Selected Literature on Indirect Impacts Associated with Clean Water Act Section 404 Permits**

Timothy C. Wilder, William M. Ford, and Marie M. Perkins

July 2011



Report Documentation Page			Form Approved OMB No. 0704-0188		
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.					
1. REPORT DATE <b>JUL 2011</b>	2. REPORT TYPE		3. DATES COVERED <b>00-00-2011 to 00-00-2011</b>		
4. TITLE AND SUBTITLE <b>A Bibliography Of Selected Literature On Indirect Impacts Associated With Clean Water Act Section 404 Permits</b>			5a. CONTRACT NUMBER		
			5b. GRANT NUMBER		
			5c. PROGRAM ELEMENT NUMBER		
6. AUTHOR(S)			5d. PROJECT NUMBER		
			5e. TASK NUMBER		
			5f. WORK UNIT NUMBER		
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) <b>U.S. Army Engineer Research and Development Center,Environmental Laboratory,3909 Halls Ferry Road,Vicksburg,MS,39180</b>			8. PERFORMING ORGANIZATION REPORT NUMBER		
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)			10. SPONSOR/MONITOR'S ACRONYM(S)		
			11. SPONSOR/MONITOR'S REPORT NUMBER(S)		
12. DISTRIBUTION/AVAILABILITY STATEMENT <b>Approved for public release; distribution unlimited</b>					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT <b>This report summarizes a review of the scientific literature from the year 2000 to the present that characterizes indirect impacts associated with Clean Water Act Section 404 permits. Also of interest was literature from 2004 forward that addresses compensatory mitigation for impacts, particularly with respect to current policy. Literature containing derivations of the search terms ?Clean Water Act,? ?404,? ?temporary fill,? ?dredge and fill,? ?impact,? ?secondary impact,? and ?cumulative impact? in the title, keyword or abstract field(s) was selected. When these searches produced few results, the number of search terms was expanded. This series of searches returned in excess of 5,500 bibliographic records. Each record?s abstract was then reviewed for relevance to the Corps of Engineer?s 404 permitting program and assigned to at least one of 20 groups according to the focus of that particular study. A review for relevance and assignment to groups reduced the number of records to 1,252 (approximately 10% of which were assigned to more than one group).</b>					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT <b>Same as Report (SAR)</b>	18. NUMBER OF PAGES <b>137</b>	19a. NAME OF RESPONSIBLE PERSON
a. REPORT <b>unclassified</b>	b. ABSTRACT <b>unclassified</b>	c. THIS PAGE <b>unclassified</b>			

# **A Bibliography of Selected Literature on Indirect Impacts Associated with Clean Water Act Section 404 Permits**

Timothy C. Wilder, William M. Ford, and Marie M. Perkins

*Environmental Laboratory*

*U.S. Army Engineer Research and Development Center*

*3909 Halls Ferry Road*

*Vicksburg, MS 39180-6199*

Final report

Approved for public release; distribution is unlimited.

**Abstract:** This report summarizes a review of the scientific literature from the year 2000 to the present that characterizes indirect impacts associated with Clean Water Act Section 404 permits. Also of interest was literature from 2004 forward that addresses compensatory mitigation for impacts, particularly with respect to current policy.

Literature containing derivations of the search terms “Clean Water Act,” “404,” “temporary fill,” “dredge and fill,” “impact,” “secondary impact,” and “cumulative impact” in the title, keyword or abstract field(s) was selected. When these searches produced few results, the number of search terms was expanded. This series of searches returned in excess of 5,500 bibliographic records. Each record’s abstract was then reviewed for relevance to the Corps of Engineer’s 404 permitting program and assigned to at least one of 20 groups according to the focus of that particular study. A review for relevance and assignment to groups reduced the number of records to 1,252 (approximately 10% of which were assigned to more than one group).

**DISCLAIMER:** The contents of this report are not to be used for advertising, publication, or promotional purposes. Citation of trade names does not constitute an official endorsement or approval of the use of such commercial products. All product names and trademarks cited are the property of their respective owners. The findings of this report are not to be construed as an official Department of the Army position unless so designated by other authorized documents.

**DESTROY THIS REPORT WHEN NO LONGER NEEDED. DO NOT RETURN IT TO THE ORIGINATOR.**

# Contents

<b>Figures and Tables.....</b>	<b>v</b>
<b>Preface.....</b>	<b>vi</b>
<b>1 Introduction.....</b>	<b>1</b>
Methods.....	2
Discussion .....	2
<b>References .....</b>	<b>6</b>
<b>Appendix A: 404 Specific.....</b>	<b>8</b>
<b>Appendix B: Buffers and Corridors.....</b>	<b>10</b>
<b>Appendix C: Cumulative Impacts.....</b>	<b>19</b>
<b>Appendix D: Development and Urban Impacts.....</b>	<b>22</b>
<b>Appendix E: Ecological Integrity Assessment.....</b>	<b>31</b>
<b>Appendix F: Erosion, Scour and Sedimentation .....</b>	<b>36</b>
<b>Appendix G: Mercury and Other Heavy Metals.....</b>	<b>41</b>
<b>Appendix H: Hydrology.....</b>	<b>46</b>
<b>Appendix I: Impoundments.....</b>	<b>50</b>
<b>Appendix J: Invasive Species .....</b>	<b>58</b>
<b>Appendix K: Mining Impacts.....</b>	<b>61</b>
<b>Appendix L: Powerlines and Pipelines.....</b>	<b>66</b>
<b>Appendix M: Regulation, Policy, Mitigation and Restoration.....</b>	<b>69</b>
<b>Appendix N: Roads.....</b>	<b>83</b>
<b>Appendix O: Roads and Wildlife.....</b>	<b>91</b>
<b>Appendix P: Silviculture.....</b>	<b>96</b>
<b>Appendix Q: Stream Channel Geometry and Stability.....</b>	<b>100</b>
<b>Appendix R: Water Quality .....</b>	<b>110</b>
<b>Appendix S: Wetlands and Wildlife .....</b>	<b>122</b>

<b>Appendix T: Wetland Mitigation Web Sites .....</b>	<b>127</b>
---	------------

**Report Documentation Page**

# Tables

## Tables

Table 1. Keywords used in the literature search.....	3
Table 2 Literature subject groups. ....	4

## **Preface**

This work was conducted by the Environmental Laboratory (EL), U.S. Army Engineer Research and Development Center (ERDC), for the Corps of Engineers Wetlands Regulatory Assistance Program (WRAP). Timothy C. Wilder, William M. Ford, and Marie M. Perkins compiled this report and the WRAP Program Manager was Bob Lazor, EL.

This report was prepared under the general supervision of Morris Mauney, Chief, Wetlands and Coastal Ecology Branch, EL; Dr. Edmund Russo, Chief, Ecological Evaluation and Engineering Division, EL; and Dr. Beth Fleming, Director, EL.

COL Gary E. Johnston was Commander and Executive Director of ERDC. Dr. Jeffery P. Holland was Director.



# 1 Introduction

Section 404 of the Clean Water Act (CWA) directs the U.S. Army Corps of Engineers (COE) to administer a regulatory program for permitting the discharge of dredged or fill material in “waters of the United States.” Successful applicants for 404 permits must demonstrate that impacts have been avoided, that unavoidable impacts have been minimized, and that adequate compensation will be provided for remaining impacts (U.S. Army Corps of Engineers and Environmental Protection Agency 1990).

This three-part sequence for review of compensatory mitigation has its roots in the beginnings of the Section 404 permitting program. Indeed, the first COE 404 regulations in 1973 contained language urging permit applicants to modify proposals to eliminate or mitigate damage to aquatic resources. The concept matured over several years, requiring revisions of COE and EPA 404 regulations. This process culminated in February 1990 with the signing of the “Memorandum of Agreement Between The Department of the Army and The Environmental Protection Agency: The Determination of Mitigation under the Clean Water Act Section 404(b)(1) Guidelines” (Hough and Robertson 2009).

The agencies and the public recognized cumulative and indirect impacts of discharged dredged and fill material into aquatic sites at the inception of the 404 program. Despite this, the focus of the 404 program has been on direct impacts for much of its history (Hirsch 1988). Among the most important reasons for this narrow focus was the time necessary to settle interpretation of relevant law, resolve jurisdictional issues, and develop administrative process (Hough and Robertson 2009). Difficulties inherent in assessing indirect and cumulative impacts over multiple temporal and spatial scales have also been a barrier to considering them in the context of the 404 program (Brody et al. 2008; Stein and Ambrose 2001; Swenson and Ambrose 2007).

The New England District, Corps of Engineers requested a review of the scientific literature from 2000 to the present that characterizes indirect impacts associated with CWA Section 404 permits. Also of interest was literature from 2004 forward that addresses compensatory mitigation for

impacts, particularly with respect to current policy. This report is a compilation of the results of that literature review.

## Methods

Literature selected contained derivations of the search terms “Clean Water Act,” “404,” “temporary fill,” “dredge and fill,” “impact,” “secondary impact,” “indirect impact,” and “cumulative impact” in the title, keyword, or abstract field(s). When these searches produced few results, the number of search terms was expanded. Table 1 lists the two categories that most of the search terms used in subsequent searches fell under.

Searches using the keywords in Table 1 returned in excess of 5,500 bibliographic records. Each record’s abstract was then reviewed for relevance to the COE’s 404 permitting program and assigned to at least one of 20 groups according to the focus of that particular study. Table 2 lists the subject groupings that were used. Review for relevance and assignment to groups reduced the number of records to 1,252 (approximately 10% of which were assigned to more than one group).

## Discussion

Literature published after 2000 was found to contain relatively few studies that explicitly focused on documenting indirect or secondary impacts from a 404-permitted activity. The majority of those found were assigned to the “Cumulative Impacts” and “404 Specific” groups. The bulk of the remaining literature addresses impacts, though the author(s) may not have traced them to an activity that would ordinarily require a 404 permit. For example, a recent study conducted in Maryland and Pennsylvania documents current downstream effects of existing small impoundments on stream bed load and morphology and discusses implications to the stream in the event of their removal (Skalak, Pizzuto, and Hart 2009).

An exhaustive listing of the tremendous body of literature in some areas would have produced a great deal of duplication. Literature on wildlife, roads, road infrastructure, urbanization, water quality, wetland mitigation, and regulatory policy is extensive. Instead, studies were selected from across the United States that were judged to fully represent these subjects. Studies in the New England region were included preferentially, though a few citations of studies conducted overseas have been included when they illustrate some underlying ecological principle or mechanism that is

relevant to Section 404. Citations prior to 2000 that were believed to be especially useful were also retrieved.

Table 1. Keywords used in the literature search.

Pollutants and Effects	Activities associated with Section 404 permits	
algae	armoring	powerline
bacteria	bank stabilization	pumping
biological oxygen demand	berm	reservoir
brush	boat launching ramp	retaining wall
channel bed aggradation	borrow pit	riparian buffer
channel incision	bridge	riprap
channel widening	building	road
chemical oxygen demand	clearing	road crossing
chemicals	culvert	sewer line
debris	dam	soil harvest
erosion	development	soil mining
eutrophication	dike	soil pit
fertilizers	ditch	spoil
flooding	ditches	stream channelization
grass clippings	ditching	stream dredging
insecticides	diversion	stream encapsulation
lawn waste	drain	stream ford
litter	drainage	stream relocation
mass-wasting	easement	stream widening
metals	fill	trail
noise	filling	trenching
nutrient enrichment	flume	vegetation removal
nutrients	french drain	water diversion
pesticides	gravel/sand dredging	waters supply intake
ponding	gravel/sand harvest	water transfer
scour	gravel/sand mining	water withdrawal
sediment	green-tree reservoir	weir
sedimentation	highway	wing wall
soil compaction	impoundment	
stream capture	irrigation	
stream loss	levee	
thermal	parking lot	
trash	pipeline	
woody debris	pond	

Table 2 Literature subject groups.

Groups by subject and number of records found	
404 Specific	22
Buffers and Corridors	100
Cumulative Impacts	29
Development and Urban Impacts	103
Ecological Integrity Assessment	52
Erosion, Scour and Sedimentation	44
Mercury and Other Heavy Metals	49
Hydrology	47
Impoundments	92
Invasive Species	27
Mining Impacts	45
Powerlines and Pipelines	25
Regulation, Policy, Mitigation and Restoration	164
Roads	88
Roads and Wildlife	56
Silviculture	36
Stream Channel Geometry and Stability	115
Water Quality	127
Wetlands and Wildlife	65
Wetland Mitigation Web Sites	25

Literature on habitat alteration effects on wildlife is both voluminous and largely tangential to regulatory discussions. Still, for most species, responses to habitat change from secondary or direct impacts in the New England area are predictable based simply on an understanding of a particular species' life history and ecology.

Government documents and other "gray literature" are included in addition to peer-reviewed scientific literature, especially those containing comprehensive management recommendations for the New England region. Two such are the Metropolitan Conservation Alliance's "Forestry Habitat Management Guidelines for Vernal Pool Wildlife" (Calhoun and deMaynadier 2004) and the Wildlife Habitat Council's "A Guide to Managing Rights-of-Way for Wildlife Habitat" (Bonneau 2005).

As with the wildlife literature, literature is listed in which the relevance to 404 permitting may not be due primarily to impacts that arise from a permitted activity. Included are studies that describe methods to assess impacts (Brooks, Wardrop, and Cole 2006; Cohen et al. 2005), aspects of compensatory mitigation or ecosystem restoration (BenDor and Brozovic 2007; Brooks et al. 2005; Craig et al. 2008) and studies that may inform regulatory personnel about potential unintended or unforeseen consequences; some negative; such as the methylization of mercury in wetlands (Rumbold and Fink 2006; Watras et al. 2005); and some positive; such as nutrient uptake as an unintended benefit of stream restoration (Bukaveckas 2007).

The literature was reviewed for studies describing mitigation policy at the state and local level. This literature was found to be fairly limited and is generally aimed at the effectiveness of regulatory programs (Morgan and Roberts 2003). For this area of review, a subject group has been included containing web sites of state and local authorities where mitigation regulations and policies are described. Two web sites may prove particularly useful. One is the “Wetlands Information Resource Center” (National Center for Manufacturing Sciences 2010) located at <http://www.envcap.org/-statetools/swift/swift.html>. This web site contains summaries and links to each of the 50 states’ web sites pertaining to wetland regulations and policy. The other is “Clean Water Act Section 404 Mitigation Guidance Directory” (National Oceanic and Atmospheric Administration Fisheries Service 2009) located at <http://www.mitigationactionplan.gov/links.html>.

Bibliographies for each of the 20 groups listed in Table 2 are included as separate appendices (Appendices A-T).

## References

- BenDor, T., and N. Brozovic. 2007. Determinants of spatial and temporal patterns in compensatory wetland mitigation. *Environmental Management* 40 (3):349-364.
- Bonneau, J. 2005. *A guide to managing rights-of-ways for wildlife habitat*. Silver Spring, MD: Wildlife Habitat Council.
- Brody, S. D., S. E. Davis, W. E. Highfield, and S. P. Bernhardt. 2008. A spatial-temporal analysis of section 404 wetland permitting in Texas and Florida: Thirteen years of impact along the coast. *Wetlands* 28 (1):107-116.
- Brooks, R. P., D. H. Wardrop, and C. A. Cole. 2006. Inventorying and monitoring wetland condition and restoration potential on a watershed basis with examples from Spring Creek Watershed, Pennsylvania, USA. *Environmental Management* 38 (4):673-687.
- Brooks, R. P., D. H. Wardrop, C. A. Cole, and D. A. Campbell. 2005. Are we purveyors of wetland homogeneity? A model of degradation and restoration to improve wetland mitigation performance. *Ecological Engineering* 24 (4):331-340.
- Bukaveckas, P. A. 2007. Effects of channel restoration on water velocity, transient storage, and nutrient uptake in a channelized stream. *Environmental Science and Technology* 41 (5):1570-1576.
- Calhoun, A.J.K., and P. deMaynadier. 2004. Forestry habitat management guidelines for vernal pool wildlife. In *MCA Technical Paper No. 6*. Bronx, New York: Metropolitan Conservation Alliance, Wildlife Conservation Society.
- Cohen, M. J., C. R. Lane, K. C. Reiss, J. A. Surdick, E. Bardi, and M. T. Brown. 2005. Vegetation based classification trees for rapid assessment of isolated wetland condition. *Ecological Indicators* 5 (3):189-206.
- Craig, L. S., M. A. Palmer, D. C. Richardson, S. Filoso, E. S. Bernhardt, B. P. Bledsoe, M. W. Doyle, P. M. Groffman, B. A. Hassett, S. S. Kaushal, P. M. Mayer, S. M. Smith, and P. R. Wilcock. 2008. Stream restoration strategies for reducing river nitrogen loads. *Frontiers in Ecology and the Environment* 6 (10):529-538.
- Hirsch, Allan. 1988. Regulatory context for cumulative impact research. *Environmental Management* 12 (5):715-723.
- Hough, P., and M. Robertson. 2009. Mitigation under Section 404 of the Clean Water Act: Where it comes from, what it means. *Wetlands Ecology and Management* 17 (1):15-33.
- Morgan, K. L., and T. H. Roberts. 2003. Characterization of wetland mitigation projects in Tennessee, USA. *Wetlands* 23 (1):65-69.
- National Center for Manufacturing Sciences. 2010. *Wetlands Information Resource Locator*. Available from <http://www.envcap.org/statetools/swift/swift.html>.

- National Oceanic and Atmospheric Administration Fisheries Service. 2009. *National Wetlands Action Plan, Clean Water Act Section 404 Mitigation Guidance Directory* [2009]. Available from <http://www.mitigationactionplan.gov/links.html>.
- Rumbold, D. G., and L. E. Fink. 2006. Extreme spatial variability and unprecedented methylmercury concentrations within a constructed wetland. *Environmental Monitoring and Assessment* 112 (1-3):115-135.
- Skalak, K., J. Pizzuto, and D. D. Hart. 2009. Influence of small dams on downstream channel characteristics in Pennsylvania and Maryland: Implications for the long-term geomorphic effects of dam removal. *Journal of the American Water Resources Association* 45 (1):97-109.
- Stein, E. D., and R. F. Ambrose. 2001. Landscape-scale analysis and management of cumulative impacts to riparian ecosystems: Past, present, and future. *Journal of the American Water Resources Association* 37 (6):1597-1614.
- Swenson, D. P., and R. F. Ambrose. 2007. A spatial analysis of cumulative habitat loss in Southern California under the Clean Water Act Section 404 program. *Landscape and Urban Planning* 82 (1-2):41-55.
- U.S. Army Corps of Engineers, and Environmental Protection Agency. 1990. *Memorandum of Agreement Between The Department of the Army and The Environmental Protection Agency: The Determination of Mitigation under the Clean Water Act Section 404(b)(1) Guidelines*. Washington, DC.
- Watras, C. J., K. A. Morrison, A. Kent, N. Price, O. Regnell, C. Eckley, H. Hintelmann, and T. Hubacher. 2005. Sources of methylmercury to a wetland-dominated lake in northern Wisconsin. *Environmental Science and Technology* 39 (13):4747-4758.

## Appendix A: 404 Specific

- Brody, S. D., S. E. Davis, W. E. Highfield, and S. P. Bernhardt. 2008. A spatial-temporal analysis of section 404 wetland permitting in Texas and Florida: Thirteen years of impact along the coast. *Wetlands* 28 (1):107-116.
- Brody, S. D., W. E. Highfield, H. C. Ryu, and L. Spanel-Weber. 2007. Examining the relationship between wetland alteration and watershed flooding in Texas and Florida. *Natural Hazards* 40 (2):413-428.  
<http://www.springerlink.com/content/052637724628240u/fulltext.pdf>
- General Accounting Office (GAO). 1988. *Wetlands: The Corps of Engineers' Administration of the Section 404 Program*. GAO/RCED-88-110. Washington, DC: GAO. <http://archive.gao.gov/d16t6/136780.pdf>
- Hirsch, A. 1988. Regulatory context for cumulative impact research. *Environmental Management* 12 (5):715-723. <http://dx.doi.org/10.1007/BF01867548>
- Hough, P., and M. Robertson. 2009. Mitigation under Section 404 of the Clean Water Act: Where it comes from, what it means. *Wetlands Ecology and Management* 17 (1):15-33. <http://dx.doi.org/10.1007/s11273-008-9093-7>
- Kentula, M., J. Sifneos, J. Good, M. Rylko, and K. Kunz. 1992. Trends and patterns in Section 404 permitting requiring compensatory mitigation in Oregon and Washington, USA. *Environmental Management* 16 (1):109-119.  
<http://dx.doi.org/10.1007/BF02393913>
- National Center for Manufacturing Sciences. Wetlands Information Resource Locator.  
<http://www.envcap.org/statetools/swift/swift.html>
- Owen, C., and H. Jacobs. 1992. Wetland protection as land-use planning: The impact of Section 404 in Wisconsin, USA. *Environmental Management* 16 (3):345-353.  
<http://dx.doi.org/10.1007/BF02400073>
- Rittenhouse, T. A. G., and R. D. Semlitsch. 2007. Distribution of amphibians in terrestrial habitat surrounding wetlands. *Wetlands* 27 (1):153-161.
- Robertson, M., and N. Hayden. 2008. Evaluation of a market in wetland credits: Entrepreneurial wetland banking in Chicago. *Conservation Biology* 22 (3):636-646.
- Sifneos, J., E. Cake, and M. Kentula. 1992. Effects of Section 404 permitting on freshwater wetlands in Louisiana, Alabama, and Mississippi. *Wetlands* 12 (1):28-36. <http://dx.doi.org/10.1007/BF03160541>
- Siragusa, K. S. Integrating a watershed approach into Clean Water Act Section 404, wetland and stream compensatory mitigation lessons learned and recommendations for Georgia.  
<http://purl.galileo.usg.edu/uga%5Fetd/siragusa%5Fkelly%5F200805%5Fms>.  
[Internet Resource; Archival Material Date of Entry: 20090824] 2008



- Stein, E. D., and R. E. Ambrose. 1998. Cumulative impacts of Section 404 Clean Water Act permitting on the riparian habitat of the Santa Margarita, California watershed. *Wetlands* 18 (3):393-408.
- Stein, E. D., and R. F. Ambrose. 2001. Landscape-scale analysis and management of cumulative impacts to riparian ecosystems: Past, present, and future. *Journal of the American Water Resources Association* 37 (6):1597-1614.
- Steiner, F., S. Pieart, E. Cook, J. Rich, and V. Coltman. 1994. State wetlands and riparian area protection programs. *Environmental Management* 18 (2):183-201.  
<http://dx.doi.org/10.1007/BF02393761>
- Sudol, M. F., and R. F. Ambrose. 2002. The US Clean Water Act and habitat replacement: Evaluation of mitigation sites in Orange County, California, USA. *Environmental Management* 30 (5):727-734.  
<http://www.springerlink.com/content/kle5g5f92434t9cf/fulltext.pdf>
- Swenson, D. P., and R. F. Ambrose. 2007. A spatial analysis of cumulative habitat loss in Southern California under the Clean Water Act Section 404 program. *Landscape and Urban Planning* 82 (1-2):41-55.  
[http://www.sciencedirect.com/science?\\_ob=ArticleURL&\\_udi=B6V91-4N7YFK3-2&\\_user=930810&\\_rdoc=1&\\_fmt=&\\_orig=search&\\_sort=d&\\_docanchor=&view=c&\\_acct=C000048423&\\_version=1&\\_urlVersion=0&\\_userid=930810&md5=a9adb4d99b5f5f69ebe19f4160fbb49c](http://www.sciencedirect.com/science?_ob=ArticleURL&_udi=B6V91-4N7YFK3-2&_user=930810&_rdoc=1&_fmt=&_orig=search&_sort=d&_docanchor=&view=c&_acct=C000048423&_version=1&_urlVersion=0&_userid=930810&md5=a9adb4d99b5f5f69ebe19f4160fbb49c)
- Thompson, J. W. J. N. S. S. 2008. The federal wetland permitting program avoidance and minimization requirements.  
[http://www.elistore.org/reports\\_detail.asp?ID=11275&topic=wetlands](http://www.elistore.org/reports_detail.asp?ID=11275&topic=wetlands).  
[Internet Resource; Computer File Date of Entry: 20080409]. Washington, DC : Environmental Law Institute 2008 (accessed April 9 2008).
- Torok, L., S. Lockwood, and D. Fanz. 1996. Review and comparison of wetland impacts and mitigation requirements between New Jersey, USA, Freshwater Wetlands Protection Act and Section 404 of the Clean Water Act. *Environmental Management* 20 (5):741-752. <http://dx.doi.org/10.1007/BF01204145>
- U.S. Army Corps of Engineers, and U.S. Environmental Protection Agency. 1990. *Memorandum of Agreement Between The Department of the Army and The Environmental Protection Agency: The Determination of Mitigation under the Clean Water Act Section 404(b)(1) Guidelines*. Washington, DC:  
<http://www.usace.army.mil/CECW/Documents/cecwo/reg/mou/migrate.pdf>
- Wilkinson, J. 2009. In-lieu fee mitigation: Coming into compliance with the new Compensatory Mitigation Rule. *Wetlands Ecology and Management* 17 (1):53-70. <http://www.springerlink.com/content/y5538766x2551382/fulltext.pdf>
- Williams, M., C. Hopkinson, E. Rastetter, J. Vallino, and L. Claessens. 2005. Relationships of land use and stream solute concentrations in the Ipswich River basin, northeastern Massachusetts. *Water, Air, and Soil Pollution* 161 (1-4):55-74. <http://dx.doi.org/10.1007/s11270-005-2830-0>

## Appendix B: Buffers and Corridors

- Alexander, R. B., E. W. Boyer, R. A. Smith, G. E. Schwarz, and R. B. Moore. 2007. The role of headwater streams in downstream water quality. *Journal of the American Water Resources Association* 43 (1):41-59. <http://dx.doi.org/10.1111/j.1752-1688.2007.00005.x>
- Allen, S. B., J. P. Dwyer, D. C. Wallace, and E. A. Cook. 2003. Missouri River flood of 1993: Role of woody corridor width in levee protection. *Journal of the American Water Resources Association* 39 (4):923-933.
- Anbumozhi, V., J. Radhakrishnan, and E. Yamaji. 2005. Impact of riparian buffer zones on water quality and associated management considerations. *Ecological Engineering* 24 (5 SPEC. ISS.):517-523. <http://dx.doi.org/10.1016/j.ecoleng.2004.01.007>
- Anderson, P. D., D. J. Larson, and S. S. Chan. 2007. Riparian buffer and density management influences on microclimate of young headwater forests of western Oregon. *Forest Science* 53 (2):254-269.
- Angier, J. T., and G. W. McCarty. 2008. Variations in base-flow nitrate flux in a first-order stream and riparian zone. *Journal of the American Water Resources Association* 44 (2):367-380. <http://dx.doi.org/10.1111/j.1752-1688.2007.00153.x>
- Angier, J. T., G. W. McCarty, and K. L. Prestegard. 2005. Hydrology of a first-order riparian zone and stream, mid-Atlantic coastal plain, Maryland. *Journal of Hydrology* 309 (1-4):149-166. [http://www.sciencedirect.com/science?\\_ob=MIImg&\\_imagekey=B6V6C-4F4NYHH-4-R&\\_cdi=5811&\\_user=930810&\\_orig=search&\\_coverDate=07%2F19%2F2005&\\_sk=996909998&view=c&wchp=dGLbVlW-zSkWb&md5=c9ed4791cc8e36df8a204aa1505030b7&ie=/sdarticle.pdf](http://www.sciencedirect.com/science?_ob=MIImg&_imagekey=B6V6C-4F4NYHH-4-R&_cdi=5811&_user=930810&_orig=search&_coverDate=07%2F19%2F2005&_sk=996909998&view=c&wchp=dGLbVlW-zSkWb&md5=c9ed4791cc8e36df8a204aa1505030b7&ie=/sdarticle.pdf)
- Askins, R. A. 1994. Open corridors in a heavily forested landscape: Impact on shrubland and forest-interior birds. *Wildlife Society Bulletin* 22 (2):339-347. <http://www.jstor.org/stable/3783267>
- Bakermans, M. H., and A. D. Rodewald. 2006. Scale-dependent habitat use of Acadian Flycatcher (*Empidonax Virens*) in central Ohio. *Auk* 123 (2):368-382. [CCC:000237442500007](http://dx.doi.org/10.1093/auk/123.2.368)
- Baldwin, R. F., A. J. K. Calhoun, and P. G. deMaynadier. 2006. Conservation planning for amphibian species with complex habitat requirements: A case study using movements and habitat selection of the Wood Frog *Rana sylvatica*. *Journal of Herpetology* 40 (4):442-453. <http://falcon.cc.ukans.edu/~gpisani/SSAR.html>
- Blanco-Canqui, H., C. J. Gantzer, S. H. Anderson, and E. E. Alberts. 2004. Grass barriers for reduced concentrated flow induced soil and nutrient loss. *Soil Science Society of America Journal* 68 (6):1963-1972.

- Blanco-Canqui, H., C. J. Gantzer, S. H. Anderson, E. E. Alberts, and A. L. Thompson. 2004. Grass barrier and vegetative filter strip effectiveness in reducing runoff, sediment, nitrogen, and phosphorus loss. *Soil Science Society of America Journal* 68 (5):1670-1678.
- Bolger, D. T., T. A. Scott, and J. T. Rotenberry. 2001. Use of corridor-like landscape structures by bird and small mammal species. *Biological Conservation* 102 (2):213-224. <http://www.sciencedirect.com/science/article/B6V5X-441N914-8/2/a77d216e92b84a8d86a446b4c20bbdb7>
- Boyd, L. 2001. *Wildlife use of wetland buffer zones and their protection under the Massachusetts Wetland Protection Act*. University of Massachusetts.
- Bub, B. R., D. J. Flaspohler, C. J. F. Huckins, and Giuliano. 2004. Riparian and upland breeding-bird assemblages along headwater streams in Michigan's Upper Peninsula. *Journal of Wildlife Management* 68 (2):383-392. [http://dx.doi.org/10.2193/0022-541X\(2004\)068\[0383:RAUBAA\]2.0.CO;2](http://dx.doi.org/10.2193/0022-541X(2004)068[0383:RAUBAA]2.0.CO;2)
- Burton, M. L., L. J. Samuelson, and S. Pan. 2005. Riparian woody plant diversity and forest structure along an urban-rural gradient. *Urban Ecosystems* 8 (1):93-106. <http://dx.doi.org/10.1007/s11252-005-1421-6>
- Clausen, J. C., K. Guillard, C. M. Sigmund, and K. Martin Dors. 2000. Water quality changes from riparian buffer restoration in Connecticut. *Journal of Environmental Quality* 29 (6):1751-1761.
- Cobourn, J. 2006. How riparian ecosystems are protected at Lake Tahoe. *Journal of the American Water Resources Association* 42 (1):35-43.
- Conner, R. N., J. G. Dickson, J. H. Williamson, and B. Ortego. 2004. Width of Forest Streamside Zones and Breeding Bird Abundance in Eastern Texas. *Southeastern Naturalist* 3 (4):669-682. [http://dx.doi.org/10.1656/1528-7092\(2004\)003\[0669:WOFSA\]2.0.CO;2](http://dx.doi.org/10.1656/1528-7092(2004)003[0669:WOFSA]2.0.CO;2)
- Crawford, J. A., and R. D. Semlitsch. 2007. Estimation of core terrestrial habitat for stream-breeding salamanders and delineation of riparian buffers for protection of biodiversity. *Conservation Biology* 21 (1):152-158.
- DeWalle, D. R. 2008. Guidelines for riparian vegetative shade restoration based upon a theoretical shaded-stream model. *Journal of the American Water Resources Association* 44 (6):1373-1387. <http://dx.doi.org/10.1111/j.1752-1688.2008.00230.x>
- Diamond, J. M., D. W. Bressler, and V. B. Serveiss. 2002. Assessing relationships between human land uses and the decline of native mussels, fish, and macroinvertebrates in the Clinch and Powell River watershed, USA. *Environmental Toxicology and Chemistry* 21 (6):1147-1155. [http://dx.doi.org/10.1897/1551-5028\(2002\)021<1147:ARBHLU>2.0.CO;2](http://dx.doi.org/10.1897/1551-5028(2002)021<1147:ARBHLU>2.0.CO;2)
- Dodds, W. K., and R. M. Oakes. 2006. Controls on nutrients across a prairie stream watershed: Land use and riparian cover effects. *Environmental Management* 37 (5):634-646. <http://dx.doi.org/10.1007/s00267-004-0072-3>

- Dukes, M. D., and R. O. Evans. 2003. Riparian ecosystem management model: Hydrology performance and sensitivity in the North Carolina Middle Coastal Plain. *Transactions of the American Society of Agricultural Engineers* 46 (6):1567-1579.
- Dukes, M. D., R. O. Evans, J. W. Gilliam, and S. H. Kunickis. 2002. Effect of riparian buffer width and vegetation type on shallow groundwater quality in the Middle Coastal Plain of North Carolina. *Transactions of the American Society of Agricultural Engineers* 45 (2):327-336.
- Egan, R. S., and P. W. C. Paton. 2004. Within-pond parameters affecting oviposition by wood frogs and spotted salamanders. *Wetlands* 24 (1):1-13.
- Evans, D. R., and J. E. Gates. 1997. Cowbird selection of breeding areas: The role of habitat and bird species abundance. *The Wilson Bulletin* 109 (3):470-480.  
<http://www.jstor.org/stable/4163842>
- Fabos, J. G. 2004. Greenway planning in the United States: Its origins and recent case studies. *Landscape and Urban Planning* 68 (2-3):321-342.  
<http://dx.doi.org/10.1016/j.landurbplan.2003.07.003>
- Freeman, M. C., C. M. Pringle, and C. R. Jackson. 2007. Hydrologic connectivity and the contribution of stream headwaters to ecological integrity at regional scales. *Journal of the American Water Resources Association* 43 (1):5-14.  
<http://dx.doi.org/10.1111/j.1752-1688.2007.00002.x>
- Freeman, R. E., and R. O. Ray. 2001. Landscape ecology practice by small scale river conservation groups. *Landscape and Urban Planning* 56 (3-4):171-184.  
[http://dx.doi.org/10.1016/S0169-2046\(01\)00181-5](http://dx.doi.org/10.1016/S0169-2046(01)00181-5)
- Gamble, L. R., K. McGarigal, C. L. Jenkins, and B. C. Timm. 2006. Limitations of regulated "buffer zones" for the conservation of marbled salamanders. *Wetlands* 26 (2):298-306.
- Goetz, S. J. 2006. Remote sensing of riparian buffers: Past progress and future prospects. *Journal of the American Water Resources Association* 42 (1):133-143.
- Goetz, S. J., R. K. Wright, A. J. Smith, E. Zinecker, and E. Schaub. 2003. IKONOS imagery for resource management: Tree cover, impervious surfaces, and riparian buffer analyses in the mid-Atlantic region. *Remote Sensing of Environment* 88 (1-2):195-208. <http://dx.doi.org/10.1016/j.rse.2003.07.010>
- Gorsevski, P. V., J. Boll, E. Gomezdelcampo, and E. S. Brooks. 2008. Dynamic riparian buffer widths from potential non-point source pollution areas in forested watersheds. *Forest Ecology and Management* 256 (4):664-673.  
<http://dx.doi.org/10.1016/j.foreco.2008.05.019>
- Governo, R., B. G. Lockaby, B. Rummer, and C. Colson. 2004. Silvicultural management within streamside management zones of intermittent streams: Effects on decomposition, productivity, nutrient cycling, and channel vegetation. *Southern Journal of Applied Forestry* 28 (4):211-224.

- Graff, C. D., A. M. Sadeghi, R. R. Lowrance, and R. G. Williams. 2005. Quantifying the sensitivity of the riparian ecosystem management model (REMM) to changes in climate and buffer characteristics common to conservation practices. *Transactions of the American Society of Agricultural Engineers* 48 (4):1377-1387.
- Greene, B. T., W. H. Lowe, and G. E. Likens. 2008. Forest succession and prey availability influence the strength and scale of terrestrial-aquatic linkages in a headwater salamander system. *Freshwater Biology* 53 (11):2234-2243.
- Hein, C. D., S. B. Castleberry, and K. V. Miller. 2009. Site-occupancy of bats in relation to forested corridors. *Forest Ecology and Management* 257 (4):1200-1207.  
<http://www.sciencedirect.com/science/article/B6T6X-4VDSCYD-1/2/6a93562de1cd02c082edb3dd8ccf977f>
- Hession, W. C., J. E. Pizzuto, T. E. Johnson, and R. J. Horwitz. 2003. Influence of bank vegetation on channel morphology in rural and urban watersheds. *Geology* 31 (2):147-150.
- Johnson, B. R., J. B. Wallace, A. D. Rosemond, and W. F. Cross. 2006. Larval salamander growth responds to enrichment of a nutrient poor headwater stream. *Hydrobiologia* 573 (1):227-232. <http://dx.doi.org/10.1007/s10750-006-0272-3>
- Kellogg, D. Q., A. J. Gold, P. M. Groffman, K. Addy, M. H. Stolt, and G. Blazejewski. 2005. In situ ground water denitrification in stratified, permeable soils underlying riparian wetlands. *Journal of Environmental Quality* 34 (2):524-533.
- Kenwick, R. A., M. R. Shammin, and W. C. Sullivan. 2009. Preferences for riparian buffers. *Landscape and Urban Planning* 91 (2):88-96.  
<http://dx.doi.org/10.1016/j.landurbplan.2008.12.005>
- Kilgo, J. C., R. A. Sargent, B. R. Chapman, and K. V. Miller. 1998. Effect of stand width and adjacent habitat on breeding bird communities in bottomland hardwoods. *Journal of Wildlife Management* 62 (1):72-83.
- Kissling, M. L., and E. O. Garton. 2008. Forested buffer strips and breeding bird communities in southeast Alaska. *Journal of Wildlife Management* 72 (3):674-681.
- Kluber, M. R., D. H. Olson, and K. J. Puettmann. 2008. Amphibian distributions in riparian and upslope areas and their habitat associations on managed forest landscapes in the Oregon Coast Range. *Forest Ecology and Management* 256 (4):529-535. <http://dx.doi.org/10.1016/j.foreco.2008.04.043>
- Lee, P., C. Smyth, and S. Boutin. 2004. Quantitative review of riparian buffer width guidelines from Canada and the United States. *Journal of Environmental Management* 70 (2):165-180.  
[http://www.sciencedirect.com/science?\\_ob=MIImg&\\_imagekey=B6WJ7-4BK2DJX-1-N&\\_cdi=6871&\\_user=930810&\\_orig=search&\\_coverDate=02%2F29%2F2004&\\_sk=999299997&view=c&wchp=dGLbVtb-zSkWz&md5=032809d30e7972d7e730c56cf284ec87&ie=/sdarticle.pdf](http://www.sciencedirect.com/science?_ob=MIImg&_imagekey=B6WJ7-4BK2DJX-1-N&_cdi=6871&_user=930810&_orig=search&_coverDate=02%2F29%2F2004&_sk=999299997&view=c&wchp=dGLbVtb-zSkWz&md5=032809d30e7972d7e730c56cf284ec87&ie=/sdarticle.pdf)

- Liechty, H. O., and J. M. Guldin. 2009. Structure and composition of streamside management zones following reproduction cutting in shortleaf pine stands. *Forest Ecology and Management* 258 (7):1407-1413. <http://dx.doi.org/10.1016/j.foreco.2009.06.044>
- Line, D. E. 2003. Changes in a stream's physical and biological conditions following livestock exclusion. *Transactions of the American Society of Agricultural Engineers* 46 (2):287-293.
- Liquori, M. K. 2006. Post-harvest riparian buffer response: Implications for wood recruitment modeling and buffer design. *Journal of the American Water Resources Association* 42 (1):177-189.
- Lowrance, R., and J. M. Sheridan. 2005. Surface runoff water quality in a managed three zone riparian buffer. *Journal of Environmental Quality* 34 (5):1851-1859. <http://dx.doi.org/10.2134/jeq2004.0291>
- MacDonald, L. H., and D. Coe. 2007. Influence of headwater streams on downstream reaches in forested areas. *Forest Science* 53 (2):148-168.
- Magner, J. A., B. Vondracek, and K. N. Brooks. 2008. Grazed riparian management and stream channel response in southeastern Minnesota (USA) streams. *Environmental Management* 42 (3):377-390. <http://dx.doi.org/10.1007/s00267-008-9132-4>
- Martin, D. J., and R. A. Grotefendt. 2007. Stand mortality in buffer strips and the supply of woody debris to streams in Southeast Alaska. *Canadian Journal of Forest Research* 37 (1):36-49. <http://dx.doi.org/10.1139/X06-209>
- Martinet, M. C., E. R. Vivoni, J. R. Cleverly, J. R. Thibault, J. F. Schuetz, and C. N. Dahm. 2009. On groundwater fluctuations, evapotranspiration, and understory removal in riparian corridors. *Water Resources Research* 45 (5). <http://dx.doi.org/10.1029/2008WR007152>
- Mason, J., C. Moorman, G. Hess, and K. Sinclair. 2007. Designing suburban greenways to provide habitat for forest-breeding birds. *Landscape and Urban Planning* 80 (1-2):153-164. [http://www.sciencedirect.com/science?\\_ob=ArticleURL&\\_udi=B6V91-4KPN9NS-1&\\_user=930810&\\_rdoc=1&\\_fmt=&\\_orig=search&\\_sort=d&\\_docanchor=&view=c&\\_acct=C000048423&\\_version=1&\\_urlVersion=0&\\_userid=930810&md5=caee519a9c77a37ac921f8869c146958](http://www.sciencedirect.com/science?_ob=ArticleURL&_udi=B6V91-4KPN9NS-1&_user=930810&_rdoc=1&_fmt=&_orig=search&_sort=d&_docanchor=&view=c&_acct=C000048423&_version=1&_urlVersion=0&_userid=930810&md5=caee519a9c77a37ac921f8869c146958)
- McDonough, C., and P. W. C. Paton. 2007. Salamander dispersal across a forested landscape fragmented by a golf course. *Journal of Wildlife Management* 71 (4):1163-1169.
- Meiklejohn, B. A., and J. W. Hughes. 1999. Bird communities in riparian buffer strips of industrial forests. *American Midland Naturalist* 141 (1):172-184.
- Moseley, K., W. Ford, and J. Edwards. 2009. Local and landscape scale factors influencing edge effects on woodland salamanders. *Environmental Monitoring and Assessment* 151 (1):425-435. <http://dx.doi.org/10.1007/s10661-008-0286-6>



- Muenz, T. K., S. W. Golladay, G. Vellidis, and L. L. Smith. 2006. Stream buffer effectiveness in an agriculturally influenced area, southwestern Georgia: Responses of water quality, macroinvertebrates, and amphibians. *Journal of Environmental Quality* 35 (5):1924-1938.  
<http://dx.doi.org/10.2134/jeq2005.0456>
- Olson, D. H., P. D. Anderson, C. A. Frissell, H. H. Welsh Jr, and D. F. Bradford. 2007. Biodiversity management approaches for stream-riparian areas: Perspectives for Pacific Northwest headwater forests, microclimates, and amphibians. *Forest Ecology and Management* 246 (1 SPEC. ISS.):81-107.  
<http://dx.doi.org/10.1016/j.foreco.2007.03.053>
- Peak, R. G., and F. R. Thompson. 2006. Factors affecting avian species richness and density in riparian areas. *Journal of Wildlife Management* 70 (1):173-179.
- Pennington, D. N., J. Hansel, and R. B. Blair. 2008. The conservation value of urban riparian areas for landbirds during spring migration: Land cover, scale, and vegetation effects. *Biological Conservation* 141 (5):1235-1248.  
[http://www.sciencedirect.com/science?\\_ob=MIImg&\\_imagekey=B6V5X-4S6GRTS-1-9&\\_cdi=5798&\\_user=930810&\\_orig=search&\\_coverDate=05%2F31%2F2008&\\_sk=998589994&view=c&wchp=dGLbVlz-zSkWz&md5=3ead10f79f8cd874709c7af5dd43e601&ie=/sdarticle.pdf](http://www.sciencedirect.com/science?_ob=MIImg&_imagekey=B6V5X-4S6GRTS-1-9&_cdi=5798&_user=930810&_orig=search&_coverDate=05%2F31%2F2008&_sk=998589994&view=c&wchp=dGLbVlz-zSkWz&md5=3ead10f79f8cd874709c7af5dd43e601&ie=/sdarticle.pdf)
- Perkins, D. W., and M. L. Hunter. 2006. Effects of riparian timber management on amphibians in Maine. *Journal of Wildlife Management* 70 (3):657-670.
- . 2006. Use of amphibians to define riparian zones of headwater streams. *Canadian Journal of Forest Research-Revue Canadienne De Recherche Forestiere* 36 (9):2124-2130.
- Peterman, W. E., and R. D. Semlitsch. 2009. Efficacy of riparian buffers in mitigating local population declines and the effects of even-aged timber harvest on larval salamanders. *Forest Ecology and Management* 257 (1):8-14.  
<http://dx.doi.org/10.1016/j.foreco.2008.08.011>
- Porter, E. E., J. Bulluck, and R. B. Blair. 2005. Multiple spatial-scale assessment of the conservation value of golf courses for breeding birds southwestern Ohio. *Wildlife Society Bulletin* 33 (2):494-506.
- Prisley, S. P., D. R. Daversa, and M. J. Mortimer. 2006. Estimation of forest area affected by local ordinances: A Virginia case study. *Southern Journal of Applied Forestry* 30 (4):188-195.
- Qiu, Z., T. Prato, and G. Boehm. 2006. Economic valuation of riparian buffer and open space in a suburban watershed. *Journal of the American Water Resources Association* 42 (6):1583-1596. <http://dx.doi.org/10.1111/j.1752-1688.2006.tb06022.x>
- Rich, A. C., D. S. Dobkin, and L. J. Niles. 1994. Defining forest fragmentation by corridor width: The influence of narrow forest-dividing corridors on forest-nesting birds in southern New Jersey. *Conservation Biology* 8 (4):1109-1121.  
<http://www.jstor.org/stable/2386581>

- Richardson, J. S., and R. J. Danehy. 2007. A synthesis of the ecology of headwater streams and their riparian zones in temperate forests. *Forest Science* 53 (2):131-147.
- Ringold, P. L., J. Van Sickle, M. Bollman, J. Welty, and J. Barker. 2009. Riparian forest indicators of potential future stream condition. *Ecological Indicators* 9 (3):462-475. <http://dx.doi.org/10.1016/j.ecolind.2008.06.009>
- Rittenhouse, T. A. G., and R. D. Semlitsch. 2007. Distribution of amphibians in terrestrial habitat surrounding wetlands. *Wetlands* 27 (1):153-161.
- Rivenbark, B. L., and C. R. Jackson. 2004. Concentrated flow breakthroughs moving through silvicultural streamside management zones: Southeastern Piedmont, USA. *Journal of the American Water Resources Association* 40 (4):1043-1052.
- Rodewald, A. D., and M. H. Bakermans. 2006. What is the appropriate paradigm for riparian forest conservation? *Biological Conservation* 128 (2):193-200. [http://www.sciencedirect.com/science?\\_ob=MIImg&\\_imagekey=B6V5X-4HNSB83-1-5&\\_cdi=5798&\\_user=930810&\\_orig=search&\\_coverDate=03%2F31%2F2006&\\_sk=998719997&view=c&wchp=dGLzVlz-zSkWz&md5=91f77aa2e292ee51c544d4c73f9a8181&ie=/sdarticle.pdf](http://www.sciencedirect.com/science?_ob=MIImg&_imagekey=B6V5X-4HNSB83-1-5&_cdi=5798&_user=930810&_orig=search&_coverDate=03%2F31%2F2006&_sk=998719997&view=c&wchp=dGLzVlz-zSkWz&md5=91f77aa2e292ee51c544d4c73f9a8181&ie=/sdarticle.pdf)
- Roy, A. H., M. C. Freeman, B. J. Freeman, S. J. Wenger, J. L. Meyer, and W. E. Ensign. 2006. Importance of riparian forests in urban catchments contingent on sediment and hydrologic regimes. *Environmental Management* 37 (4):523-539. <http://dx.doi.org/10.1007/s00267-005-0029-1>
- Sahu, M., and R. R. Gu. 2009. Modeling the effects of riparian buffer zone and contour strips on stream water quality. *Ecological Engineering* 35 (8):1167-1177. <http://dx.doi.org/10.1016/j.ecoleng.2009.03.015>
- Sallabanks, R., J. R. Walters, and J. A. Collazo. 2000. Breeding bird abundance in bottomland hardwood forests: habitat, edge, and patch size effects. *The Condor* 102 (4):748-758. [http://dx.doi.org/10.1650/0010-5422\(2000\)102\[0748:BBAIBH\]2.0.CO;2](http://dx.doi.org/10.1650/0010-5422(2000)102[0748:BBAIBH]2.0.CO;2)
- Schilling, K. E., Z. Li, and Y.-K. Zhang. 2006. Groundwater-surface water interaction in the riparian zone of an incised channel, Walnut Creek, Iowa. *Journal of Hydrology* 327 (1-2):140-150. <http://dx.doi.org/10.1016/j.jhydrol.2005.11.014>
- Shields, F. D., C. M. Cooper Jr, S. S. Knight, and M. T. Moore. 2003. Stream corridor restoration research: A long and winding road. *Ecological Engineering* 20 (5):441-454. <http://dx.doi.org/10.1016/j.ecoleng.2003.08.005>
- Shirley, S. M. 2006. Movement of forest birds across river and clearcut edges of varying riparian buffer strip widths. *Forest Ecology and Management* 223 (1-3):190-199. [http://www.sciencedirect.com/science?\\_ob=ArticleURL&\\_udi=B6T6X-4HWX8WP-3&\\_user=930810&\\_rdoc=1&\\_fmt=&\\_orig=search&\\_sort=d&\\_docanchor=&view=c&\\_acct=C000048423&\\_version=1&\\_urlVersion=0&\\_userid=930810&md5=8fd3bf1cee24f32c34fd4040138ad435](http://www.sciencedirect.com/science?_ob=ArticleURL&_udi=B6T6X-4HWX8WP-3&_user=930810&_rdoc=1&_fmt=&_orig=search&_sort=d&_docanchor=&view=c&_acct=C000048423&_version=1&_urlVersion=0&_userid=930810&md5=8fd3bf1cee24f32c34fd4040138ad435)



- Skidds, D. E., F. C. Golet, P. W. C. Paton, and J. C. Mitchell. 2007. Habitat correlates of reproductive effort in wood frogs and spotted salamanders in an urbanizing watershed. *Journal of Herpetology* 41 (3):439-450.
- Sovell, L. A., B. Vondracek, J. A. Frost, and K. G. Mumford. 2000. Impacts of rotational grazing and riparian buffers on physicochemical and biological characteristics of Southeastern Minnesota, USA, streams. *Environmental Management* 26 (6):629-641. <http://dx.doi.org/10.1007/s002670010121>
- Spruill, T. B. 2004. Effectiveness of riparian buffers in controlling ground-water discharge of nitrate to streams in selected hydrogeologic settings of the North Carolina Coastal Plain. *Water Science and Technology* 49 (3):63-70.
- Vellidis, G., and R. Lowrance. 2004. Riparian forest buffers. *Resource: Engineering and Technology for Sustainable World* 11 (10):7-8.
- Vellidis, G., R. Lowrance, P. Gay, and R. D. Wauchope. 2002. Herbicide transport in a restored riparian forest buffer system. *Transactions of the American Society of Agricultural Engineers* 45 (1):89-97.
- Walter, M. T., J. A. Archibald, B. Buchanan, H. Dahlke, Z. M. Easton, R. D. Marjerson, A. N. Sharma, and S. B. Shaw. 2009. New paradigm for sizing riparian buffers to reduce risks of polluted storm water: Practical synthesis. *Journal of Irrigation and Drainage Engineering* 135 (2):200-209. [http://dx.doi.org/10.1061/\(ASCE\)0733-9437\(2009\)135:2\(200\)](http://dx.doi.org/10.1061/(ASCE)0733-9437(2009)135:2(200))
- Warren, D. R., and C. E. Kraft. 2008. Dynamics of large wood in an eastern U.S. mountain stream. *Forest Ecology and Management* 256 (4):808-814. <http://dx.doi.org/10.1016/j.foreco.2008.05.038>
- Washington State Department of Transportation (WSDOT). 2008. Wetland and Buffer Impact Assessment Guidance.: Washington State Department of Transportation <http://www.wsdot.wa.gov/NR/rdonlyres/DOFE60A8-A193-4615-A684-27E66CFBFB61/0/WetMitBuffImpAssess.pdf>.
- Whitaker, D. M., and W. A. Montevecchi. 1999. Breeding bird assemblages inhabiting riparian buffer strips in Newfoundland, Canada. *Journal of Wildlife Management* 63 (1):167-179.
- Wigington, P. J., Jr., T. J. Moser, and D. R. Lindeman. 2005. Stream network expansion: A riparian water quality factor. *Hydrological Processes* 19 (8):1715-1721. <http://dx.doi.org/10.1002/hyp.5866>
- Wigington, P. J., Jr., T. J. Moser, and D. R. Lindeman. 2005. Stream network expansion: A riparian water quality factor. *Hydrological Processes* 19 (8):1715-1721. <http://dx.doi.org/10.1002/hyp.5866>
- Wilkerson, E., J. M. Hagan, D. Siegel, and A. A. Whitman. 2006. The effectiveness of different buffer widths for protecting headwater stream temperature in Maine. *Forest Science* 52 (3):221-231.

- Williams, T. M., D. J. Lipscomb, W. R. English, and C. Nickel. 2003. Mapping variable - Width streamside management zones for water quality protection. *Biomass and Bioenergy* 24 (4-5):329-336. [http://dx.doi.org/10.1016/S0961-9534\(02\)00168-X](http://dx.doi.org/10.1016/S0961-9534(02)00168-X)
- Wipfli, M. S. 2005. Trophic linkages between headwater forests and downstream fish habitats: Implications for forest and fish management. *Landscape and Urban Planning* 72 (1-3):205-213. <http://dx.doi.org/10.1016/j.landurbplan.2004.09.025>
- Wipfli, M. S., J. S. Richardson, and R. J. Naiman. 2007. Ecological linkages between headwaters and downstream ecosystems: Transport of organic matter, invertebrates, and wood down headwater channels. *Journal of the American Water Resources Association* 43 (1):72-85. <http://dx.doi.org/10.1111/j.1752-1688.2007.00007.x>
- Woodcock, T. S., and A. D. Huryn. 2004. Effects of roadway crossings on leaf litter processing and invertebrate assemblages in small streams. *Environmental Monitoring and Assessment* 93 (1-3):229-250. <http://dx.doi.org/10.1023/B:EMAS.0000016802.98218.4e>
- Yahner, R. H. 1988. Changes in wildlife communities near edges. *Conservation Biology* 2 (4):333-339. <http://www.jstor.org/stable/2386292>
- Yamada, T., S. D. Logsdon, M. D. Tomer, and M. R. Burkart. 2007. Groundwater nitrate following installation of a vegetated riparian buffer. *Science of the Total Environment* 385 (1-3):297-309. <http://dx.doi.org/10.1016/j.scitotenv.2007.06.035>
- Zaimes, G. N., R. C. Schultz, and T. M. Isenhardt. 2006. Riparian land uses and precipitation influences on stream bank erosion in central Iowa. *Journal of the American Water Resources Association* 42 (1):83-97.
- . 2008. Streambank soil and phosphorus losses under different riparian land-uses in Iowa. *Journal of the American Water Resources Association* 44 (4):935-947. <http://dx.doi.org/10.1111/j.1752-1688.2008.00210.x>
- Ziegler, A. D., J. Negishi, R. C. Sidle, P. Preechapanya, R. A. Sutherland, T. W. Giambelluca, and S. Jaiaree. 2006. Reduction of stream sediment concentration by a riparian buffer: Filtering of road runoff in disturbed headwater basins of Montane Mainland Southeast Asia. *Journal of Environmental Quality* 35 (1):151-162. <http://dx.doi.org/10.2134/jeq2005.0103>

## Appendix C: Cumulative Impacts

- Brown, M. T., and M. B. Vivas. 2005. Landscape development intensity index. *Environmental Monitoring and Assessment* 101 (1-3):289-309.  
<http://www.springerlink.com/content/j133h5g4748578v7/fulltext.pdf>
- Cote, D., D. G. Kehler, C. Bourne, and Y. F. Wiersma. 2009. A new measure of longitudinal connectivity for stream networks. *Landscape Ecology* 24 (1):101-113.  
<http://www.springerlink.com/content/l511w82281n65515/fulltext.pdf>
- Crain, C. M., B. S. Halpern, M. W. Beck, and C. V. Kappel. 2009. Understanding and managing human threats to the coastal marine environment. *Year in Ecology and Conservation Biology* 2009 1162:39-62.
- Forys, E. A., C. R. Allen, and D. P. Wojcik. 2002. Influence of the proximity and amount of human development and roads on the occurrence of the red imported fire ant in the lower Florida Keys. *Biological Conservation* 108 (1):27-33.  
[http://www.sciencedirect.com/science?\\_ob=MIImg&\\_imagekey=B6V5X-45BCPDD-3-4&\\_cdi=5798&\\_user=930810&\\_orig=search&\\_coverDate=11%2F30%2F2002&\\_sk=998919998&view=c&wchp=dGLzVtb-zSkzV&md5=17d341129e2fbb49ca837c71f5c62d6d&ie=/sdarticle.pdf](http://www.sciencedirect.com/science?_ob=MIImg&_imagekey=B6V5X-45BCPDD-3-4&_cdi=5798&_user=930810&_orig=search&_coverDate=11%2F30%2F2002&_sk=998919998&view=c&wchp=dGLzVtb-zSkzV&md5=17d341129e2fbb49ca837c71f5c62d6d&ie=/sdarticle.pdf)
- Gergel, S. E. 2002. Assessing cumulative impacts of levees and dams on floodplain ponds: A neutral-terrain model approach. *Ecological Applications* 12 (6):1740-1754.
- Gilman, E. L. 1998. Nationwide permit program: Unknown adverse impacts on the commonwealth of the Northern Mariana Islands' wetlands. *Coastal Management* 26 (4):253-277.  
<http://www.informaworld.com/smpp/content~db=all?content=10.1080/08920759809362357>
- Girvetz, E. H., J. H. Thorne, A. M. Berry, and J. A. G. Jaeger. 2008. Integration of landscape fragmentation analysis into regional planning: A statewide multi-scale case study from California, USA. *Landscape and Urban Planning* 86 (3-4):205-218. [http://www.sciencedirect.com/science?\\_ob=ArticleURL&\\_udi=B6V91-4SDNK43-1&\\_user=930810&\\_rdoc=1&\\_fmt=&\\_orig=search&\\_sort=d&\\_docanchor=&view=c&\\_acct=C000048423&\\_version=1&\\_urlVersion=0&\\_userid=930810&md5=78c7d7d80f4f4cb1da47df7bb0131b36](http://www.sciencedirect.com/science?_ob=ArticleURL&_udi=B6V91-4SDNK43-1&_user=930810&_rdoc=1&_fmt=&_orig=search&_sort=d&_docanchor=&view=c&_acct=C000048423&_version=1&_urlVersion=0&_userid=930810&md5=78c7d7d80f4f4cb1da47df7bb0131b36)
- Grimes, G., L. Pesesky, J. S. Lane, and C. Szwarcop. 2004. Eight-step process for assessing indirect and cumulative impacts of transportation projects. *Energy and Environmental Concerns* 2004 (1880):144-150.
- Gwin, S. E., M. E. Kentula, and P. W. Shaffer. 1999. Evaluating the effects of wetland regulation through hydrogeomorphic classification and landscape profiles. *Wetlands* 19 (3):477-489.
- Hirsch, A. 1988. Regulatory context for cumulative impact research. *Environmental Management* 12 (5):715-723. <http://dx.doi.org/10.1007/BF01867548>

- Nellemann, C., I. Vistnes, P. Jordhoy, O. Strand, and A. Newton. 2003. Progressive impact of piecemeal infrastructure development on wild reindeer. *Biological Conservation* 113 (2):307-317.  
[http://www.sciencedirect.com/science?\\_ob=MIImg&\\_imagekey=B6V5X-4899XGK-3-H&\\_cdi=5798&\\_user=930810&\\_orig=search&\\_coverDate=10%2F31%2F2003&\\_sk=998869997&view=c&wchp=dGLbVzz-zSkWA&md5=372e87cbd437e28e5aa162680016152f&ie=/sdarticle.pdf](http://www.sciencedirect.com/science?_ob=MIImg&_imagekey=B6V5X-4899XGK-3-H&_cdi=5798&_user=930810&_orig=search&_coverDate=10%2F31%2F2003&_sk=998869997&view=c&wchp=dGLbVzz-zSkWA&md5=372e87cbd437e28e5aa162680016152f&ie=/sdarticle.pdf)
- NRC (National Research Council). 2001. *Compensating for Wetland Losses Under the Clean Water Act*. Washington, DC: National Academy Press.  
[http://www.nap.edu/catalog.php?record\\_id=10134](http://www.nap.edu/catalog.php?record_id=10134)
- Peterson, C. H., and M. J. Bishop. 2005. Assessing the environmental impacts of beach nourishment. *Bioscience* 55 (10):887-896.
- Pinay, G., J. C. Clement, and R. J. Naiman. 2002. Basic principles and ecological consequences of changing water regimes on nitrogen cycling in fluvial systems. *Environmental Management* 30 (4):481-491.  
<http://www.springerlink.com/content/ka7fnp1rt7jqygfy/fulltext.pdf>
- Pinter, N., B. S. Ickes, J. H. Wlosinski, and R. R. van der Ploeg. 2006. Trends in flood stages: Contrasting results from the Mississippi and Rhine River systems. *Journal of Hydrology* 331 (3-4):554-566.  
[http://www.sciencedirect.com/science?\\_ob=MIImg&\\_imagekey=B6V6C-4KKNJ8F-1-3&\\_cdi=5811&\\_user=930810&\\_orig=search&\\_coverDate=12%2F15%2F2006&\\_sk=996689996&view=c&wchp=dGLbVzW-zSkzV&md5=7b22cee9b1f5f3748c58c80d0abfa3a8&ie=/sdarticle.pdf](http://www.sciencedirect.com/science?_ob=MIImg&_imagekey=B6V6C-4KKNJ8F-1-3&_cdi=5811&_user=930810&_orig=search&_coverDate=12%2F15%2F2006&_sk=996689996&view=c&wchp=dGLbVzW-zSkzV&md5=7b22cee9b1f5f3748c58c80d0abfa3a8&ie=/sdarticle.pdf)
- Portman, M. E., D. Jin, and E. Thunberg. 2009. Waterfront land use change and marine resource conditions: The case of New Bedford and Fairhaven, Massachusetts. *Ecological Economics* 68 (8-9):2354-2362.  
[http://www.sciencedirect.com/science?\\_ob=ArticleURL&\\_udi=B6VDY-4W4VT0X-1&\\_user=930810&\\_rdoc=1&\\_fmt=&\\_orig=search&\\_sort=d&\\_docanchor=&view=c&\\_acct=C000048423&\\_version=1&\\_urlVersion=0&\\_userid=930810&md5=d7509a783c9bab3bc1a14a98a4460d96](http://www.sciencedirect.com/science?_ob=ArticleURL&_udi=B6VDY-4W4VT0X-1&_user=930810&_rdoc=1&_fmt=&_orig=search&_sort=d&_docanchor=&view=c&_acct=C000048423&_version=1&_urlVersion=0&_userid=930810&md5=d7509a783c9bab3bc1a14a98a4460d96)
- Radomski, P., and T. J. Goeman. 2001. Consequences of human lakeshore development on emergent and floating-leaf vegetation abundance. *North American Journal of Fisheries Management* 21 (1):46-61.
- Sanger, D. M., A. F. Holland, and C. Gainey. 2004. Cumulative impacts of dock shading on *Spartina alterniflora* in South Carolina estuaries. *Environmental Management* 33 (5):741-748.  
<http://www.springerlink.com/content/8rg58ym3fermyq6n/fulltext.pdf>
- Sanger, D. M., A. F. Holland, and D. L. Hernandez. 2004. Evaluation of the impacts of dock structures and land use on tidal creek ecosystems in South Carolina estuarine environments. *Environmental Management* 33 (3):385-400.  
<http://www.springerlink.com/content/qu714c2tm7cxt79r/fulltext.pdf>

- Scott, M. C., G. S. Helfman, M. E. McTammany, E. F. Benfield, and P. V. Bolstad. 2002. Multiscale influences on physical and chemical stream conditions across blue ridge landscapes. *Journal of the American Water Resources Association* 38 (5):1379-1392.
- Stein, E. D., and R. E. Ambrose. 1998. Cumulative impacts of Section 404 Clean Water Act permitting on the riparian habitat of the Santa Margarita, California watershed. *Wetlands* 18 (3):393-408.
- Stein, E. D., and R. F. Ambrose. 2001. Landscape-scale analysis and management of cumulative impacts to riparian ecosystems: Past, present, and future. *Journal of the American Water Resources Association* 37 (6):1597-1614.
- Stein, E. D., F. Tabatabai, and R. F. Ambrose. 2000. Wetland mitigation banking: A framework for crediting and debiting. *Environmental Management* 26 (3):233-250. <http://www.springerlink.com/content/jj410vauk74un7pm/fulltext.pdf>
- Swenson, D. P., and R. F. Ambrose. 2007. A spatial analysis of cumulative habitat loss in Southern California under the Clean Water Act Section 404 program. *Landscape and Urban Planning* 82 (1-2):41-55. [http://www.sciencedirect.com/science?\\_ob=ArticleURL&\\_udi=B6V91-4N7YFK3-2&\\_user=930810&\\_rdoc=1&\\_fmt=&\\_orig=search&\\_sort=d&\\_docanchor=&view=c&\\_acct=C000048423&\\_version=1&\\_urlVersion=0&\\_userid=930810&md5=a9adb4d99b5f5f69ebe19f4160fbb49c](http://www.sciencedirect.com/science?_ob=ArticleURL&_udi=B6V91-4N7YFK3-2&_user=930810&_rdoc=1&_fmt=&_orig=search&_sort=d&_docanchor=&view=c&_acct=C000048423&_version=1&_urlVersion=0&_userid=930810&md5=a9adb4d99b5f5f69ebe19f4160fbb49c)
- Syphard, A. D., and M. W. Garcia. 2001. Human- and beaver-induced wetland changes in the Chickahominy River watershed from 1953 to 1994. *Wetlands* 21 (3):342-353.
- Tiner, R. W. 2005. Assessing cumulative loss of wetland functions in the Nanticoke River watershed using enhanced National Wetlands Inventory data. *Wetlands* 25 (2):405-419.
- Wheeler, A. P., P. L. Angermeier, and A. E. Rosenberger. 2005. Impacts of new highways and subsequent landscape urbanization on stream habitat and biota. *Reviews in Fisheries Science* 13 (3):141-164. <http://www.informaworld.com/smpp/content~db=all?content=10.1080/10641260590964449>
- Wissmar, R. C. 2004. Riparian corridors of Eastern Oregon and Washington: Functions and sustainability along lowland-arid to mountain gradients. *Aquatic Sciences* 66 (4):373-387. <http://www.springerlink.com/content/5x3u10h9ayvc0c8u/fulltext.pdf>
- Zedler, J. B., and S. Kercher. 2004. Causes and consequences of invasive plants in wetlands: Opportunities, opportunists, and outcomes. *Critical Reviews in Plant Sciences* 23 (5):431-452. <http://www.informaworld.com/smpp/content~db=all?content=10.1080/07352680490514673>

## Appendix D: Development and Urban Impacts

- Ackerman, D., and E. D. Stein. 2008. Estimating the variability and confidence of land use and imperviousness relationships at a regional scale. *Journal of the American Water Resources Association* 44 (4):996-1008.  
<http://dx.doi.org/10.1111/j.1752-1688.2008.00215.x>
- Allen, P. M., J. G. Arnold, and W. Shipwith. 2008. Prediction of channel degradation rates in urbanizing watersheds. *Hydrological Sciences Journal* 53 (5):1013-1029.  
<http://dx.doi.org/10.1623/hysj.53.5.1013>
- Allmendinger, N. E., J. E. Pizzuto, G. E. Moglen, and M. Lewicki. 2007. A sediment budget for an urbanizing watershed, 1951-1996, Montgomery County, Maryland, U.S.A. *Journal of the American Water Resources Association* 43 (6):1483-1498.  
<http://dx.doi.org/10.1111/j.1752-1688.2007.00122.x>
- Benotti, M. J., and B. J. Brownawell. 2007. Distributions of pharmaceuticals in an urban estuary during both dry- and wet-weather conditions. *Environmental Science and Technology* 41 (16):5795-5802. <http://dx.doi.org/10.1021/es0629965>
- Bledsoe, B. P., and C. C. Watson. 2001. Effects of urbanization on channel instability. *Journal of the American Water Resources Association* 37 (2):255-270.
- Booth, D. B., D. Hartley, and R. Jackson. 2002. Forest cover, impervious-surface area, and the mitigation of stormwater impacts. *Journal of the American Water Resources Association* 38 (3):835-845.
- Brett, M. T., G. B. Arhonditsis, S. E. Mueller, D. M. Hartley, J. D. Frodge, and D. E. Funke. 2005. Non-point-source impacts on stream nutrient concentrations along a forest to urban gradient. *Environmental Management* 35 (3):330-342.  
<http://dx.doi.org/10.1007/s00267-003-0311-z>
- Budd, R., S. Bondarenko, D. Haver, J. Kabashima, and J. Gan. 2007. Occurrence and bioavailability of pyrethroids in a mixed land use watershed. *Journal of Environmental Quality* 36 (4):1006-1012.  
<http://dx.doi.org/10.2134/jeq2006.0249>
- Burdick, D., and R. Konisky. 2003. Determinants of expansion for *Phragmites australis*, common reed, in natural and impacted coastal marshes. *Estuaries and Coasts* 26 (2):407-416. <http://dx.doi.org/10.1007/BF02823717>
- Burns, D., T. Vitvar, J. McDonnell, J. Hassett, J. Duncan, and C. Kendall. 2005. Effects of suburban development on runoff generation in the Croton River basin, New York, USA. *Journal of Hydrology* 311 (1-4):266-281.  
<http://dx.doi.org/10.1016/j.jhydrol.2005.01.022>
- Canuel, E. A., E. J. Lerberg, R. M. Dickhut, S. A. Kuehl, T. S. Bianchi, and S. G. Wakeham. 2009. Changes in sediment and organic carbon accumulation in a highly-disturbed ecosystem: The Sacramento-San Joaquin River Delta (California, USA). *Marine Pollution Bulletin* 59 (4-7):154-163.  
<http://dx.doi.org/10.1016/j.marpolbul.2009.03.025>



- Casey, R. E., J. A. Simon, S. Atueyi, J. W. Snodgrass, N. Karouna-Renier, and D. W. Sparling. 2007. Temporal trends of trace metals in sediment and invertebrates from stormwater management ponds. *Water, Air, and Soil Pollution* 178 (1-4):69-77. <http://dx.doi.org/10.1007/s11270-006-9132-z>
- Chalmers, A. T., P. C. Van Metre, and E. Callender. 2007. The chemical response of particle-associated contaminants in aquatic sediments to urbanization in New England, U.S.A. *Journal of Contaminant Hydrology* 91 (1-2):4-25. <http://dx.doi.org/10.1016/j.jconhyd.2006.08.007>
- Chen, J., A. A. Hill, and L. D. Urbano. 2009. A GIS-based model for urban flood inundation. *Journal of Hydrology* 373 (1-2):184-192. <http://dx.doi.org/10.1016/j.jhydrol.2009.04.021>
- Cho, J., V. A. Barone, and S. Mostaghimi. 2009. Simulation of land use impacts on groundwater levels and streamflow in a Virginia watershed. *Agricultural Water Management* 96 (1):1-11. <http://dx.doi.org/10.1016/j.agwat.2008.07.005>
- Cho, S.-H., and D. H. Newman. 2005. Spatial analysis of rural land development. *Forest Policy and Economics* 7 (5):732-744. <http://dx.doi.org/10.1016/j.forpol.2005.03.008>
- Cianfrani, C. M., W. C. Hession, and D. M. Rizzo. 2006. Watershed imperviousness impacts on stream channel condition in southeastern Pennsylvania. *Journal of the American Water Resources Association* 42 (4):941-956. <http://dx.doi.org/10.1111/j.1752-1688.2006.tb04506.x>
- Clinton, B. D., and J. M. Vose. 2006. Variation in stream water quality in an urban headwater stream in the southern appalachians. *Water, Air, and Soil Pollution* 169 (1-4):331-353. <http://dx.doi.org/10.1007/s11270-006-2812-x>
- Coats, R., M. Larsen, A. Heyvaert, J. Thomas, M. Luck, and J. Reuter. 2008. Nutrient and sediment production, watershed characteristics, and land use in the Tahoe Basin, California-Nevada. *Journal of the American Water Resources Association* 44 (3):754-770. <http://dx.doi.org/10.1111/j.1752-1688.2008.00203.x>
- Conway, T. M., and R. G. Lathrop. 2005. Alternative land use regulations and environmental impacts: Assessing future land use in an urbanizing watershed. *Landscape and Urban Planning* 71 (1):1-15. <http://dx.doi.org/10.1016/j.landurbplan.2003.08.005>
- Coppes, B. A. 2002. The challenges of stormwater management. *Water Engineering and Management* 149 (11):18-23.
- Dougherty, M., R. L. Dymond, T. J. Grizzard Jr, A. N. Godrej, C. E. Zipper, and J. Randolph. 2006. Quantifying long-term NPS pollutant flux in an urbanizing watershed. *Journal of Environmental Engineering* 132 (4):547-554. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2006\)132:4\(547\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2006)132:4(547))
- Ehrenfeld, J. G. 2000. Evaluating wetlands within an urban context. *Urban Ecosystems* 4 (1):69-85. <http://dx.doi.org/10.1023/A:1009543920370>

- Fanning, D. S., C. Coppock, Z. W. Orndorff, W. L. Daniels, and M. C. Rabenhorst. 2004. Upland active acid sulfate soils from construction of new Stafford County, Virginia, USA, Airport. *Australian Journal of Soil Research* 42 (5-6):527-536.
- Faulkner, S. 2004. Urbanization impacts on the structure and function of forested wetlands. *Urban Ecosystems* 7 (2):89-106.  
<http://dx.doi.org/10.1023/B:UECO.0000036269.56249.66>
- Galatowitsch, S. M., D. C. Whited, R. Lehtinen, J. Husveth, and K. Schik. 2000. The Vegetation of Wet Meadows in Relation to Their Land-use. *Environmental Monitoring and Assessment* 60 (2):121-144.  
<http://dx.doi.org/10.1023/A:1006159028274>
- Galster, J. C., F. J. Pazzaglia, and D. Germanoski. 2008. Measuring the impact of urbanization on channel widths using historic aerial photographs and modern surveys. *Journal of the American Water Resources Association* 44 (4):948-960.  
<http://dx.doi.org/10.1111/j.1752-1688.2008.00193.x>
- Gardner, C. B., and A. E. Carey. 2004. Trace metal and major ion inputs into the Olentangy River from an urban storm sewer. *Environmental Science and Technology* 38 (20):5319-5326. <http://dx.doi.org/10.1021/es0497835>
- Gilroy, K. L., and R. H. McCuen. 2009. Spatio-temporal effects of low impact development practices. *Journal of Hydrology* 367 (3-4):228-236.  
<http://dx.doi.org/10.1016/j.jhydrol.2009.01.008>
- Goldman Martone, R., and K. Wasson. 2008. Impacts and interactions of multiple human perturbations in a California salt marsh. *Oecologia* 158 (1):151-163.  
<http://dx.doi.org/10.1007/s00442-008-1129-4>
- Grable, J. L., and C. P. Harden. 2006. Geomorphic response of an Appalachian Valley and Ridge stream to urbanization. *Earth Surface Processes and Landforms* 31 (13):1707-1720. <http://dx.doi.org/10.1002/esp.1433>
- Graf, W. L. 2000. Locational probability for a dammed, urbanizing stream: Salt River, Arizona, USA. *Environmental Management* 25 (3):321-335.  
<http://dx.doi.org/10.1007/s002679910025>
- Gray, L. 2004. Changes in water quality and macroinvertebrate communities resulting from urban stormflows in the Provo River, Utah, U.S.A. *Hydrobiologia* 518 (1-3):33-46. <http://dx.doi.org/10.1023/B:HYDR.0000025055.15164.40>
- Gresens, S. E., K. T. Belt, J. A. Tang, D. C. Gwinn, and P. A. Banks. 2007. Temporal and spatial responses of Chironomidae (Diptera) and other benthic invertebrates to urban stormwater runoff. *Hydrobiologia* 575 (1):173-190.  
<http://dx.doi.org/10.1007/s10750-006-0366-y>
- Hale, R. L., and P. M. Groffman. 2006. Chloride effects on nitrogen dynamics in forested and suburban stream debris dams. *Journal of Environmental Quality* 35 (6):2425-2432. <http://dx.doi.org/10.2134/jeq2006.0164>



- Harrell, L. J., and R. S. Ranjithan. 2003. Detention pond design and land use planning for watershed management. *Journal of Water Resources Planning and Management* 129 (2):98-106. [http://dx.doi.org/10.1061/\(ASCE\)0733-9496\(2003\)129:2\(98\)](http://dx.doi.org/10.1061/(ASCE)0733-9496(2003)129:2(98))
- Hauer, F. R., J. A. Stanford, and M. S. Loring. 2007. Pattern and process in Northern Rocky Mountain headwaters: Ecological linkages in the headwaters of the crown of the continent. *Journal of the American Water Resources Association* 43 (1):104-117. <http://dx.doi.org/10.1111/j.1752-1688.2007.00009.x>
- Helms, B. S., J. E. Schoonover, and J. W. Feminella. 2009. Assessing influences of hydrology, physicochemistry, and habitat on stream fish assemblages across a changing landscape. *Journal of the American Water Resources Association* 45 (1):157-169. <http://dx.doi.org/10.1111/j.1752-1688.2008.00267.x>
- Herb, W. R., B. Janke, O. Mohseni, and H. G. Stefan. 2008. Ground surface temperature simulation for different land covers. *Journal of Hydrology* 356 (3-4):327-343. <http://dx.doi.org/10.1016/j.jhydrol.2008.04.020>
- . 2008. Thermal pollution of streams by runoff from paved surfaces. *Hydrological Processes* 22 (7):987-999. <http://dx.doi.org/10.1002/hyp.6986>
- Hess, A. J., and P. A. Johnson. 2001. A systematic analysis of the constraints to urban stream enhancements. *Journal of the American Water Resources Association* 37 (1):213-221.
- Hintzen, E. P., M. J. Lydy, and J. B. Belden. 2009. Occurrence and potential toxicity of pyrethroids and other insecticides in bed sediments of urban streams in central Texas. *Environmental Pollution* 157 (1):110-116. <http://dx.doi.org/10.1016/j.envpol.2008.07.023>
- Horowitz, A. J., K. A. Elrick, and J. J. Smith. 2008. Monitoring urban impacts on suspended sediment, trace element, and nutrient fluxes within the City of Atlanta, Georgia, USA: Program design, methodological considerations, and initial results. *Hydrological Processes* 22 (10):1473-1496. <http://dx.doi.org/10.1002/hyp.6699>
- Houser, D. L., and H. Pruess. 2009. The effects of construction on water quality: A case study of the culverting of Abram Creek. *Environmental Monitoring and Assessment* 155 (1-4):431-442. <http://dx.doi.org/10.1007/s10661-008-0445-9>
- Hwang, H.-M., and G. D. Foster. 2008. Polychlorinated biphenyls in stormwater runoff entering the tidal Anacostia River, Washington, DC, through small urban catchments and combined sewer outfalls. *Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering* 43 (6):567-575. <http://dx.doi.org/10.1080/10934520801893527>
- Johnston, C. A., T. Watson, and P. T. Wolter. 2007. Sixty-three years of land alteration in Erie Township. *Journal of Great Lakes Research* 33 (SPEC. ISS. 3):253-268.
- Kentula, M. E., S. E. Gwin, and S. M. Pierson. 2004. Tracking changes in wetlands with urbanization: Sixteen years of experience in Portland, Oregon, USA. *Wetlands* 24 (4):734-743.

- Kimbrough, K. L., and R. M. Dickhut. 2006. Assessment of polycyclic aromatic hydrocarbon input to urban wetlands in relation to adjacent land use. *Marine Pollution Bulletin* 52 (11):1355-1363.  
<http://dx.doi.org/10.1016/j.marpolbul.2006.03.022>
- King, K. W., J. C. Balogh, K. L. Hughes, and R. D. Harmel. 2007. Nutrient load generated by storm event runoff from a golf course watershed. *Journal of Environmental Quality* 36 (4):1021-1030. <http://dx.doi.org/10.2134/jeq2006.0387>
- Konrad, C. P., D. B. Booth, and S. J. Burges. 2005. Effects of urban development in the Puget Lowland, Washington, on interannual streamflow patterns: Consequences for channel form and streambed disturbance. *Water Resources Research* 41 (7):1-15. <http://dx.doi.org/10.1029/2005WR004097>
- Krause, C. W., B. Lockard, T. J. Newcomb, D. Kibler, V. Lohani, and D. J. Orth. 2004. Predicting influences of urban development on thermal habitat in a warm water stream. *Journal of the American Water Resources Association* 40 (6):1645-1658.
- Lewis, G. P., J. D. Mitchell, C. B. Andersen, D. C. Haney, M.-K. Liao, and K. A. Sargent. 2007. Urban influences on stream chemistry and biology in the Big Brushy Creek watershed, South Carolina. *Water, Air, and Soil Pollution* 182 (1-4):303-323.  
<http://dx.doi.org/10.1007/s11270-007-9340-1>
- Lin, Z., D. E. Radcliffe, L. M. Risse, J. J. Romeis, and C. R. Jackson. 2009. Modeling phosphorus in the Lake Allatoona watershed using SWAT: II. Effect of land use change. *Journal of Environmental Quality* 38 (1):121-129.  
<http://dx.doi.org/10.2134/jeq2007.0111>
- Lussier, S. M., R. W. Enser, S. N. Dasilva, and M. Charpentier. 2006. Effects of habitat disturbance from residential development on breeding bird communities in riparian corridors. *Environmental Management* 38 (3):504-521.  
<http://www.springerlink.com/content/r5w38x7542017688/fulltext.pdf>
- Mahler, B. J., P. C. Van Metre, T. J. Bashara, J. T. Wilson, and D. A. Johns. 2005. Parking lot sealcoat: An unrecognized source of urban polycyclic aromatic hydrocarbons. *Environmental Science and Technology* 39 (15):5560-5566.  
<http://dx.doi.org/10.1021/es0501565>
- Maliva, R. G., and K. P. Hopfensperger. 2007. Impacts of residential development on humid subtropical freshwater resources: Southwest Florida experience. *Journal of the American Water Resources Association* 43 (6):1540-1549.  
<http://dx.doi.org/10.1111/j.1752-1688.2007.00126.x>
- Mallin, M. A., S. H. Ensign, M. R. McIver, G. C. Shank, and P. K. Fowler. 2001. Demographic, landscape, and meteorological factors controlling the microbial pollution of coastal waters. *Hydrobiologia* 460:185-193.  
<http://dx.doi.org/10.1023/A:1013169401211>
- McBride, M., and D. B. Booth. 2005. Urban impacts on physical stream condition: Effects of spatial scale, connectivity, and longitudinal trends. *Journal of the American Water Resources Association* 41 (3):565-580.

- McKinney, M. 2008. Effects of urbanization on species richness: A review of plants and animals. *Urban Ecosystems* 11 (2):161-176. <http://dx.doi.org/10.1007/s11252-007-0045-4>
- Miltner, R. J., D. White, and C. Yoder. 2004. The biotic integrity of streams in urban and suburbanizing landscapes. *Landscape and Urban Planning* 69 (1):87-100. <http://dx.doi.org/10.1016/j.landurbplan.2003.10.032>
- Morse, C. C., A. D. Huryn, and C. Cronan. 2003. Impervious surface area as a predictor of the effects of urbanization on stream insect communities in Maine, U.S.A. *Environmental Monitoring and Assessment* 89 (1):95-127. <http://dx.doi.org/10.1023/A:1025821622411>
- Murdock, J., D. Roelke, and F. Gelwick. 2004. Interactions between flow, periphyton, and nutrients in a heavily impacted urban stream: Implications for stream restoration effectiveness. *Ecological Engineering* 22 (3):197-207. <http://dx.doi.org/10.1016/j.ecoleng.2004.05.005>
- Nelson, E. J., and D. B. Booth. 2002. Sediment sources in an urbanizing, mixed land-use watershed. *Journal of Hydrology* 264 (1-4):51-68. [http://dx.doi.org/10.1016/S0022-1694\(02\)00059-8](http://dx.doi.org/10.1016/S0022-1694(02)00059-8)
- Nelson, P. A., J. A. Smith, and A. J. Miller. 2006. Evolution of channel morphology and hydrologic response in an urbanizing drainage basin. *Earth Surface Processes and Landforms* 31 (9):1063-1079. <http://dx.doi.org/10.1002/esp.1308>
- Neumann, K., W. B. Lyons, E. Y. Graham, and E. Callender. 2005. Historical backcasting of metal concentrations in the Chattahoochee River, Georgia: Population growth and environmental policy. *Applied Geochemistry* 20 (12):2315-2324. <http://dx.doi.org/10.1016/j.apgeochem.2005.07.005>
- Ourso, R. T., and S. A. Frenzel. 2003. Identification of linear and threshold responses in streams along a gradient of urbanization in Anchorage, Alaska. *Hydrobiologia* 501:117-131. <http://dx.doi.org/10.1023/A:1026211808745>
- Palmer, S. M., B. I. Wellington, C. E. Johnson, and C. T. Driscoll. 2005. Landscape influences on aluminium and dissolved organic carbon in streams draining the Hubbard Brook valley, New Hampshire, USA. *Hydrological Processes* 19 (9):1751-1769. <http://dx.doi.org/10.1002/hyp.5660>
- Pankratz, S., T. Young, H. Cuevas-Arellano, R. Kumar, R. F. Ambrose, and I. H. Suffet. 2007. The ecological value of constructed wetlands for treating urban runoff. *Water Science and Technology* 55 (3):63-69. <http://dx.doi.org/10.2166/wst.2007.073>
- Petersen, T. M., H. S. Rifai, M. P. Suarez, and A. R. Stein. 2005. Bacteria loads from point and nonpoint sources in an urban watershed. *Journal of Environmental Engineering* 131 (10):1414-1425. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2005\)131:10\(1414\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2005)131:10(1414))
- Pizzuto, J. E., W. C. Hession, and M. McBride. 2000. Comparing gravel-bed rivers in paired urban and rural catchments of southeastern Pennsylvania. *Geology* 28 (1):79-82. [http://dx.doi.org/10.1130/0091-7613\(2000\)028<0079:CGBRIP>2.3.CO;2](http://dx.doi.org/10.1130/0091-7613(2000)028<0079:CGBRIP>2.3.CO;2)

- Pomeroy, C. A., N. A. Postel, P. A. O'Neill, and L. A. Roesner. 2008. Development of storm-water management design criteria to maintain geomorphic stability in Kansas City metropolitan area streams. *Journal of Irrigation and Drainage Engineering* 134 (5):562-566. [http://dx.doi.org/10.1061/\(ASCE\)0733-9437\(2008\)134:5\(562\)](http://dx.doi.org/10.1061/(ASCE)0733-9437(2008)134:5(562))
- Price, K., and D. S. Leigh. 2006. Comparative water quality of lightly- and moderately-impacted streams in the Southern Blue Ridge Mountains, USA. *Environmental Monitoring and Assessment* 120 (1-3):269-300. <http://dx.doi.org/10.1007/s10661-005-9060-1>
- Richards, R. P., D. B. Baker, J. P. Crumrine, J. W. Kramer, D. E. Ewing, and B. J. Merryfield. 2008. Thirty-year trends in suspended sediment in seven Lake Erie tributaries. *Journal of Environmental Quality* 37 (5):1894-1908. <http://dx.doi.org/10.2134/jeq2007.0590>
- Rose, S. 2002. Comparative major ion geochemistry of Piedmont streams in the Atlanta, Georgia region: Possible effects of urbanization. *Environmental Geology* 42 (1):102-113. <http://dx.doi.org/10.1007/s00254-002-0545-8>
- . 2007. The effects of urbanization on the hydrochemistry of base flow within the Chattahoochee River Basin (Georgia, USA). *Journal of Hydrology* 341 (1-2):42-54. <http://dx.doi.org/10.1016/j.jhydrol.2007.04.019>
- Rose, S., M. S. Crean, D. K. Sheheen, and A. M. Ghazi. 2001. Comparative zinc dynamics in Atlanta metropolitan region stream and street runoff. *Environmental Geology* 40 (8):983-992. <http://dx.doi.org/10.1007/s002540100285>
- Roy, A. H., and W. D. Shuster. 2009. Assessing impervious surface connectivity and applications for watershed management. *Journal of the American Water Resources Association* 45 (1):198-209. <http://dx.doi.org/10.1111/j.1752-1688.2008.00271.x>
- Ryan, R. J., and A. I. Packman. 2006. Changes in streambed sediment characteristics and solute transport in the headwaters of Valley Creek, an urbanizing watershed. *Journal of Hydrology* 323 (1-4):74-91. <http://dx.doi.org/10.1016/j.jhydrol.2005.06.042>
- Schnaiberg, J., J. Riera, M. G. Turner, and P. R. Voss. 2002. Explaining human settlement patterns in a recreational lake district: Vilas County, Wisconsin, USA. *Environmental Management* 30 (1):24-34. <http://dx.doi.org/10.1007/s00267-002-2450-z>
- Schoonover, J. E., and B. G. Lockaby. 2006. Land cover impacts on stream nutrients and fecal coliform in the lower Piedmont of West Georgia. *Journal of Hydrology* 331 (3-4):371-382. <http://dx.doi.org/10.1016/j.jhydrol.2006.05.031>
- Schoonover, J. E., B. G. Lockaby, and J. N. Shaw. 2007. Channel morphology and sediment origin in streams draining the Georgia Piedmont. *Journal of Hydrology* 342 (1-2):110-123. <http://dx.doi.org/10.1016/j.jhydrol.2007.05.017>

- Seilheimer, T., A. Wei, P. Chow-Fraser, and N. Eyles. 2007. Impact of urbanization on the water quality, fish habitat, and fish community of a Lake Ontario marsh, Frenchman's Bay. *Urban Ecosystems* 10 (3):299-319.  
<http://dx.doi.org/10.1007/s11252-007-0028-5>
- Simmons, M. E., X. B. Wu, and S. G. Whisenant. 2007. Bottomland hardwood forest species responses to flooding regimes along an urbanization gradient. *Ecological Engineering* 29 (3):223-231. <http://dx.doi.org/10.1016/j.ecoleng.2006.07.005>
- Snyder, C. D., J. A. Young, R. Vilella, and D. P. Lemarie. 2003. Influences of upland and riparian land use patterns on stream biotic integrity. *Landscape Ecology* 18 (7):647-664. <http://dx.doi.org/10.1023/B:LAND.00000004178.41511.da>
- Sonoda, K., J. A. Yeakley, and C. E. Walker. 2001. Near-stream landuse effects on streamwater nutrient distribution in an urbanizing watershed. *Journal of the American Water Resources Association* 37 (6):1517-1532.
- Southerland, M. 2004. Environmental impacts of dispersed development from federal infrastructure projects. *Environmental Monitoring and Assessment* 94 (1):163-178. <http://dx.doi.org/10.1023/B:EMAS.0000016886.16085.39>
- Stanhope, J. W., I. C. Anderson, and W. G. Reay. 2009. Base flow nutrient discharges from lower Delmarva Peninsula watersheds of Virginia, USA. *Journal of Environmental Quality* 38 (5):2070-2083.  
<http://dx.doi.org/10.2134/jeq2008.0358>
- Stein, E. D., and V. K. Yoon. 2008. Dry weather flow contribution of metals, nutrients, and solids from natural catchments. *Water, Air, and Soil Pollution* 190 (1-4):183-195. <http://dx.doi.org/10.1007/s11270-007-9591-x>
- Tavernia, B. G., and J. M. Reed. 2009. Spatial extent and habitat context influence the nature and strength of relationships between urbanization measures. *Landscape and Urban Planning* 92 (1):47-52.  
<http://dx.doi.org/10.1016/j.landurbplan.2009.02.003>
- Toran, L., and D. Grandstaff. 2007. Variation of nitrogen concentrations in stormpipe discharge in a residential watershed. *Journal of the American Water Resources Association* 43 (3):630-641. <http://dx.doi.org/10.1111/j.1752-1688.2007.00050.x>
- Trauth, K. M., and Y.-S. Shin. 2005. Implementation of the EPA's water quality trading policy for storm water management and smart growth. *Journal of Urban Planning and Development* 131 (4):258-269.  
[http://dx.doi.org/10.1061/\(ASCE\)0733-9488\(2005\)131:4\(258\)](http://dx.doi.org/10.1061/(ASCE)0733-9488(2005)131:4(258))
- Tuccillo, M. E. 2006. Size fractionation of metals in runoff from residential and highway storm sewers. *Science of the Total Environment* 355 (1-3):288-300.  
<http://dx.doi.org/10.1016/j.scitotenv.2005.03.003>
- Tufford, D. L., C. L. Samarghitan, H. N. McKellar Jr, D. E. Porter, and J. R. Hussey. 2003. Impacts of urbanization on nutrient concentrations in small southeastern coastal streams. *Journal of the American Water Resources Association* 39 (2):301-312.
- Urbonas, B. R., and J. T. Doerfer. 2005. Master planning for stream protection in urban watersheds. *Water Science and Technology* 51 (2):239-247.

- Vokral, J., D. Gumb, A. D. Cavallaro, S. Mehrotra, and E. Rosenberg. 2003. Wetlands at work. *Civil Engineering* 73 (2):56-63.
- Walsh, S. E., P. A. Soranno, and D. T. Rutledge. 2003. Lakes, wetlands, and streams as predictors of land use/cover distribution. *Environmental Management* 31 (2):198-214. <http://dx.doi.org/10.1007/s00267-002-2833-1>
- Walters, D. M., D. S. Leigh, and A. B. Bearden. 2003. Urbanization, sedimentation, and the homogenization of fish assemblages in the Etowah River Basin, USA. *Hydrobiologia* 494:5-10. <http://dx.doi.org/10.1023/A:1025412804074>
- Walters, D. M., A. H. Roy, and D. S. Leigh. 2009. Environmental indicators of macroinvertebrate and fish assemblage integrity in urbanizing watersheds. *Ecological Indicators* 9 (6):1222-1233. <http://dx.doi.org/10.1016/j.ecolind.2009.02.011>
- Webb, P. W. 2008. The impact of changes in water level and human development on forage fish assemblages in great lakes coastal marshes. *Journal of Great Lakes Research* 34 (4):615-630. <http://dx.doi.org/10.3394/0380-1330-34.4.615>
- Weston, N. B., J. T. Hollibaugh, and S. B. Joye. 2009. Population growth away from the coastal zone: Thirty years of land use change and nutrient export in the Altamaha River, GA. *Science of the Total Environment* 407 (10):3347-3356. <http://dx.doi.org/10.1016/j.scitotenv.2008.12.066>
- White, M. D., and K. A. Greer. 2006. The effects of watershed urbanization on the stream hydrology and riparian vegetation of Los Penasquitos Creek, California. *Landscape and Urban Planning* 74 (2):125-138. <http://dx.doi.org/10.1016/j.landurbplan.2004.11.015>
- Wolter, P. T., C. A. Johnston, and G. J. Niemi. 2006. Land use land cover change in the U.S. Great Lakes basin 1992 to 2001. *Journal of Great Lakes Research* 32 (3):607-628.
- Wright, T., J. Tomlinson, T. Schueler, K. Cappiella, A. Kitchell, and D. Hirschman. 2006. *Direct and indirect impacts of urbanization on wetland water quality*, ed. Center for Watershed Protection. Ellicott City, MD 21043: C. F. W. Protection, N. F. 8390 Main Street and M. Ellicott City.



## Appendix E: Ecological Integrity Assessment

- Barbour, M. T., W. F. Swietlik, S. K. Jackson, D. L. Courtemanch, S. P. Davies, and C. O. Yoder. 2000. Measuring the attainment of biological integrity in the USA: A critical element of ecological integrity. *Hydrobiologia* 422-423 (0):453-464. <http://dx.doi.org/10.1023/A:1017095003609>
- Bateman, B., and E. Walbeck. 2004. The public policy aspects of biological monitoring: Budget and land-use planning implications at the county level. *Environmental Monitoring and Assessment* 94 (1):193-204. <http://dx.doi.org/10.1023/B:EMAS.0000016888.33049.39>
- Beighley, R. E., and Y. He. 2009. Predicting model uncertainty at river junctions due to drainage network structure. *Journal of Hydrologic Engineering* 14 (5):499-507. [http://dx.doi.org/10.1061/\(ASCE\)HE.1943-5584.0000007](http://dx.doi.org/10.1061/(ASCE)HE.1943-5584.0000007)
- Bhagat, Y., J. J. H. Ciborowski, L. B. Johnson, D. G. Uzarski, T. M. Burton, S. T. A. Timmermans, and M. J. Cooper. 2007. Testing a fish index of biotic integrity for responses to different stressors in Great Lakes coastal wetlands. *Journal of Great Lakes Research* 33 (SPEC. ISS. 3):224-235. [http://dx.doi.org/10.3394/0380-1330\(2007\)33\[224:TAFIOB\]2.0.CO;2](http://dx.doi.org/10.3394/0380-1330(2007)33[224:TAFIOB]2.0.CO;2)
- . 2009. Testing a fish index of biotic integrity for responses to different stressors in Great Lakes coastal wetlands. *Journal of Great Lakes Research* 33 (SUPPL. 2): 224-235. [http://dx.doi.org/10.3394/0380-1330\(2007\)33\[224:TAFIOB\]2.0.CO;2](http://dx.doi.org/10.3394/0380-1330(2007)33[224:TAFIOB]2.0.CO;2)
- Blocksom, K. A., J. P. Kurtenbach, D. J. Klemm, F. A. Fulk, and S. M. Cormier. 2002. Development and evaluation of the lake macroinvertebrate integrity index (LMII) for New Jersey lakes and reservoirs. *Environmental Monitoring and Assessment* 77 (3):311-333. <http://dx.doi.org/10.1023/A:1016096925401>
- Brisbois, M. C., R. Jamieson, R. Gordon, G. Stratton, and A. Madani. 2008. Stream ecosystem health in rural mixed land-use watersheds. *Journal of Environmental Engineering and Science* 7 (5):439-452. <http://dx.doi.org/10.1139/S08-016>
- Brooks, R. P., D. H. Wardrop, and C. A. Cole. 2006. Inventorying and monitoring wetland condition and restoration potential on a watershed basis with examples from Spring Creek Watershed, Pennsylvania, USA. *Environmental Management* 38 (4):673-687. <http://www.springerlink.com/content/886r2h861730k520/fulltext.pdf>
- Carlisle, D. M., J. Falcone, and M. R. Meador. 2009. Predicting the biological condition of streams: Use of geospatial indicators of natural and anthropogenic characteristics of watersheds. *Environmental Monitoring and Assessment* 151 (1-4):143-160. <http://dx.doi.org/10.1007/s10661-008-0256-z>
- Chang, H.-H. 2008. River morphology and river channel changes. *Transactions of Tianjin University* 14 (4):254-262. <http://dx.doi.org/10.1007/s12209-008-0045-3>

- Cohen, M. J., C. R. Lane, K. C. Reiss, J. A. Surdick, E. Bardi, and M. T. Brown. 2005. Vegetation based classification trees for rapid assessment of isolated wetland condition. *Ecological Indicators* 5 (3):189-206.  
[http://www.sciencedirect.com/science?\\_ob=MIimg&\\_imagekey=B6W87-4G1PKM8-1-1&\\_cdi=6647&\\_user=930810&\\_orig=search&\\_coverDate=08%2F31%2F2005&\\_sk=999949996&view=c&wchp=dGLzVzz-zSkWz&md5=d0df28b043a028d325e8379de7786ab2&ie=/sdarticle.pdf](http://www.sciencedirect.com/science?_ob=MIimg&_imagekey=B6W87-4G1PKM8-1-1&_cdi=6647&_user=930810&_orig=search&_coverDate=08%2F31%2F2005&_sk=999949996&view=c&wchp=dGLzVzz-zSkWz&md5=d0df28b043a028d325e8379de7786ab2&ie=/sdarticle.pdf)
- Cole, M. L., I. Valiela, K. D. Kroeger, G. L. Tomasky, J. Cebrian, C. Wigand, R. A. McKinney, S. P. Grady, and M. H. Carvalho Da Silva. 2004. Assessment of a <sup>15</sup>N isotopic method to indicate anthropogenic eutrophication in aquatic ecosystems. *Journal of Environmental Quality* 33 (1):124-132.
- Craft, C., K. Krull, and S. Graham. 2007. Ecological indicators of nutrient enrichment, freshwater wetlands, Midwestern United States (U.S.). *Ecological Indicators* 7 (4):733-750. <http://dx.doi.org/10.1016/j.ecolind.2006.08.004>
- DeKeyser, E. S., M. Biondini, D. Kirby, and C. Hargiss. 2009. Low prairie plant communities of wetlands as a function of disturbance: Physical parameters. *Ecological Indicators* 9 (2):296-306.  
<http://dx.doi.org/10.1016/j.ecolind.2008.05.003>
- Drohan, P. J., E. J. Ciolkosz, and G. W. Petersen. 2003. Soil survey mapping unit accuracy in forested field plots in northern Pennsylvania. *Soil Science Society of America Journal* 67 (1):208-214.
- Epstein, C. M. 2002. Application of Rosgen analysis to the New Jersey Pine Barrens. *Journal of the American Water Resources Association* 38 (1):69-78.
- Ervin, G. N., B. D. Herman, J. T. Bried, and D. C. Holly. 2006. Evaluating non-native species and wetland indicator status as components of wetlands floristic assessment. *Wetlands* 26 (4):1114-1129.
- Guntenspergen, G. R., S. A. Peterson, S. G. Leibowitz, and L. M. Cowardin. 2002. Indicators of wetland condition for the prairie pothole region of the United States. *Environmental Monitoring and Assessment* 78 (3):229-252.  
<http://dx.doi.org/10.1023/A:1019982818231>
- Hannaford, M. J. 1999. *Development and Comparison of Biological Indicators of Habitat Disturbance for Streams and Wetlands*.
- Hargiss, C. L. M., E. S. DeKeyser, D. R. Kirby, and M. J. Ell. 2008. Regional assessment of wetland plant communities using the index of plant community integrity. *Ecological Indicators* 8 (3):303-307.  
[http://www.sciencedirect.com/science?\\_ob=MIimg&\\_imagekey=B6W87-4NH6N9T-1-2&\\_cdi=6647&\\_user=930810&\\_orig=search&\\_coverDate=05%2F31%2F2008&\\_sk=999919996&view=c&wchp=dGLzVlz-zSkWb&md5=ab2ef13745b868916f477097c8b3df1c&ie=/sdarticle.pdf](http://www.sciencedirect.com/science?_ob=MIimg&_imagekey=B6W87-4NH6N9T-1-2&_cdi=6647&_user=930810&_orig=search&_coverDate=05%2F31%2F2008&_sk=999919996&view=c&wchp=dGLzVlz-zSkWb&md5=ab2ef13745b868916f477097c8b3df1c&ie=/sdarticle.pdf)
- Hartley, D. M., and D. E. Funke. 2001. Techniques for detecting hydrologic change in high resource streams. *Journal of the American Water Resources Association* 37 (6):1589-1595.



- Hartzell, D., J. R. Bidwell, and C. A. Davis. 2007. A comparison of natural and created depressional wetlands in central Oklahoma using metrics from indices of biological integrity. *Wetlands* 27 (4):794-805. [http://dx.doi.org/10.1672/0277-5212\(2007\)27\[794:ACONAC\]2.0.CO;2](http://dx.doi.org/10.1672/0277-5212(2007)27[794:ACONAC]2.0.CO;2)
- Herlihy, A. T., J. Sifneos, C. Bason, A. Jacobs, M. E. Kentula, and M. S. Fennessy. 2009. An approach for evaluating the repeatability of rapid wetland assessment methods: The effects of training and experience. *Environmental Management* 44 (2):369-377. <http://dx.doi.org/10.1007/s00267-009-9316-6>
- Hughes, R. M., S. G. Paulsen, and J. L. Stoddard. 2000. EMAP-Surface Waters: A multiassemblage, probability survey of ecological integrity in the U.S.A. *Hydrobiologia* 422-423 (0):429-443. <http://dx.doi.org/10.1023/A:1017029107669>
- King, R. S., K. T. Nunnery, and C. J. Richardson. 2000. Macroinvertebrate assemblage response to highway crossings in forested wetlands: implications for biological assessment. *Wetlands Ecology and Management* 8 (4):243-256. <http://dx.doi.org/10.1023/A:1008479316066>
- Liu, Z.-J., D. E. Weller, T. E. Jordan, D. L. Correll, and K. B. Boomer. 2008. Integrated modular modeling of water and nutrients from point and nonpoint sources in the Patuxent River watershed. *Journal of the American Water Resources Association* 44 (3):700-723. <http://dx.doi.org/10.1111/j.1752-1688.2008.00200.x>
- Loheide II, S. P., and S. M. Gorelick. 2006. Quantifying stream-aquifer interactions through the analysis of remotely sensed thermographic profiles and in situ temperature histories. *Environmental Science and Technology* 40 (10):3336-3341. <http://dx.doi.org/10.1021/es0522074>
- Meador, M. R., D. M. Carlisle, and J. F. Coles. 2008. Use of tolerance values to diagnose water-quality stressors to aquatic biota in New England streams. *Ecological Indicators* 8 (5):718-728. <http://dx.doi.org/10.1016/j.ecolind.2008.01.002>
- Mills, C. 2003. Conservation agency battles erosion, preserves wetlands with CAD. *Public Works* 134 (4):14-17.
- O'Connor, R. J., T. E. Walls, and R. M. Hughes. 2000. Using multiple taxonomic groups to index the ecological condition of lakes. *Environmental Monitoring and Assessment* 61 (2):207-229. <http://dx.doi.org/10.1023/A:1006119205583>
- Peterson, A. C., and G. J. Niemi. 2007. Evaluation of the Ohio rapid assessment method for wetlands in the western Great Lakes: An analysis using bird communities. *Journal of Great Lakes Research* 33:280-291.
- Price, S. J., R. W. Howe, J. M. Hanowski, R. R. Regal, G. J. Niemi, and C. R. Smith. 2007. Are Anurans of Great Lakes coastal wetlands reliable indicators of ecological condition. *Journal of Great Lakes Research* 33 (sp3):211-223. [http://dx.doi.org/10.3394/0380-1330\(2007\)33\[211:AAOGLC\]2.0.CO;2](http://dx.doi.org/10.3394/0380-1330(2007)33[211:AAOGLC]2.0.CO;2)
- Radwell, A. J., and T. J. Kwak. 2005. Assessing ecological integrity of Ozark rivers to determine suitability for protective status. *Environmental Management* 35 (6):799-810. <http://dx.doi.org/10.1007/s00267-004-0136-4>

- Reiss, K. C. 2006. Florida Wetland Condition Index for depressional forested wetlands. *Ecological Indicators* 6 (2):337-352.  
<http://dx.doi.org/10.1016/j.ecolind.2005.03.013>
- Simon, A., M. Doyle, M. Kondolf, F. D. Shields Jr., B. Rhoads, and M. McPhillips. 2007. Critical evaluation of how the Rosgen classification and associated "natural channel design" methods fail to integrate and quantify fluvial processes and channel response. *Journal of the American Water Resources Association* 43 (5):1117-1131.
- Smiley, P. C., Jr., and E. D. Dibble. 2008. Influence of spatial resolution on assessing channelization impacts on fish and macroinvertebrate communities in a warmwater stream in the southeastern United States. *Environmental Monitoring and Assessment* 138 (1-3):17-29. <http://dx.doi.org/10.1007/s10661-007-9787-y>
- Smiley, P. C., Jr., and E. D. Dibble. 2008. Influence of spatial resolution on assessing channelization impacts on fish and macroinvertebrate communities in a warmwater stream in the southeastern United States. *Environmental Monitoring and Assessment* 138 (1-3):17-29.
- Smyth, R. L., M. C. Watzin, and R. E. Manning. 2007. Defining acceptable levels for ecological indicators: An approach for considering social values. *Environmental Management* 39 (3):301-315. <http://dx.doi.org/10.1007/s00267-005-0282-3>
- Spieles, D. J., and J. W. Mora. 2007. Detrital decomposition as a measure of ecosystem function in created wetlands. *Journal of Freshwater Ecology* 22 (4):571-579.
- Spruill, C. A., S. R. Workman, and J. L. Taraba. 2000. Simulation of daily and monthly stream discharge from small watersheds using the SWAT model. *Transactions of the American Society of Agricultural Engineers* 43 (6):1431-1439.
- Strain, G. F., R. L. Raesly, and R. H. Hilderbrand. 2009. A comparison of techniques to sample salamander assemblages along highland streams of Maryland. *Environmental Monitoring and Assessment* 156 (1-4):1-16.  
<http://dx.doi.org/10.1007/s10661-008-0459-3>
- Teels, B. M., L. E. Mazanti, and C. A. Rewa. 2004. Using an IBI to assess effectiveness of mitigation measures to replace loss of a wetland-stream ecosystem. *Wetlands* 24 (2):375-384.
- Thoma, D. P., S. C. Gupta, M. E. Bauer, and C. E. Kirchoff. 2005. Airborne laser scanning for riverbank erosion assessment. *Remote Sensing of Environment* 95 (4):493-501. <http://dx.doi.org/10.1016/j.rse.2005.01.012>
- Tran, L. T., C. G. Knight, R. V. O'Neill, E. R. Smith, and M. O'Connell. 2003. Self-organizing maps for integrated environmental assessment of the Mid-Atlantic region. *Environmental Management* 31 (6):822-835.  
<http://dx.doi.org/10.1007/s00267-003-2917-6>
- VÃ¸lstad, J. H., N. E. Roth, G. Mercurio, M. T. Southerland, and D. E. Strebel. 2003. Using environmental stressor information to predict the ecological status of Maryland non-tidal streams as measured by biological indicators. *Environmental Monitoring and Assessment* 84 (3):219-242.  
<http://dx.doi.org/10.1023/A:1023374524254>

- Wang, L., D. M. Robertson, and P. J. Garrison. 2007. Linkages between nutrients and assemblages of macroinvertebrates and fish in wadeable streams: Implication to nutrient criteria development. *Environmental Management* 39 (2):194-212. <http://dx.doi.org/10.1007/s00267-006-0135-8>
- Warren, D. R., W. S. Keeton, and C. E. Kraft. 2008. A comparison of line-intercept and census techniques for assessing large wood volume in streams. *Hydrobiologia* 598 (1):123-130. <http://dx.doi.org/10.1007/s10750-007-9144-8>
- Whiles, M. R., B. L. Brock, A. C. Franzen, and S. C. Dinsmore, II. 2000. Stream invertebrate communities, water quality, and land-use patterns in an agricultural drainage basin of northeastern Nebraska, USA. *Environmental Management* 26 (5):563-576. <http://dx.doi.org/10.1007/s002670010113>
- Wilcox, D. A., J. E. Meeker, P. L. Hudson, B. J. Armitage, M. G. Black, and D. G. Uzarski. 2002. Hydrologic variability and the application of index of biotic integrity metrics to wetlands: A Great Lakes evaluation. *Wetlands* 22 (3):588-615. [http://dx.doi.org/10.1672/0277-5212\(2002\)022\[0588:HVATAO\]2.0.CO;2](http://dx.doi.org/10.1672/0277-5212(2002)022[0588:HVATAO]2.0.CO;2)
- Wilhelm, J. G. O., J. D. Allan, K. J. Wessell, R. W. Merritt, and K. W. Cummins. 2005. Habitat assessment of non-wadeable rivers in Michigan. *Environmental Management* 36 (4):592-609. <http://dx.doi.org/10.1007/s00267-004-0141-7>
- Williams, M. R., T. R. Fisher, W. R. Boynton, C. F. Cerco, M. W. Kemp, K. N. Eshleman, S. C. Kim, R. R. Hood, D. A. Fiscus, and G. R. Radcliffe. 2006. An integrated modelling system for management of the Patuxent River estuary and basin, Maryland, USA. *International Journal of Remote Sensing* 27 (17):3705-3726. <http://dx.doi.org/10.1080/01431160500500417>
- Winger, P. V., P. J. Lasier, and K. J. Bogenrieder. 2005. Combined use of rapid bioassessment protocols and sediment quality triad to assess stream quality. *Environmental Monitoring and Assessment* 100 (1-3):267-295. <http://dx.doi.org/10.1007/s10661-005-7788-2>

## Appendix F: Erosion, Scour and Sedimentation

- Agouridis, C. T., D. R. Edwards, S. R. Workman, J. R. Bicudo, B. K. Koostra, E. S. Vanzant, and J. L. Taraba. 2005. Streambank erosion associated with grazing practices in the humid region. *Transactions of the American Society of Agricultural Engineers* 48 (1):181-190.
- Allmendinger, N. E., J. E. Pizzuto, G. E. Moglen, and M. Lewicki. 2007. A sediment budget for an urbanizing watershed, 1951-1996, Montgomery County, Maryland, U.S.A. *Journal of the American Water Resources Association* 43 (6):1483-1498. <http://dx.doi.org/10.1111/j.1752-1688.2007.00122.x>
- Balogh, S. J., E. B. Swain, and Y. H. Nollet. 2006. Elevated methylmercury concentrations and loadings during flooding in Minnesota rivers. *Science of the Total Environment* 368 (1):138-148. <http://dx.doi.org/10.1016/j.scitotenv.2005.09.045>
- Blanco-Canqui, H., C. J. Gantzer, S. H. Anderson, E. E. Alberts, and A. L. Thompson. 2004. Grass barrier and vegetative filter strip effectiveness in reducing runoff, sediment, nitrogen, and phosphorus loss. *Soil Science Society of America Journal* 68 (5):1670-1678.
- Brown, B. V., H. M. Valett, and M. E. Schreiber. 2007. Arsenic transport in groundwater, surface water, and the hyporheic zone of a mine-influenced stream-aquifer system. *Water Resources Research* 43 (11). <http://dx.doi.org/10.1029/2006WR005687>
- Carroll, R. W. H., J. J. Warwick, A. I. James, and J. R. Miller. 2004. Modeling erosion and overbank deposition during extreme flood conditions on the Carson River, Nevada. *Journal of Hydrology* 297 (1-4):1-21. <http://dx.doi.org/10.1016/j.jhydrol.2004.04.012>
- Clark, S. E., A. A. Allison, and R. A. Sitler. 2009. Geographic variability of rainfall erosivity estimation and impact on construction site erosion control design. *Journal of Irrigation and Drainage Engineering* 135 (4):474-479. [http://dx.doi.org/10.1061/\(ASCE\)IR.1943-4774.0000017](http://dx.doi.org/10.1061/(ASCE)IR.1943-4774.0000017)
- Comoss, E. J., D. A. Kelly, and H. Z. Leslie. 2001. Innovative erosion control along the lake erie shoreline. *Urban Beaches Balancing Public Rights and Private Development* 4:31-38.
- Conroy, W. J., R. H. Hotchkiss, and W. J. Elliot. 2006. A coupled upland-erosion and instream hydrodynamic-sediment transport model for evaluating sediment transport in forested watersheds. *Transactions of the ASABE* 49 (6):1713-1722.
- Cowie, P. A., A. C. Whittaker, M. Attal, G. Roberts, G. E. Tucker, and A. Ganas. 2008. New constraints on sediment-flux-dependent river incision: Implications for extracting tectonic signals from river profiles. *Geology* 36 (7):535-538. <http://dx.doi.org/10.1130/G24681A.1>

- Dabney, S. M., F. D. Shields Jr, D. M. Temple, and E. J. Langendoen. 2004. Erosion processes in gullies modified by establishing grass hedges. *Transactions of the American Society of Agricultural Engineers* 47 (5):1561-1571.
- Demissie, M., L. Keefer, J. Slowikowski, and K. Stevenson. 2006. Evaluating the effectiveness of the Illinois River Conservation Reserve Enhancement Program in reducing sediment delivery. *IAHS-AISH Publication* (306):295-303.
- Doten, C. O., L. C. Bowling, J. S. Lanini, E. P. Maurer, and D. P. Lettenmaier. 2006. A spatially distributed model for the dynamic prediction of sediment erosion and transport in mountainous forested watersheds. *Water Resources Research* 42 (4). <http://dx.doi.org/10.1029/2004WR003829>
- Greimann, B., Y. Lai, and J. Huang. 2008. Two-dimensional total sediment load model equations. *Journal of Hydraulic Engineering* 134 (8):1142-1146. [http://dx.doi.org/10.1061/\(ASCE\)0733-9429\(2008\)134:8\(1142\)](http://dx.doi.org/10.1061/(ASCE)0733-9429(2008)134:8(1142))
- Gupta, V. K. 2004. Emergence of statistical scaling in floods on channel networks from complex runoff dynamics. *Chaos, Solitons and Fractals* 19 (2):357-365. [http://dx.doi.org/10.1016/S0960-0779\(03\)00048-1](http://dx.doi.org/10.1016/S0960-0779(03)00048-1)
- Hassan, M. A., D. L. Hogan, S. A. Bird, C. L. May, T. Gomi, and D. Campbell. 2005. Spatial and temporal dynamics of wood in headwater streams of the Pacific northwest. *Journal of the American Water Resources Association* 41 (4):899-919.
- Herrman, K. S., and J. R. White. 2008. Denitrification in intact sediment cores from a constructed wetland: Examining the isotope pairing technique. *Applied Geochemistry* 23 (8):2105-2112. <http://dx.doi.org/10.1016/j.apgeochem.2008.04.024>
- Houser, J. N., P. J. Mulholland, and K. O. Maloney. 2006. Upland disturbance affects headwater stream nutrients and suspended sediments during baseflow and stormflow. *Journal of Environmental Quality* 35 (1):352-365. <http://dx.doi.org/10.2134/jeq2005.0102>
- Jennings, A. A. 2003. Modeling sedimentation and scour in small urban lakes. *Environmental Modelling and Software* 18 (3):281-291. [http://dx.doi.org/10.1016/S1364-8152\(02\)00074-9](http://dx.doi.org/10.1016/S1364-8152(02)00074-9)
- Jiang, J., N. K. Ganju, and A. J. Mehta. 2004. Estimation of contraction scour in riverbed using SERF. *Journal of Waterway, Port, Coastal and Ocean Engineering* 130 (4):215-218. [http://dx.doi.org/10.1061/\(ASCE\)0733-950X\(2004\)130:4\(215\)](http://dx.doi.org/10.1061/(ASCE)0733-950X(2004)130:4(215))
- Johnson, J. P., and K. X. Whipple. 2007. Feedbacks between erosion and sediment transport in experimental bedrock channels. *Earth Surface Processes and Landforms* 32 (7):1048-1062. <http://dx.doi.org/10.1002/esp.1471>
- Koel, T. M., and K. E. Stevenson. 2002. Effects of dredge material placement on benthic macroinvertebrates of the Illinois River. *Hydrobiologia* 474:229-238. <http://dx.doi.org/10.1023/A:1016500324467>

- Koken, M., and G. Constantinescu. 2008. An investigation of the flow and scour mechanisms around isolated spur dikes in a shallow open channel: 2. Conditions corresponding to the final stages of the erosion and deposition process. *Water Resources Research* 44 (8). <http://dx.doi.org/10.1029/2007WR006491>
- Lamb, T. A., T. S. Jones, and Anonymous. 2008. Impact of all-terrain-vehicle (atv) trail crossings on stream quality, Little Sequatchie River, TN. *Abstracts with Programs - Geological Society of America*, vol. 41, no. 1, pp.44, Mar 2008.
- Langendoen, E. J., and A. Simon. 2008. Modeling the evolution of incised streams. II: Streambank erosion. *Journal of Hydraulic Engineering* 134 (7):905-915. [http://dx.doi.org/10.1061/\(ASCE\)0733-9429\(2008\)134:7\(905\)](http://dx.doi.org/10.1061/(ASCE)0733-9429(2008)134:7(905))
- Lockaby, B. G., R. Governo, E. Schilling, G. Cavalcanti, and C. Hartsfield. 2005. Wetlands and aquatic processes: Effects of sedimentation on soil nutrient dynamics in riparian forests. *Journal of Environmental Quality* 34 (1):390-396.
- Lopez S, J. L. 2004. Channel response to gravel mining activities in mountain rivers. *Journal of Mountain Science* 1 (3):264-269. <http://dx.doi.org/10.1007/BF02919330>
- Magner, J. A., and K. N. Brooks. 2008. Predicting stream channel erosion in the lacustrine core of the upper Nemadji River, Minnesota (USA) using stream geomorphology metrics. *Environmental Geology* 54 (7):1423-1434. <http://dx.doi.org/10.1007/s00254-007-0923-3>
- Markus, M., and M. Demissie. 2006. Predictability of annual sediment loads based on flood events. *Journal of Hydrologic Engineering* 11 (4):354-361. [http://dx.doi.org/10.1061/\(ASCE\)1084-0699\(2006\)11:4\(354\)](http://dx.doi.org/10.1061/(ASCE)1084-0699(2006)11:4(354))
- May, C. L., B. Pryor, T. E. Lisle, and M. Lang. 2009. Coupling hydrodynamic modeling and empirical measures of bed mobility to predict the risk of scour and fill of salmon redds in a large regulated river. *Water Resources Research* 45 (5). <http://dx.doi.org/10.1029/2007WR006498>
- McCaleb, M. M., and R. A. McLaughlin. 2008. Sediment trapping by five different sediment detention devices on construction sites. *Transactions of the ASABE* 51 (5):1613-1621.
- Merwade, V., F. Olivera, M. Arabi, and S. Edleman. 2008. Uncertainty in flood inundation mapping: Current issues and future directions. *Journal of Hydrologic Engineering* 13 (7):608-620. [http://dx.doi.org/10.1061/\(ASCE\)1084-0699\(2008\)13:7\(608\)](http://dx.doi.org/10.1061/(ASCE)1084-0699(2008)13:7(608))
- Negley, T. L., and K. N. Eshleman. 2006. Comparison of stormflow responses of surface-mined and forested watersheds in the Appalachian Mountains, USA. *Hydrological Processes* 20 (16):3467-3483. <http://dx.doi.org/10.1002/hyp.6148>
- Norton, S. A., K. Coolidge, A. Amirbahman, R. Bouchard, J. Kopacek, and R. Reinhardt. 2008. Speciation of Al, Fe, and P in recent sediment from three lakes in Maine, USA. *Science of the Total Environment* 404 (2-3):276-283. <http://dx.doi.org/10.1016/j.scitotenv.2008.03.016>



- Olive, N. D., and J. L. Marion. 2009. The influence of use-related, environmental, and managerial factors on soil loss from recreational trails. *Journal of Environmental Management* 90 (3):1483-1493.  
[http://www.sciencedirect.com/science?\\_ob=MIImg&\\_imagekey=B6WJ7-4V2PSYW-1-1&\\_cdi=6871&\\_user=930810&\\_orig=search&\\_coverDate=03%2F31%2F2009&\\_sk=999099996&view=c&wchp=dGLbVlz-zSkzS&md5=e3510da7b422f571a097bbb486fe5919&ie=/sdarticle.pdf](http://www.sciencedirect.com/science?_ob=MIImg&_imagekey=B6WJ7-4V2PSYW-1-1&_cdi=6871&_user=930810&_orig=search&_coverDate=03%2F31%2F2009&_sk=999099996&view=c&wchp=dGLbVlz-zSkzS&md5=e3510da7b422f571a097bbb486fe5919&ie=/sdarticle.pdf)
- Ricker, M. C., B. K. Odhiambo, and J. M. Church. 2008. Spatial analysis of soil erosion and sediment fluxes: A paired watershed study of two Tappahannock River tributaries, Stafford County, Virginia. *Environmental Management* 41 (5):766-778. <http://dx.doi.org/10.1007/s00267-008-9094-6>
- Rojas, R., M. Velleux, P. Y. Julien, and B. E. Johnson. 2008. Grid scale effects on watershed soil erosion models. *Journal of Hydrologic Engineering* 13 (9):793-802. [http://dx.doi.org/10.1061/\(ASCE\)1084-0699\(2008\)13:9\(793\)](http://dx.doi.org/10.1061/(ASCE)1084-0699(2008)13:9(793))
- Schlacher, T., D. Richardson, and I. McLean. 2008. Impacts of off-road vehicles (ORVs) on macrobenthic assemblages on sandy beaches. *Environmental Management* 41 (6):878-892. <http://dx.doi.org/10.1007/s00267-008-9071-0>
- Shields, F. D., and C. M. Cooper. 2000. Woody vegetation and debris for in-channel sediment control. *International Journal of Sediment Research* 15 (1):83-92.
- Simon, A., and L. Klimetz. 2008. Magnitude, frequency, and duration relations for suspended sediment in stable ("reference") Southeastern streams. *Journal of the American Water Resources Association* 44 (5):1270-1283.  
<http://dx.doi.org/10.1111/j.1752-1688.2008.00222.x>
- Slutzman, J. E., and J. A. Smith. 2006. Effects of flood control structures on flood response for hurricane Floyd in the Brandywine creek watershed, Pennsylvania. *Journal of Hydrologic Engineering* 11 (5):432-441.  
[http://dx.doi.org/10.1061/\(ASCE\)1084-0699\(2006\)11:5\(432\)](http://dx.doi.org/10.1061/(ASCE)1084-0699(2006)11:5(432))
- Stockstill, R. L., and R. C. Berger. 2001. Simulating barge drawdown and currents in channel and backwater areas. *Journal of Waterway, Port, Coastal and Ocean Engineering* 127 (5):290-298. [http://dx.doi.org/10.1061/\(ASCE\)0733-950X\(2001\)127:5\(290\)](http://dx.doi.org/10.1061/(ASCE)0733-950X(2001)127:5(290))
- Thoma, D. P., S. C. Gupta, M. E. Bauer, and C. E. Kirchoff. 2005. Airborne laser scanning for riverbank erosion assessment. *Remote Sensing of Environment* 95 (4):493-501. <http://dx.doi.org/10.1016/j.rse.2005.01.012>
- Thomas, J. T., N. R. Iverson, M. R. Burkart, and L. A. Kramer. 2004. Long-term growth of a valley-bottom gully, Western Iowa. *Earth Surface Processes and Landforms* 29 (8):995-1009. <http://dx.doi.org/10.1002/esp.1084>
- Wang, P., and L. C. Linker. 2008. Improvement of regression simulation in fluvial sediment loads. *Journal of Hydraulic Engineering* 134 (10):1527-1531.  
[http://dx.doi.org/10.1061/\(ASCE\)0733-9429\(2008\)134:10\(1527\)](http://dx.doi.org/10.1061/(ASCE)0733-9429(2008)134:10(1527))

- Welsh, M. J., L. H. MacDonald, E. Brown, and Z. Libohova. 2006. *Erosion and sediment delivery from unpaved roads and off-highway vehicle (OHV) trails in the upper South Platte River Watershed, Colorado*. 2000 Florida Ave., N.W. Washington DC 20009 USA, [URL:<http://www.agu.org>]: American Geophysical Union.
- Wilkinson, B. H., and B. J. McElroy. 2007. The impact of humans on continental erosion and sedimentation. *Bulletin of the Geological Society of America* 119 (1-2):140-156. <http://dx.doi.org/10.1130/B25899.1>
- Wilson, T. A., S. A. Norton, B. A. Lake, and A. Amirbahman. 2008. Sediment geochemistry of Al, Fe, and P for two historically acidic, oligotrophic Maine lakes. *Science of the Total Environment* 404 (2-3):269-275. <http://dx.doi.org/10.1016/j.scitotenv.2008.06.061>



## Appendix G: Mercury and Other Heavy Metals

- Andrews, S., and R. A. Sutherland. 2004. Cu, Pb and Zn contamination in Nuuanu watershed, Oahu, Hawaii. *Science of the Total Environment* 324 (1-3):173-182. <http://dx.doi.org/10.1016/j.scitotenv.2003.10.032>
- Balogh, S. J., Y. Huang, H. J. Offerman, M. L. Meyer, and D. K. Johnson. 2003. Methylmercury in rivers draining cultivated watersheds. *Science of the Total Environment* 304 (1-3):305-313. [http://dx.doi.org/10.1016/S0048-9697\(02\)00577-6](http://dx.doi.org/10.1016/S0048-9697(02)00577-6)
- Balogh, S. J., E. B. Swain, and Y. H. Nollet. 2008. Characteristics of mercury speciation in Minnesota rivers and streams. *Environmental Pollution* 154 (1):3-11. <http://dx.doi.org/10.1016/j.envpol.2007.11.014>
- Bookman, R., C. T. Driscoll, D. R. Engstrom, and S. W. Effler. 2008. Local to regional emission sources affecting mercury fluxes to New York lakes. *Atmospheric Environment* 42 (24):6088-6097. <http://dx.doi.org/10.1016/j.atmosenv.2008.03.045>
- Brown, M. E., M. Kowalewski, R. J. Neves, D. S. Cherry, and M. E. Schreiber. 2005. Freshwater mussel shells as environmental chronicles: Geochemical and taphonomic signatures of mercury-related extirpations in the North Fork Holston River, Virginia. *Environmental Science and Technology* 39 (6):1455-1462. <http://dx.doi.org/10.1021/es048573p>
- Brown, S., L. Saito, C. Knightes, and M. Gustin. 2007. Calibration and evaluation of a mercury model for a western stream and constructed wetland. *Water, Air, and Soil Pollution* 182 (1-4):275-290. <http://dx.doi.org/10.1007/s11270-007-9338-8>
- Buck, N. J., C. J. Gobler, and S. A. Sanudo-Wilhelmy. 2005. Dissolved trace element concentrations in the East River - Long Island Sound system: Relative importance of autochthonous versus allochthonous sources. *Environmental Science and Technology* 39 (10):3528-3537. <http://dx.doi.org/10.1021/es048860t>
- Casey, R. E., A. N. Shaw, L. R. Massal, and J. W. Snodgrass. 2005. Multimedia evaluation of trace metal distribution within stormwater retention ponds in suburban Maryland, USA. *Bulletin of Environmental Contamination and Toxicology* 74 (2):273-280. <http://dx.doi.org/10.1007/s00128-004-0580-0>
- Chavan, P. V., K. E. Dennett, E. A. Marchand, and M. S. Gustin. 2007. Evaluation of small-scale constructed wetland for water quality and Hg transformation. *Journal of Hazardous Materials* 149 (3):543-547. <http://dx.doi.org/10.1016/j.jhazmat.2007.06.077>
- Chen, C. W., J. W. Herr, and R. A. Goldstein. 2008. Model calculations of total maximum daily loads of mercury for drainage lakes. *Journal of the American Water Resources Association* 44 (5):1295-1307. <http://dx.doi.org/10.1111/j.1752-1688.2008.00224.x>

- DeLaune, R. D., A. Jugsujinda, I. Devai, and W. H. Patrick Jr. 2004. Relationship of sediment redox conditions to methyl mercury in surface sediment of Louisiana Lakes. *Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering* 39 (8):1925-1933.
- Evers, D. C., Y. J. Han, C. T. Driscoll, N. C. Kamman, M. W. Goodale, K. F. Lambert, T. M. Holsen, C. Y. Chen, T. A. Clair, and T. Butler. 2007. Biological mercury hotspots in the northeastern United States and southeastern Canada. *Bioscience* 57 (1):29-43.
- Fitzgibbon, T. O., W. Berry Lyons, C. B. Gardner, and A. E. Carey. 2008. A preliminary study of the Hg flux from selected Ohio watersheds to Lake Erie. *Applied Geochemistry* 23 (12):3434-3441.  
<http://dx.doi.org/10.1016/j.apgeochem.2008.07.013>
- Gorski, P. R., D. E. Armstrong, J. P. Hurley, and D. P. Krabbenhoft. 2008. Influence of natural dissolved organic carbon on the bioavailability of mercury to a freshwater alga. *Environmental Pollution* 154 (1):116-123.  
<http://dx.doi.org/10.1016/j.envpol.2007.12.004>
- Gorski, P. R., D. E. Armstrong, J. P. Hurley, and M. M. Shafer. 2006. Speciation of aqueous methylmercury influences uptake by a freshwater alga (*Selenastrum capricornutum*). *Environmental Toxicology and Chemistry* 25 (2):534-540.  
<http://dx.doi.org/10.1897/04-530R.1>
- Guentzel, J. L. 2009. Wetland influences on mercury transport and bioaccumulation in South Carolina. *Science of the Total Environment* 407 (4):1344-1353.  
<http://dx.doi.org/10.1016/j.scitotenv.2008.09.030>
- Gustin, M. S., P. V. Chavan, K. E. Dennett, S. Donaldson, E. Marchand, and G. Fernanadez. 2006. Use of constructed wetlands with four different experimental designs to assess the potential for methyl and total Hg outputs. *Applied Geochemistry* 21 (11):2023-2035.  
<http://dx.doi.org/10.1016/j.apgeochem.2006.08.012>
- Gustin, M. S., P. V. Chavan, K. E. Dennett, E. A. Marchand, and S. Donaldson. 2006. Evaluation of wetland methyl mercury export as a function of experimental manipulations. *Journal of Environmental Quality* 35 (6):2352-2359.  
<http://dx.doi.org/10.2134/jeq2005.0478>
- Hall, B. D., G. R. Aiken, D. P. Krabbenhoft, M. Marvin-DiPasquale, and C. M. Swarzenski. 2008. Wetlands as principal zones of methylmercury production in southern Louisiana and the Gulf of Mexico region. *Environmental Pollution* 154 (1):124-134. <http://dx.doi.org/10.1016/j.envpol.2007.12.017>
- Hines, N. A., P. L. Brezonik, and D. R. Engstrom. 2004. Sediment and porewater profiles and fluxes of mercury and methylmercury in a small seepage lake in northern Minnesota. *Environmental Science and Technology* 38 (24):6610-6617.  
<http://dx.doi.org/10.1021/es0496672>
- Holloway, J. M., M. B. Goldhaber, and J. M. Morrison. 2009. Geomorphic controls on mercury accumulation in soils from a historically mined watershed, Central California Coast Range, USA. *Applied Geochemistry* 24 (8):1538-1548.  
<http://dx.doi.org/10.1016/j.apgeochem.2009.04.020>

- Hope, B. K. 2005. A mass budget for mercury in the Willamette River Basin, Oregon, USA. *Water, Air, and Soil Pollution* 161 (1-4):365-382.  
<http://dx.doi.org/10.1007/s11270-005-5549-z>
- Hutcheson, M. S., C. M. Smith, G. T. Wallace, J. Rose, B. Eddy, J. Sullivan, O. Pancorbo, and C. R. West. 2008. Freshwater fish mercury concentrations in a regionally high mercury deposition area. *Water, Air, and Soil Pollution* 191 (1-4):15-31.  
<http://dx.doi.org/10.1007/s11270-007-9604-9>
- Johnson, B. E., B. K. Esser, D. C. Whyte, P. M. Ganguli, C. M. Austin, and J. R. Hunt. 2009. Mercury accumulation and attenuation at a rapidly forming delta with a point source of mining waste. *Science of the Total Environment* 407 (18):5056-5070. <http://dx.doi.org/10.1016/j.scitotenv.2009.05.025>
- Kamman, N. C., P. M. Lorey, C. T. Driscoll, R. Estabrook, A. Major, B. Pientka, and E. Glassford. 2004. Assessment of mercury in waters, sediments, and biota of New Hampshire and Vermont lakes, USA, sampled using a geographically randomized design. *Environmental Toxicology and Chemistry* 23 (5):1172-1186.  
<http://dx.doi.org/10.1897/03-170>
- Knox, A. S., M. H. Paller, E. A. Nelson, W. L. Specht, N. V. Halverson, and J. B. Gladden. 2006. Metal distribution and stability in constructed wetland sediment. *Journal of Environmental Quality* 35 (5):1948-1959.  
<http://dx.doi.org/10.2134/jeq2006.0017>
- Lind, O. T., L. Davalos-Lind, and T. E. Ford. 2000. Clay and the movement of metals into food fishes. *Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering* 35 (7):1171-1182.
- Lyons, W. B., T. O. Fitzgibbon, K. A. Welch, and A. E. Carey. 2006. Mercury geochemistry of the Scioto River, Ohio: Impact of agriculture and urbanization. *Applied Geochemistry* 21 (11):1880-1888.  
<http://dx.doi.org/10.1016/j.apgeochem.2006.08.005>
- Mackie, J. A., S. M. Natali, J. S. Levinton, and S. A. Sanudo-Wilhelmy. 2007. Declining metal levels at Foundry Cove (Hudson River, New York): Response to localized dredging of contaminated sediments. *Environmental Pollution* 149 (2):141-148.  
<http://dx.doi.org/10.1016/j.envpol.2007.01.010>
- Mahler, B. J., P. C. Van Metre, and E. Callender. 2006. Trends in metals in urban and reference lake sediments across the United States, 1970 to 2001. *Environmental Toxicology and Chemistry* 25 (7):1698-1709. <http://dx.doi.org/10.1897/05-459R.1>
- Mailman, M., L. Stepnuk, N. Cicek, and R. A. Bodaly. 2006. Strategies to lower methyl mercury concentrations in hydroelectric reservoirs and lakes: A review. *Science of the Total Environment* 368 (1):224-235.  
[http://www.sciencedirect.com/science?\\_ob=MIimg&\\_imagekey=B6V78-4HTCTD0-2-1&\\_cdi=5836&\\_user=930810&\\_orig=search&\\_coverDate=09%2F01%2F2006&\\_sk=996319998&view=c&wchp=dGLbVzz-zSkzk&md5=d1ef732bfacf695252c798a358a4c383&ie=/sdarticle.pdf](http://www.sciencedirect.com/science?_ob=MIimg&_imagekey=B6V78-4HTCTD0-2-1&_cdi=5836&_user=930810&_orig=search&_coverDate=09%2F01%2F2006&_sk=996319998&view=c&wchp=dGLbVzz-zSkzk&md5=d1ef732bfacf695252c798a358a4c383&ie=/sdarticle.pdf)

- Marcantonio, F., G. C. Flowers, and N. Templin. 2000. Lead contamination in a wetland watershed: Isotopes as fingerprints of pollution. *Environmental Geology* 39 (9):1070-1076.
- Miao, S., R. D. DeLaune, and A. Jugsujinda. 2006. Influence of sediment redox conditions on release/solubility of metals and nutrients in a Louisiana Mississippi River deltaic plain freshwater lake. *Science of the Total Environment* 371 (1-3):334-343. <http://dx.doi.org/10.1016/j.scitotenv.2006.07.027>
- Nimick, D. A., B. R. McCleskey, C. H. Gammons, T. E. Cleasby, and S. R. Parker. 2007. Diel mercury-concentration variations in streams affected by mining and geothermal discharge. *Science of the Total Environment* 373 (1):344-355. <http://dx.doi.org/10.1016/j.scitotenv.2006.11.008>
- Paller, M. H., and J. W. Littrell. 2007. Long-term changes in mercury concentrations in fish from the middle Savannah River. *Science of the Total Environment* 382 (2-3):375-382. <http://dx.doi.org/10.1016/j.scitotenv.2007.04.018>
- Paller, M. H., C. H. Jagoe, H. Bennett, H. A. Brant, and J. A. Bowers. 2004. Influence of methylmercury from tributary streams on mercury levels in Savannah River Asiatic clams. *Science of the Total Environment* 325 (1-3):209-219. <http://dx.doi.org/10.1016/j.scitotenv.2003.11.008>
- Peterson, C., and M. Gustin. 2008. Mercury in the air, water and biota at the Great Salt Lake (Utah, USA). *Science of the Total Environment* 405 (1-3):255-268. <http://dx.doi.org/10.1016/j.scitotenv.2008.06.046>
- Pickhardt, P. C., C. L. Folt, C. Y. Chen, B. Klaue, and J. D. Blum. 2005. Impacts of zooplankton composition and algal enrichment on the accumulation of mercury in an experimental freshwater food web. *Science of the Total Environment* 339 (1-3):89-101. <http://dx.doi.org/10.1016/j.scitotenv.2004.07.025>
- Regnell, O., C. J. Watras, B. Troedsson, A. Helgee, and T. Hammar. 2009. Mercury in a boreal forest stream - Role of historical mercury pollution, TOC, temperature, and water discharge. *Environmental Science and Technology* 43 (10):3514-3521. <http://dx.doi.org/10.1021/es802991x>
- Rumbold, D. G., and L. E. Fink. 2006. Extreme spatial variability and unprecedented methylmercury concentrations within a constructed wetland. *Environmental Monitoring and Assessment* 112 (1-3):115-135. <http://dx.doi.org/10.1007/s10661-006-0767-4>
- Sheehan, K. D., I. J. Fernandez, J. S. Kahl, and A. Amirbahman. 2006. Litterfall mercury in two forested watersheds at Acadia National Park, Maine, USA. *Water, Air, and Soil Pollution* 170 (1-4):249-265. <http://dx.doi.org/10.1007/s11270-006-3034-y>
- Southworth, G. R., R. R. Turner, M. J. Peterson, M. A. Bogle, and M. G. Ryon. 2000. Response of mercury contamination in fish to decreased aqueous concentrations and loading of inorganic mercury in a small stream. *Environmental Monitoring and Assessment* 63 (3):481-494. <http://dx.doi.org/10.1023/A:1006237610383>

- Suchanek, T. H., J. Cooke, K. Keller, S. Jorgensen, P. J. Richerson, C. A. Eagles-Smith, E. J. Harner, and D. P. Adam. 2009. A Mass balance mercury budget for a mine-dominated lake: Clear Lake, California. *Water, Air, and Soil Pollution* 196 (1-4):51-73. <http://dx.doi.org/10.1007/s11270-008-9757-1>
- Suchanek, T. H., P. J. Richerson, J. R. Flanders, D. C. Nelson, L. H. Mullen, L. L. Brister, and J. C. Becker. 2000. Monitoring inter-annual variability reveals sources of mercury contamination in Clear Lake, California. *Environmental Monitoring and Assessment* 64 (1):299-310. <http://dx.doi.org/10.1023/A:1006414332331>
- Sutherland, R. A. 2000. Bed sediment-associated trace metals in an urban stream, Oahu, Hawaii. *Environmental Geology* 39 (6):611-627.
- Tsui, M. T. K., J. C. Finlay, and E. A. Nater. 2008. Effects of stream water chemistry and tree species on release and methylation of mercury during litter decomposition. *Environmental Science and Technology* 42 (23):8692-8697. <http://dx.doi.org/10.1021/es800956q>
- Warner, K. A., J.-C. J. Bonzongo, E. E. Roden, G. M. Ward, A. C. Green, I. Chaubey, W. B. Lyons, and D. A. Arrington. 2005. Effect of watershed parameters on mercury distribution in different environmental compartments in the Mobile Alabama River Basin, USA. *Science of the Total Environment* 347 (1-3):187-207. <http://dx.doi.org/10.1016/j.scitotenv.2004.12.011>
- Watras, C. J., K. A. Morrison, A. Kent, N. Price, O. Regnell, C. Eckley, H. Hintelmann, and T. Hubacher. 2005. Sources of methylmercury to a wetland-dominated lake in northern Wisconsin. *Environmental Science and Technology* 39 (13):4747-4758. <http://dx.doi.org/10.1021/es040561g>
- Weis, J. S., and P. Weis. 2004. Metal uptake, transport and release by wetland plants: Implications for phytoremediation and restoration. *Environment International* 30 (5):685-700. <http://dx.doi.org/10.1016/j.envint.2003.11.002>
- Yu, K., R. D. Delaune, I. Devai, R. Tao, and A. Jugsujinda. 2008. Total and methyl mercury in wetland soils and sediments of Louisiana's Pontchartrain Basin (USA). *Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering* 43 (14):1657-1662. <http://dx.doi.org/10.1080/10934520802330008>

## Appendix H: Hydrology

- Ahn, C., D. M. Johnston, R. E. Sparks, and D. C. White. 2006. Analysis of naturalization alternatives for the recovery of moist-soil plants in the floodplain of the Illinois River. *Hydrobiologia* 565 (1 SPEC. ISS.):217-228.  
<http://dx.doi.org/10.1007/s10750-005-1915-5>
- Allred, B. J., L. C. Brown, N. R. Fausey, R. L. Cooper, W. B. Clevenger, G. L. Prill, G. A. LaBarge, C. Thornton, D. T. Riethman, P. W. Chester, and B. J. Czartoski. 2003. Water table management to enhance crop yields in a wetland reservoir subirrigation system. *Applied Engineering in Agriculture* 19 (4):407-421.
- Anderson, M. L., Z. Q. Chen, and M. L. Kavvas. 2004. Modeling low flows on the Cosumnes River. *Journal of Hydrologic Engineering* 9 (2):126-134.  
[http://dx.doi.org/10.1061/\(ASCE\)1084-0699\(2004\)9:2\(126\)](http://dx.doi.org/10.1061/(ASCE)1084-0699(2004)9:2(126))
- Barry, F., D. Ophori, J. Hoffman, and R. Canace. 2009. Groundwater flow and capture zone analysis of the Central Passaic River Basin, New Jersey. *Environmental Geology* 56 (8):1593-1603. <http://dx.doi.org/10.1007/s00254-008-1257-5>
- Boutt, D. F., and B. J. Fleming. 2009. Implications of anthropogenic river stage fluctuations on mass transport in a valley fill aquifer. *Water Resources Research* 45 (4). <http://dx.doi.org/10.1029/2007WR006526>
- Bredehoeft, J., and E. Kendy. 2008. Strategies for offsetting seasonal impacts of pumping on a nearby stream. *Ground Water* 46 (1):23-29.  
<http://dx.doi.org/10.1111/j.1745-6584.2007.00367.x>
- Brody, S. D., W. E. Highfield, H. C. Ryu, and L. Spanel-Weber. 2007. Examining the relationship between wetland alteration and watershed flooding in Texas and Florida. *Natural Hazards* 40 (2):413-428.  
<http://www.springerlink.com/content/052637724628240u/fulltext.pdf>
- Butler, J. J., Jr., X. Zhan, and V. A. Zlotnik. 2007. Pumping-induced drawdown and stream depletion in a leaky aquifer system. *Ground Water* 45 (2):178-186.  
<http://dx.doi.org/10.1111/j.1745-6584.2006.00272.x>
- Butler, J. J., Jr., V. A. Zlotnik, and M.-S. Tsou. 2001. Drawdown and stream depletion produced by pumping in the vicinity of a partially penetrating stream. *Ground Water* 39 (5):651-659.
- Covington, J. S., and W. A. Hubert. 2003. Trout population responses to restoration of stream flows. *Environmental Management* 31 (1):135-146.  
<http://dx.doi.org/10.1007/s00267-002-2751-2>
- Doll, B. A., D. E. Wise-Frederick, C. M. Buckner, S. D. Wilkerson, W. A. Harman, R. E. Smith, and J. Spooner. 2002. Hydraulic geometry relationships for urban streams throughout the Piedmont of North Carolina. *Journal of the American Water Resources Association* 38 (3):641-651.



- Downer, C. W., and F. L. Ogden. 2004. GSSHA: Model to simulate diverse stream flow producing processes. *Journal of Hydrologic Engineering* 9 (3):161-174. [http://dx.doi.org/10.1061/\(ASCE\)1084-0699\(2004\)9:3\(161\)](http://dx.doi.org/10.1061/(ASCE)1084-0699(2004)9:3(161))
- Ford, C. R., and J. R. Brooks. 2002. Detecting forest stress and decline in response to increasing river flow in southwest Florida, USA. *Forest Ecology and Management* 160 (1-3):45-64. [http://dx.doi.org/10.1016/S0378-1127\(01\)00440-6](http://dx.doi.org/10.1016/S0378-1127(01)00440-6)
- Franklin, S. B., T. Wasklewicz, J. W. Grubaugh, and S. Greulich. 2003. Hydrologic stage periodicity of the Mississippi River before and after systematic channel modifications. *Journal of the American Water Resources Association* 39 (3):637-648.
- Freeman, M. C., and P. A. Marcinek. 2006. Fish assemblage responses to water withdrawals and water supply reservoirs in piedmont streams. *Environmental Management* 38 (3):435-450. <http://dx.doi.org/10.1007/s00267-005-0169-3>
- Genereux, D. P., S. Leahy, H. Mitasova, C. D. Kennedy, and D. R. Corbett. 2008. Spatial and temporal variability of streambed hydraulic conductivity in West Bear Creek, North Carolina, USA. *Journal of Hydrology* 358 (3-4):332-353. <http://dx.doi.org/10.1016/j.jhydrol.2008.06.017>
- Goswami, D., P. K. Kalita, R. A. Cooke, and M. C. Hirschi. 2008. Estimation and analysis of baseflow in drainage channels in two tile-drained watersheds in Illinois. *Transactions of the ASABE* 51 (4):1201-1213.
- Gu, R., and M. Deutschman. 2001. Hydrologic assessment of water losses in river. *Journal of Water Resources Planning and Management* 127 (1):6-12. [http://dx.doi.org/10.1061/\(ASCE\)0733-9496\(2001\)127:1\(6\)](http://dx.doi.org/10.1061/(ASCE)0733-9496(2001)127:1(6))
- Hunt, R. J., M. Strand, and J. F. Walker. 2006. Measuring groundwater-surface water interaction and its effect on wetland stream benthic productivity, Trout Lake watershed, northern Wisconsin, USA. *Journal of Hydrology* 320 (3-4):370-384. <http://dx.doi.org/10.1016/j.jhydrol.2005.07.029>
- Jain, S., and J. K. Eischeid. 2008. What a difference a century makes: Understanding the changing hydrologic regime and storage requirements in the Upper Colorado River basin. *Geophysical Research Letters* 35 (16). <http://dx.doi.org/10.1029/2008GL034715>
- Jemberie, A. A., N. Pinter, and J. W. F. Remo. 2008. Hydrologic history of the Mississippi and Lower Missouri Rivers based upon a refined specific-gauge approach. *Hydrological Processes* 22 (22):4436-4447. <http://dx.doi.org/10.1002/hyp.7046>
- Kazezyelmaz-Alhan, C. M., and M. A. Medina Jr. 2008. The effect of surface/ground water interactions on wetland sites with different characteristics. *Desalination* 226 (1-3):298-305. <http://dx.doi.org/10.1016/j.desal.2007.01.246>
- Kennen, J. G., L. J. Kauffman, M. A. Ayers, D. M. Wolock, and S. J. Colarullo. 2008. Use of an integrated flow model to estimate ecologically relevant hydrologic characteristics at stream biomonitoring sites. *Ecological Modelling* 211 (1-2):57-76. <http://dx.doi.org/10.1016/j.ecolmodel.2007.08.014>

- Leathers, D. J., M. L. Malin, D. B. Kluver, G. R. Henderson, and T. A. Bogart. 2008. Hydroclimatic variability across the Susquehanna River Basin, USA, since the 17th century. *International Journal of Climatology* 28 (12):1615-1626.  
<http://dx.doi.org/10.1002/joc.1668>
- Maassel Jacobsen, S. M. 2003. Baffled by wetland hydrology? *Resource: Engineering and Technology for Sustainable World* 10 (3):9-10.
- Miller, R. C., and J. B. Zedler. 2003. Responses of native and invasive wetland plants to hydroperiod and water depth. *Plant Ecology* 167 (1):57-69.  
<http://dx.doi.org/10.1023/A:1023918619073>
- Mitchell, M. J., P. J. McHale, S. Inamdar, and D. J. Raynal. 2001. Role of within-lake processes and hydrobiogeochemical changes over 16 years in a watershed in the Adirondack Mountains of New York state, USA. *Hydrological Processes* 15 (10):1951-1965. <http://dx.doi.org/10.1002/hyp.249>
- Moon, J., R. Srinivasan, and J. H. Jacobs. 2004. Stream flow estimation using spatially distributed rainfall in the Trinity River Basin, Texas. *Transactions of the American Society of Agricultural Engineers* 47 (5):1445-1451.
- Nadim, F., A. C. Bagtzoglou, S. A. Baun, G. S. Warner, F. Ogden, R. A. Jacobson, and P. Parasiewicz. 2007. Management of adverse effects of a public water supply well field on the aquatic habitat of a stratified drift stream in eastern Connecticut. *Water Environment Research* 79 (1):43-56.  
<http://dx.doi.org/10.2175/106143006X136801>
- Pant, H. K., and K. R. Reddy. 2001. Hydrologic influence on stability of organic phosphorus in wetland detritus. *Journal of Environmental Quality* 30 (2):668-674.
- Pegg, M. A., and C. L. Pierce. 2002. Fish community structure in the Missouri and lower Yellowstone rivers in relation to flow characteristics. *Hydrobiologia* 479:155-167.  
<http://dx.doi.org/10.1023/A:1021038207741>
- Rivenbark, B. L., and C. R. Jackson. 2004. Average discharge, perennial flow initiation, and channel initiation - Small southern Appalachian basins. *Journal of the American Water Resources Association* 40 (3):639-646.
- Sjodin, A., W. M. Lewis Jr., and J. F. Saunders III. 2001. Analysis of groundwater exchange for a large plains river in Colorado (USA). *Hydrological Processes* 15 (4):609-620.
- Skaggs, R. W., G. M. Chescheir, and B. D. Phillips. 2005. Methods to determine lateral effect of a drainage ditch on wetland hydrology. *Transactions of the American Society of Agricultural Engineers* 48 (2):577-584.
- Smith, S. G. L., and A. M. J. Davis. 2009. Time dependence of groundwater pumping from a well near a river. *Proceedings of the Royal Society A: Mathematical, Physical and Engineering Sciences* 465 (2101):175-192.  
<http://dx.doi.org/10.1098/rspa.2008.0204>



- Su, G. W., J. Jasperse, D. Seymour, J. Constante, and Q. Zhou. 2007. Analysis of pumping-induced unsaturated regions beneath a perennial river. *Water Resources Research* 43 (8). <http://dx.doi.org/10.1029/2006WR005389>
- Troutman, B. M., and T. M. Over. 2001. River flow mass exponents with fractal channel networks and rainfall. *Advances in Water Resources* 24 (9-10):967-989. [http://dx.doi.org/10.1016/S0309-1708\(01\)00031-8](http://dx.doi.org/10.1016/S0309-1708(01)00031-8)
- Webb, R. H., and S. A. Leake. 2006. Ground-water surface-water interactions and long-term change in riverine riparian vegetation in the southwestern United States. *Journal of Hydrology* 320 (3-4):302-323. <http://dx.doi.org/10.1016/j.jhydrol.2005.07.022>
- Weiler, K., T. Walter, M. F. Walter, E. S. Brooks, and C. A. Scott. 2000. Seasonal risk analysis for floodplains in the Delaware River Basin. *Journal of Water Resources Planning and Management* 126 (5):320-329. [http://dx.doi.org/10.1061/\(ASCE\)0733-9496\(2000\)126:5\(320\)](http://dx.doi.org/10.1061/(ASCE)0733-9496(2000)126:5(320))
- Wemple, B., J. Shanley, J. Denner, D. Ross, and K. Mills. 2007. Hydrology and water quality in two mountain basins of the northeastern US: Assessing baseline conditions and effects of ski area development. *Hydrological Processes* 21 (12):1639-1650. <http://dx.doi.org/10.1002/hyp.6700>
- Westbrook, C. J., D. J. Cooper, and B. W. Baker. 2006. Beaver dams and overbank floods influence groundwater-surface water interactions of a Rocky Mountain riparian area. *Water Resources Research* 42 (6). <http://dx.doi.org/10.1029/2005WR004560>
- White, A. B., P. Kumar, P. M. Saco, B. L. Rhoads, and B. C. Yen. 2003. Changes in hydrologic response due to stream network extension via land drainage activities. *Journal of the American Water Resources Association* 39 (6):1547-1560.
- Wondzell, S. M., J. LaNier, and R. Haggerty. 2009. Evaluation of alternative groundwater flow models for simulating hyporheic exchange in a small mountain stream. *Journal of Hydrology* 364 (1-2):142-151. <http://dx.doi.org/10.1016/j.jhydrol.2008.10.011>
- Wu, K., and C. A. Johnston. 2008. Hydrologic comparison between a forested and a wetland/lake dominated watershed using SWAT. *Hydrological Processes* 22 (10):1431-1442. <http://dx.doi.org/10.1002/hyp.6695>
- Ye, B., D. Yang, and D. L. Kane. 2003. Changes in Lena River streamflow hydrology: Human impacts versus natural variations. *Water Resources Research* 39 (7):SWC81-SWC814. <http://dx.doi.org/10.1029/2003WR001991>

## Appendix I: Impoundments

- Andradottir, H. O., and H. M. Nepf. 2000. Thermal mediation in a natural littoral wetland: Measurements and modeling. *Water Resources Research* 36 (10):2937-2946. <http://dx.doi.org/10.1029/2000WR900201>
- Arnwine, D. H., K. J. Sparks, and R. R. James. 2006. *Probabilistic monitoring of streams below small impoundments in Tennessee*. Nashville, TN: Tennessee Department of Environment and Conservation. [http://www.state.tn.us/environment/wpc/publications/pdf/isp\\_report.pdf](http://www.state.tn.us/environment/wpc/publications/pdf/isp_report.pdf)
- Ashley, J. T. F., K. Bushaw-Newton, M. Wilhelm, A. Boettner, G. Drames, and D. J. Velinsky. 2006. The effects of small dam removal on the distribution of sedimentary contaminants. *Environmental Monitoring and Assessment* 114 (1-3):287-312. <http://dx.doi.org/10.1007/s10661-006-4781-3>
- Auble, G., P. Shafroth, M. Scott, and J. Roelle. 2007. Early vegetation development on an exposed reservoir: Implications for dam removal. *Environmental Management* 39 (6):806-818. <http://dx.doi.org/10.1007/s00267-006-0018-z>
- Bailard, J. A. 2001. Sedimental journey. *Civil Engineering* 71 (3):66-69.
- Bartholow, J. M., S. G. Campbell, and M. Flug. 2004. Predicting the thermal effects of dam removal on the Klamath river. *Environmental Management* 34 (6):856-874. <http://dx.doi.org/10.1007/s00267-004-0269-5>
- Bednarek, A. T. 2001. Undamming rivers: A review of the ecological impacts of dam removal. *Environmental Management* 27 (6):803-814. <http://dx.doi.org/10.1007/s002670010189>
- Bennett, S. J., C. M. Cooper, J. C. Ritchie, J. A. Dunbar, P. M. Allen, L. W. Caldwell, and T. M. McGee. 2002. Assessing sedimentation issues within aging flood control reservoirs in Oklahoma. *Journal of the American Water Resources Association* 38 (5):1307-1322.
- Bosch, N. S. 2008. The influence of impoundments on riverine nutrient transport: An evaluation using the Soil and Water Assessment Tool. *Journal of Hydrology* 355 (1-4):131-147. <http://dx.doi.org/10.1016/j.jhydrol.2008.03.012>
- Boutt, D. F., and B. J. Fleming. 2009. Implications of anthropogenic river stage fluctuations on mass transport in a valley fill aquifer. *Water Resources Research* 45 (4). <http://dx.doi.org/10.1029/2007WR006526>
- Braatne, J. H., S. B. Rood, L. A. Goater, and C. L. Blair. 2008. Analyzing the impacts of dams on riparian ecosystems: A review of research strategies and their relevance to the Snake River through Hells Canyon. *Environmental Management* 41 (2):267-281. <http://dx.doi.org/10.1007/s00267-007-9048-4>

- Bukaveckas, P. A., and A. S. Crain. 2002. Inter-annual, seasonal and spatial variability in nutrient limitation of phytoplankton production in a river impoundment. *Hydrobiologia* 481:19-31. <http://dx.doi.org/10.1023/A:1021388315552>
- Bushaw-Newton, K. L., D. D. Hart, J. E. Pizzuto, J. R. Thomson, J. Egan, J. T. Ashley, T. E. Johnson, R. J. Horwitz, M. Keeley, J. Lawrence, D. Charles, C. Gatenby, D. A. Kreeger, T. Nightengale, R. L. Thomas, and D. J. Velinsky. 2002. An integrative approach towards understanding ecological responses to dam removal: The Manatawny Creek study. *Journal of the American Water Resources Association* 38 (6):1581-1599.
- Carron, J. C., and H. Rajaram. 2001. Impact of variable reservoir releases on management of downstream water temperatures. *Water Resources Research* 37 (6):1733-1743. <http://dx.doi.org/10.1029/2000WR900390>
- Chang, H. H. 2008. Case study of fluvial modeling of river responses to dam removal. *Journal of Hydraulic Engineering* 134 (3):295-302. [http://dx.doi.org/10.1061/\(ASCE\)0733-9429\(2008\)134:3\(295\)](http://dx.doi.org/10.1061/(ASCE)0733-9429(2008)134:3(295))
- Chang, H. H., D. Pearson, and S. Tanious. 2002. Lagoon restoration near ephemeral river mouth. *Journal of Waterway, Port, Coastal and Ocean Engineering* 128 (2):79-87. [http://dx.doi.org/10.1061/\(ASCE\)0733-950X\(2002\)128:2\(79\)](http://dx.doi.org/10.1061/(ASCE)0733-950X(2002)128:2(79))
- Chin, A., D. L. Harris, T. H. Trice, and J. L. Given. 2002. Adjustment of stream channel capacity following dam closure, Yegua Creek, Texas. *Journal of the American Water Resources Association* 38 (6):1521-1531.
- Chumchal, A. M., and K. D. Hambright. 2009. Ecological factors regulating mercury contamination of fish from Caddo Lake, Texas, USA. *Environmental Toxicology and Chemistry* 28 (5):962-972. <http://dx.doi.org/10.1897/08-197.1>
- Cochrane, T. A., L. D. Norton, C. Castro-Filho, and J. H. Caviglione. 2004. Development of a river sediment transport monitoring system for large reservoirs. *Applied Engineering in Agriculture* 20 (6):771-781.
- Constantz, J., and H. Essaid. 2007. Influence of groundwater pumping on streamflow restoration following upstream dam removal. *Hydrological Processes* 21 (21):2823-2834. <http://dx.doi.org/10.1002/hyp.6520>
- Cowell, C. M., and R. T. Stoudt. 2002. Dam-induced modifications to upper Allegheny River streamflow patterns and their biodiversity implications. *Journal of the American Water Resources Association* 38 (1):187-196.
- Cui, Y., G. Parker, C. Braudrick, W. E. Dietrich, and B. Cluer. 2006. Dam Removal Express Assessment Models (DREAM). Part 1: Model development and validation. *Journal of Hydraulic Research* 44 (3):291-307. <http://dx.doi.org/10.1016/j.jcrysgro.2006.05.071>
- Day, J. W., Jr., A. Yanez Arancibia, W. J. Mitsch, A. L. Lara-Dominguez, J. N. Day, J.-Y. Ko, R. Lane, J. Lindsey, and D. Z. Lomeli. 2003. Using Ecotechnology to address water quality and wetland habitat loss problems in the Mississippi basin: A hierarchical approach. *Biotechnology Advances* 22 (1-2):135-159. <http://dx.doi.org/10.1016/j.biotechadv.2003.08.012>

- Doyle, M. W., E. H. Stanley, and J. M. Harbor. 2003. Channel adjustments following two dam removals in Wisconsin. *Water Resources Research* 39 (1):ESG21-ESG215. <http://dx.doi.org/10.1029/2002WR001714>
- Duke, J. R., J. D. White, P. M. Allen, and R. S. Muttiah. 2007. Riparian influence on hyporheic-zone formation downstream of a small dam in the Blackland Prairie region of Texas. *Hydrological Processes* 21 (2):141-150. <http://dx.doi.org/10.1002/hyp.6228>
- Dworkin, S. I. 2003. The hydrogeochemistry of the Lake Waco drainage basin, Texas. *Environmental Geology* 45 (1):106-114. <http://dx.doi.org/10.1007/s00254-003-0862-6>
- Elbakidze, L. 2006. Potential economic impacts of changes in water availability on agriculture in the Truckee and Carson River Basins, Nevada, USA. *Journal of the American Water Resources Association* 42 (4):841-849. <http://dx.doi.org/10.1111/j.1752-1688.2006.tb04498.x>
- Engle, C. R., and D. Valderrama. 2003. Farm-level costs of settling basins for treatment of effluents from levee-style catfish ponds. *Aquacultural Engineering* 28 (3-4):171-199. [http://dx.doi.org/10.1016/S0144-8609\(03\)00027-X](http://dx.doi.org/10.1016/S0144-8609(03)00027-X)
- Evans, J. E., J. M. Huxley, and R. K. Vincent. 2007. Upstream channel changes following dam construction and removal using a GIS/remote sensing approach. *Journal of the American Water Resources Association* 43 (3):683-697. <http://dx.doi.org/10.1111/j.1752-1688.2007.00055.x>
- Evans, J. E., N. S. Levine, S. J. Roberts, J. F. Gottgens, and D. M. Newman. 2002. Assessment using GIS and sediment routing of the proposed removal of Ballville Dam, Sandusky River, Ohio. *Journal of the American Water Resources Association* 38 (6):1549-1565.
- Freeman, M. C., and P. A. Marcinek. 2006. Fish assemblage responses to water withdrawals and water supply reservoirs in piedmont streams. *Environmental Management* 38 (3):435-450. <http://dx.doi.org/10.1007/s00267-005-0169-3>
- Gillenwater, D., T. Granata, and U. Zika. 2006. GIS-based modeling of spawning habitat suitability for walleye in the Sandusky River, Ohio, and implications for dam removal and river restoration. *Ecological Engineering* 28 (3 SPEC. ISS.):311-323. <http://dx.doi.org/10.1016/j.ecoleng.2006.08.003>
- Granata, T., F. Cheng, and M. Nechvatal. 2008. Discharge and suspended sediment transport during deconstruction of a low-head dam. *Journal of Hydraulic Engineering* 134 (5):652-657. [http://dx.doi.org/10.1061/\(ASCE\)0733-9429\(2008\)134:5\(652\)](http://dx.doi.org/10.1061/(ASCE)0733-9429(2008)134:5(652))
- Gross, E. J., and G. E. Moglen. 2007. Estimating the hydrological influence of Maryland state dams using GIS and the HEC-1 model. *Journal of Hydrologic Engineering* 12 (6):690-693. [http://dx.doi.org/10.1061/\(ASCE\)1084-0699\(2007\)12:6\(690\)](http://dx.doi.org/10.1061/(ASCE)1084-0699(2007)12:6(690))
- Grubbs, S. A., and J. M. Taylor. 2004. The influence of flow impoundment and river regulation on the distribution of riverine macroinvertebrates at Mammoth Cave National Park, Kentucky, U.S.A. *Hydrobiologia* 520 (1-3):19-28. <http://dx.doi.org/10.1023/B:HYDR.0000027722.23374.dc>

- Haines, T. A., T. W. May, R. T. Finlayson, and S. E. Mierzykowski. 2003. Factors affecting food chain transfer of mercury in the vicinity of the Nyanza site, Sudbury River, Massachusetts. *Environmental Monitoring and Assessment* 86 (3):211-232. <http://dx.doi.org/10.1023/A:1024017329382>
- Ham, J., L. Toran, and J. Cruz. 2006. Effect of upstream ponds on stream temperature. *Environmental Geology* 50 (1):55-61. <http://dx.doi.org/10.1007/s00254-006-0186-4>
- Howard Coker, E. 2000. Conversion of a flood control system to a sustainable system: The energy requirements for pipeline transport of silt. *Environmental Science and Technology* 34 (17):3730-3736. <http://dx.doi.org/10.1021/es990536o>
- Johnson, B. M., L. Saito, M. A. Anderson, P. Weiss, M. Andre, and D. G. Fontane. 2004. Effects of climate and dam operations on reservoir thermal structure. *Journal of Water Resources Planning and Management* 130 (2):112-122. [http://dx.doi.org/10.1061/\(ASCE\)0733-9496\(2004\)130:2\(112\)](http://dx.doi.org/10.1061/(ASCE)0733-9496(2004)130:2(112))
- Johnson, K. S. 2008. Gypsum-karst problems in constructing dams in the USA. *Environmental Geology* 53 (5):945-950. <http://dx.doi.org/10.1007/s00254-007-0720-z>
- Johnston, C. A., S. D. Bridgham, and J. P. Schubauer-Berigan. 2001. Nutrient dynamics in relation to geomorphology of riverine wetlands. *Soil Science Society of America Journal* 65 (2):557-577.
- Juracek, K. E. 2000. Channel stability downstream from a dam assessed using aerial photographs and stream-gage information. *Journal of the American Water Resources Association* 36 (3):633-645.
- Kay, P., A. Armstrong, A. McDonald, D. Parsons, J. Best, J. Peakall., A. Walker, M. Foulger, S. Gledhill, and M. Tillotson. 2009. A pilot study of the efficacy of residuum lodges for managing sediment delivery to impoundment reservoirs. *Water and Environment Journal* 23 (1):52-62.
- Konrad, C. P. 2009. Simulating the recovery of suspended sediment transport and river-bed stability in response to dam removal on the Elwha River, Washington. *Ecological Engineering* 35 (7):1104-1115. <http://dx.doi.org/10.1016/j.ecoleng.2009.03.018>
- Kovacic, D. A., R. M. Twait, M. P. Wallace, and J. M. Bowling. 2006. Use of created wetlands to improve water quality in the Midwest-Lake Bloomington case study. *Ecological Engineering* 28 (3 SPEC. ISS.):258-270. <http://dx.doi.org/10.1016/j.ecoleng.2006.08.002>
- Lenhart, C. F. 2003. A preliminary review of NOAA's community-based dam removal and fish passage projects. *Coastal Management* 31 (1):79-98. <http://dx.doi.org/10.1080/08920750390168318>
- Lindloff, S. D. 2003. Institutionalizing the option of dam removal: The New Hampshire initiative. *Water Science and Technology* 48 (7):9-16.

- Loaiciga, H. A. 2002. Reservoir design and operation with variable lake hydrology. *Journal of Water Resources Planning and Management* 128 (6):399-405. [http://dx.doi.org/10.1061/\(ASCE\)0733-9496\(2002\)128:6\(399\)](http://dx.doi.org/10.1061/(ASCE)0733-9496(2002)128:6(399))
- Loomis, J. 2002. Quantifying recreation use values from removing dams and restoring free-flowing rivers: A contingent behavior travel cost demand model for the Lower Snake River. *Water Resources Research* 38 (6):21-28.
- Lowney, C. L. 2000. Stream temperature variation in regulated rivers: Evidence for a spatial pattern in daily minimum and maximum magnitudes. *Water Resources Research* 36 (10):2947-2955. <http://dx.doi.org/10.1029/2000WR900142>
- Magilligan, F. J., K. H. Nislow, and B. E. Graber. 2003. Scale-independent assessment of discharge reduction and riparian disconnectivity following flow regulation by dams. *Geology* 31 (7):569-572. [http://dx.doi.org/10.1130/0091-7613\(2003\)031<0569:SAODRA>2.0.CO;2](http://dx.doi.org/10.1130/0091-7613(2003)031<0569:SAODRA>2.0.CO;2)
- Mathur, D., P. G. Heisey, J. R. Skalski, and D. R. Kenney. 2000. Salmonid smolt survival relative to turbine efficiency and entrainment depth in hydroelectric power generation. *Journal of the American Water Resources Association* 36 (4):737-747.
- McGrath, K. J., and T. Tatham. 2007. Providing safe passage. *International Water Power and Dam Construction* 59 (1):14-17.
- Morton, R. A., J. C. Bernier, and J. A. Barras. 2006. Evidence of regional subsidence and associated interior wetland loss induced by hydrocarbon production, Gulf Coast region, USA. *Environmental Geology* 50 (2):261-274. <http://dx.doi.org/10.1007/s00254-006-0207-3>
- Needham, J. T., Watkins, D.W, Jr., J. R. Lund, and S. K. Nanda. 2000. Linear programming for flood control in the Iowa and Des Moines Rivers. *Journal of Water Resources Planning and Management* 126 (3):118-127. [http://dx.doi.org/10.1061/\(ASCE\)0733-9496\(2000\)126:3\(118\)](http://dx.doi.org/10.1061/(ASCE)0733-9496(2000)126:3(118))
- Nicklow, J. W., and L. W. Mays. 2001. Optimal control of reservoir releases to minimize sedimentation in rivers and reservoirs. *Journal of the American Water Resources Association* 37 (1):197-211.
- Orlins, J. J., and J. S. Gulliver. 2000. Dissolved gas supersaturation downstream of a spillway. II: Computational model. *Journal of Hydraulic Research/De Recherches Hydrauliques* 38 (2):151-159.
- Pearsall, S. H., B. J. McCrodden, and P. A. Townsend. 2005. Adaptive management of flows in the lower Roanoke River, North Carolina, USA. *Environmental Management* 35 (4):353-367. <http://dx.doi.org/10.1007/s00267-003-0255-3>
- Pejchar, L., and K. Warner. 2001. A river might run through it again: Criteria for consideration of dam removal and interim lessons from California. *Environmental Management* 28 (5):561-575. <http://dx.doi.org/10.1007/s002670010244>



- Phillips, J. D. 2001. Sedimentation in bottomland hardwoods downstream of an east Texas dam. *Environmental Geology* 40 (7):860-868.  
<http://dx.doi.org/10.1007/s002540100246>
- Phillips, J. D., M. C. Slattery, and Z. A. Musselman. 2005. Channel adjustments of the lower Trinity River, Texas, downstream of Livingston Dam. *Earth Surface Processes and Landforms* 30 (11):1419-1439.  
<http://dx.doi.org/10.1002/esp.1203>
- Pinter, N., A. A. Jemberie, J. W. F. Remo, R. A. Heine, and B. S. Ickes. 2008. Flood trends and river engineering on the Mississippi River system. *Geophysical Research Letters* 35 (23). <http://dx.doi.org/10.1029/2008GL035987>
- Pizzuto, J., and M. O'Neal. 2009. Increased mid-twentieth century riverbank erosion rates related to the demise of mill dams, South River, Virginia. *Geology* 37 (1):19-22. <http://dx.doi.org/10.1130/G25207A.1>
- Poff, N. L., and D. D. Hart. 2002. How dams vary and why it matters for the emerging science of dam removal. *Bioscience* 52 (8):659-668.
- Pohl, M. M. 2002. Bringing down our dams: Trends in American dam removal rationales. *Journal of the American Water Resources Association* 38 (6):1511-1519.
- Pollard, A. I., and T. Reed. 2004. Benthic invertebrate assemblage change following dam removal in a Wisconsin stream. *Hydrobiologia* 513:51-58.  
<http://dx.doi.org/10.1023/B:hydr.0000018164.17234.4f>
- Rieker, J. D., and J. W. Labadie. 2006. GIS visualization and analysis of river operations impacts on endangered species habit. *Journal of Water Resources Planning and Management* 132 (3):153-163. [http://dx.doi.org/10.1061/\(ASCE\)0733-9496\(2006\)132:3\(153\)](http://dx.doi.org/10.1061/(ASCE)0733-9496(2006)132:3(153))
- Riggsbee, J. A., J. P. Julian, M. W. Doyle, and R. G. Wetzel. 2007. Suspended sediment, dissolved organic carbon, and dissolved nitrogen export during the dam removal process. *Water Resources Research* 43 (9).  
<http://dx.doi.org/10.1029/2006WR005318>
- Robbins, J. L., and L. Y. Lewis. 2008. Demolish it and they will come: Estimating the economic impacts of restoring a recreational fishery. *Journal of the American Water Resources Association* 44 (6):1488-1499.  
<http://dx.doi.org/10.1111/j.1752-1688.2008.00253.x>
- Roberts, S. J., J. F. Gottgens, A. L. Spongberg, J. E. Evans, and N. S. Levine. 2007. Assessing potential removal of low-head dams in urban settings: An example from the Ottawa River, NW Ohio. *Environmental Management* 39 (1):113-124.  
<http://dx.doi.org/10.1007/s00267-005-0091-8>
- Sawyer, A. H., M. B. Cardenas, A. Bomar, and M. Mackey. 2009. Impact of dam operations on hyporheic exchange in the riparian zone of a regulated river. *Hydrological Processes* 23 (15):2129-2137. <http://dx.doi.org/10.1002/hyp.7324>
- Schmidt, J. C., and P. R. Wilcock. 2008. Metrics for assessing the downstream effects of dams. *Water Resources Research* 44 (4).  
<http://dx.doi.org/10.1029/2006WR005092>

- Schoch, A. L., K. E. Schilling, and K.-S. Chan. 2009. Time-series modeling of reservoir effects on river nitrate concentrations. *Advances in Water Resources* 32 (8):1197-1205. <http://dx.doi.org/10.1016/j.advwatres.2009.04.002>
- Scott, J. T., J. K. Stanley, R. D. Doyle, M. G. Forbes, and B. W. Brooks. 2009. River-reservoir transition zones are nitrogen fixation hot spots regardless of ecosystem trophic state. *Hydrobiologia* 625 (1):61-68. <http://dx.doi.org/10.1007/s10750-008-9696-2>
- Sennatt, K. M., N. L. Salant, C. E. Renshaw, and F. J. Magilligan. 2006. Assessment of methods for measuring embeddedness: Application to sedimentation in flow regulated streams. *Journal of the American Water Resources Association* 42 (6):1671-1682. <http://dx.doi.org/10.1111/j.1752-1688.2006.tb06028.x>
- Shields, F. D., Jr., S. S. Knight, N. Morin, and J. Blank. 2003. Response of fishes and aquatic habitats to sand-bed stream restoration using large woody debris. *Hydrobiologia* 494:251-257. <http://dx.doi.org/10.1023/A:1025434920429>
- Simon, A., R. E. Thomas, A. Curini, and F. D. Shields Jr. 2002. Case study: Channel stability of the Missouri River, eastern Montana. *Journal of Hydraulic Engineering* 128 (10):880-890. [http://dx.doi.org/10.1061/\(ASCE\)0733-9429\(2002\)128:10\(880\)](http://dx.doi.org/10.1061/(ASCE)0733-9429(2002)128:10(880))
- Skalak, K., J. Pizzuto, and D. D. Hart. 2009. Influence of small dams on downstream channel characteristics in Pennsylvania and Maryland: Implications for the long-term geomorphic effects of dam removal. *Journal of the American Water Resources Association* 45 (1):97-109. <http://dx.doi.org/10.1111/j.1752-1688.2008.00263.x>
- Snyder, N. P., D. M. Rubin, C. N. Alpers, J. R. Childs, J. A. Curtis, L. E. Flint, and S. A. Wright. 2004. Estimating accumulation rates and physical properties of sediment behind a dam: Englebright Lake, Yuba River, northern California. *Water Resources Research* 40 (11):W1130101-W1130119. <http://dx.doi.org/10.1029/2004WR003279>
- Sternberg, R. 2006. Damming the river: A changing perspective on altering nature. *Renewable and Sustainable Energy Reviews* 10 (3):165-197. <http://dx.doi.org/10.1016/j.rser.2004.07.004>
- Svendsen, K. M., C. E. Renshaw, F. J. Magilligan, K. H. Nislow, and J. M. Kaste. 2009. Flow and sediment regimes at tributary junctions on a regulated river: Impact on sediment residence time and benthic macroinvertebrate communities. *Hydrological Processes* 23 (2):284-296. <http://dx.doi.org/10.1002/hyp.7144>
- Teeter, A. M., B. H. Johnson, C. Berger, G. Stelling, N. W. Scheffner, M. H. Garcia, and T. M. Parchure. 2001. Hydrodynamic and sediment transport modeling with emphasis on shallow-water, vegetated areas (lakes, reservoirs, estuaries and lagoons). *Hydrobiologia* 444:1-23. <http://dx.doi.org/10.1023/A:1017524430610>
- Tomsic, C. A., T. C. Granata, R. P. Murphy, and C. J. Livchak. 2007. Using a coupled eco-hydrodynamic model to predict habitat for target species following dam removal. *Ecological Engineering* 30 (3):215-230. <http://dx.doi.org/10.1016/j.ecoleng.2006.11.006>



- Uowolo, A. L., D. Binkley, and E. C. Adair. 2005. Plant diversity in riparian forests in northwest Colorado: Effects of time and river regulation. *Forest Ecology and Management* 218 (1-3):107-114. <http://dx.doi.org/10.1016/j.foreco.2005.07.003>
- Van Metre, P. C., and B. J. Mahler. 2004. Contaminant trends in reservoir sediment cores as records of influent stream quality. *Environmental Science and Technology* 38 (11):2978-2986. <http://dx.doi.org/10.1021/es049859x>
- Warnken, K. W., and P. H. Santschi. 2004. Biogeochemical behavior of organic carbon in the Trinity River downstream of a large reservoir lake in Texas, USA. *Science of the Total Environment* 329 (1-3):131-144. <http://dx.doi.org/10.1016/j.scitotenv.2004.02.017>
- Wells, R. R., E. J. Langendoen, and A. Simon. 2007. Modeling pre- and post-dam removal sediment dynamics: The Kalamazoo River, Michigan. *Journal of the American Water Resources Association* 43 (3):773-785. <http://dx.doi.org/10.1111/j.1752-1688.2007.00062.x>
- White, K. D., and J. N. Moore. 2002. Impacts of dam removal on riverine ice regime. *Journal of Cold Regions Engineering* 16 (1):2-16. [http://dx.doi.org/10.1061/\(ASCE\)0887-381X\(2002\)16:1\(2\)](http://dx.doi.org/10.1061/(ASCE)0887-381X(2002)16:1(2))
- Whittier, T. R., D. P. Larsen, S. A. Peterson, and T. M. Kincaid. 2002. A comparison of impoundments and natural drainage lakes in the Northeast USA. *Hydrobiologia* 470:157-171. <http://dx.doi.org/10.1023/A:1015688407915>
- Zabel, R. W., J. Faulkner, S. G. Smith, J. J. Anderson, C. Van Holmes, N. Beer, S. Iltis, J. Krinke, G. Fredricks, B. Bellerud, J. Sweet, and A. Giorgi. 2008. Comprehensive passage (COMPASS) model: A model of downstream migration and survival of juvenile salmonids through a hydropower system. *Hydrobiologia* 609 (1):289-300. <http://dx.doi.org/10.1007/s10750-008-9407-z>
- Zhang, H., and C. Dill. 2008. Apparent rates of production and loss of dissolved gaseous mercury (DGM) in a southern reservoir lake (Tennessee, USA). *Science of the Total Environment* 392 (2-3):233-241. <http://dx.doi.org/10.1016/j.scitotenv.2007.12.005>

## Appendix J: Invasive Species

- Abella, S. R., J. E. Spencer, J. Hoines, and C. Nazarchyk. 2009. Assessing an exotic plant surveying program in the Mojave Desert, Clark County, Nevada, USA. *Environmental Monitoring and Assessment* 151 (1-4):221-230.  
<http://dx.doi.org/10.1007/s10661-008-0263-0>
- Agius, B. P. 2007. Spatial and temporal effects of pre-seeding plates with invasive ascidians: Growth, recruitment and community composition. *Journal of Experimental Marine Biology and Ecology* 342 (1):30-39.  
[http://www.sciencedirect.com/science?\\_ob=MIImg&\\_imagekey=B6T8F-4M6937V-5-K&\\_cdi=5085&\\_user=930810&\\_orig=search&\\_coverDate=03%2F26%2F2007&\\_sk=996579998&view=c&wchp=dGLbVtz-zSkWb&md5=2f037c285c2ca89be72524c1d1fe3ec7&ie=/sdarticle.pdf](http://www.sciencedirect.com/science?_ob=MIImg&_imagekey=B6T8F-4M6937V-5-K&_cdi=5085&_user=930810&_orig=search&_coverDate=03%2F26%2F2007&_sk=996579998&view=c&wchp=dGLbVtz-zSkWb&md5=2f037c285c2ca89be72524c1d1fe3ec7&ie=/sdarticle.pdf)
- Catling, P. M., and S. Carbyn. 2006. Recent invasion, current status and invasion pathway of European Common Reed, *Phragmites australis* subspecies *australis*, in the southern Ottawa district. *Canadian Field-Naturalist* 120 (3):307-312.
- Drake, S. J., J. F. Weltzin, and P. D. Parr. 2003. Assessment of non-native invasive plant species on the United States Department of Energy Oak Ridge National Environmental Research Park. *Castanea* 68 (1):15-30.  
<http://www.jstor.org/stable/4034154>
- Ervin, G., M. Smothers, C. Holly, C. Anderson, and J. Linville. 2006. Relative importance of wetland type versus anthropogenic activities in determining site invasibility. *Biological Invasions* 8 (6):1425-1432.  
<http://www.springerlink.com/content/qr4844177u3l0612/fulltext.pdf>
- Forys, E. A., C. R. Allen, and D. P. Wojcik. 2002. Influence of the proximity and amount of human development and roads on the occurrence of the red imported fire ant in the lower Florida Keys. *Biological Conservation* 108 (1):27-33.  
[http://www.sciencedirect.com/science?\\_ob=MIImg&\\_imagekey=B6V5X-45BCPDD-3-4&\\_cdi=5798&\\_user=930810&\\_orig=search&\\_coverDate=11%2F30%2F2002&\\_sk=998919998&view=c&wchp=dGLzVtb-zSkzV&md5=17d341129e2fbb49ca837c71f5c62d6d&ie=/sdarticle.pdf](http://www.sciencedirect.com/science?_ob=MIImg&_imagekey=B6V5X-45BCPDD-3-4&_cdi=5798&_user=930810&_orig=search&_coverDate=11%2F30%2F2002&_sk=998919998&view=c&wchp=dGLzVtb-zSkzV&md5=17d341129e2fbb49ca837c71f5c62d6d&ie=/sdarticle.pdf)
- Herrick, B. M., and A. T. Wolf. 2005. Invasive plant species in diked vs. undiked great lakes wetlands. *Journal of Great Lakes Research* 31 (3):277-287.
- Hogan, D. M., and M. R. Walbridge. 2009. Recent land cover history and nutrient retention in riparian wetlands. *Environmental Management* 44 (1):62-72.  
<http://dx.doi.org/10.1007/s00267-009-9313-9>
- Jodoin, Y., C. Lavoie, P. Villeneuve, M. Theriault, J. Beaulieu, and F. Belzile. 2008. Highways as corridors and habitats for the invasive common reed *Phragmites australis* in Quebec, Canada. *Journal of Applied Ecology* 45 (2):459-466.

- Jones, J. C., D. H. Arner, J. Byrd, L. Yager, and S. Gallagher. 2008. Selected non-native plants of rights-of-ways (ROWs) in the southeastern United States and associated impacts. In *Environment Concerns in Rights-of-Way Management 8th International Symposium*, ed. W. G.-M. John, P. A. Lawrence, L. B. Jennifer, and M. T. Susan. Amsterdam: Elsevier.  
<http://www.sciencedirect.com/science/article/B8KNJ-4SN8M5K-2B/2/8887efc508d05d93d0cfd2fe799db31>
- Larson, D. L., P. J. Anderson, and W. Newton. 2001. Alien plant invasion in mixed-grass prairie: Effects of vegetation type and anthropogenic disturbance. *Ecological Applications* 11 (1):128-141. <http://www.jstor.org/stable/3061061>
- Leger, E. A., K. M. Howe, J. Gurevitch, E. Woo, J. Hickman, I. W. Ashton, and M. Lerdau. 2007. The interaction between soil nutrients and leaf loss during early establishment in plant invasion. *Forest Science* 53 (6):701-709.
- Maheu-Giroux, M., and S. de Blois. 2005. Mapping the invasive species *Phragmites australis* in linear wetland corridors. *Aquatic Botany* 83 (4):310-320.  
<http://www.sciencedirect.com/science/article/B6T4F-4GX0CMJ-2/2/a5c3a55551b4cda658ddbe3b67337a8b>
- Maheu-Giroux, M., and S. de Blois. 2007. Landscape ecology of *Phragmites australis* invasion in networks of linear wetlands. *Landscape Ecology* 22 (2):285-301.  
<http://www.springerlink.com/content/f673845577031407/fulltext.pdf>
- Miklovic, S., and S. M. Galatowitsch. 2005. Effect of NaCl and *Typha angustifolia* L. on marsh community establishment: A greenhouse study. *Wetlands* 25 (2):420-429.
- Miller, R. C., and J. B. Zedler. 2003. Responses of native and invasive wetland plants to hydroperiod and water depth. *Plant Ecology* 167 (1):57-69.  
<http://dx.doi.org/10.1023/A:1023918619073>
- Modley, M. D. 2008. Aquatic invasive species rapid response planning partnerships in the Lake Champlain basin: Bridging international, political, social, and economic gaps. *Water SA* 34 (4 SPEC. ISS.):476-480.
- Mortensen, D. A., E. S. J. Rauschert, A. N. Nord, and B. P. Jones. 2009. Forest roads facilitate the spread of invasive plants. *Invasive Plant Science and Management* 2 (3):191-199. <http://dx.doi.org/10.1614%2FIPSM-08-125.1>
- Parendes, L. A., and J. A. Jones. 2000. Role of light availability and dispersal in exotic plant invasion along roads and streams in the H. J. Andrews Experimental Forest, Oregon. *Conservation Biology* 14 (1):64-75.  
<http://www.jstor.org/stable/2641905>
- Richburg, J. A., W. A. Patterson III, and F. Lowenstein. 2001. Effects of road salt and *Phragmites australis* invasion on the vegetation of a western Massachusetts calcareous lake-basin fen. *Wetlands* 21 (2):247-255.  
[http://dx.doi.org/10.1672/0277-5212\(2001\)021\[0247:EORSAP\]2.0.CO;2](http://dx.doi.org/10.1672/0277-5212(2001)021[0247:EORSAP]2.0.CO;2)
- Shuster, W. D., C. P. Herms, M. N. Frey, D. J. Doohan, and J. Cardina. 2005. Comparison of survey methods for an invasive plant at the subwatershed level. *Biological Invasions* 7 (3):393-403. <http://dx.doi.org/10.1007/s10530-004-3904-4>

- Silliman, B. R., and M. D. Bertness. 2004. Shoreline development drives invasion of *Phragmites australis* and the loss of plant diversity on New England salt marshes. *Conservation Biology* 18 (5):1424-1434.
- Talley, T. S., and L. A. Levin. 2001. Modification of sediments and macrofauna by an invasive marsh plant. *Biological Invasions* 3 (1):51-68.  
<http://dx.doi.org/10.1023/A:1011453003168>
- Toft, J., C. Simenstad, J. Cordell, and L. Grimaldo. 2003. The effects of introduced water hyacinth on habitat structure, invertebrate assemblages, and fish diets. *Estuaries and Coasts* 26 (3):746-758. <http://dx.doi.org/10.1007/BF02711985>
- Warren, R., P. Fell, J. Grimsby, E. Buck, G. Rilling, and R. Fertik. 2001. Rates, patterns, and impacts of *Phragmites australis* expansion and effects of experimental *Phragmites* control on vegetation, macroinvertebrates, and fish within tidelands of the lower Connecticut River. *Estuaries and Coasts* 24 (1):90-107.  
<http://dx.doi.org/10.2307/1352816>
- Weston, L., J. Barney, and A. DiTommaso. 2005. A review of the biology and ecology of three invasive perennials in New York State: Japanese Knotweed ( *Polygonum cuspidatum* ), Mugwort ( *Artemisia vulgaris* ) and Pale Swallow-wort ( *Vincetoxicum rossicum* ). *Plant and Soil* 277 (1):53-69.  
<http://dx.doi.org/10.1007/s11104-005-3102-x>
- Wetzel, R. G. 2005. Invasive plants: the process within wetland ecosystems. In *Invasive Plants: Ecological and Agricultural Aspects*. [http://dx.doi.org/10.1007/3-7643-7380-6\\_7](http://dx.doi.org/10.1007/3-7643-7380-6_7)

## Appendix K: Mining Impacts

- Angelo, R. T., M. S. Cringan, D. L. Chamberlain, A. J. Stahl, S. G. Haslouer, and C. A. Goodrich. 2007. Residual effects of lead and zinc mining on freshwater mussels in the Spring River Basin (Kansas, Missouri, and Oklahoma, USA). *Science of the Total Environment* 384 (1-3):467-496.  
<http://dx.doi.org/10.1016/j.scitotenv.2007.05.045>
- Balistrieri, L. S., R. R. Seal II, N. M. Piatak, and B. Paul. 2007. Assessing the concentration, speciation, and toxicity of dissolved metals during mixing of acid-mine drainage and ambient river water downstream of the Elizabeth Copper Mine, Vermont, USA. *Applied Geochemistry* 22 (5):930-952.  
<http://dx.doi.org/10.1016/j.apgeochem.2007.02.005>
- Barringer, J. L., T. P. Wilson, Z. Szabo, J. L. Bonin, J. M. Fischer, and N. P. Smith. 2008. Diurnal variations in, and influences on, concentrations of particulate and dissolved arsenic and metals in the mildly alkaline Wallkill River, New Jersey, USA. *Environmental Geology* 53 (6):1183-1199.  
<http://dx.doi.org/10.1007/s00254-007-0708-8>
- Besser, J. M., W. G. Brumbaugh, T. W. May, and C. J. Schmitt. 2007. Biomonitoring of lead, zinc, and cadmium in streams draining lead-mining and non-mining areas, Southeast Missouri, USA. *Environmental Monitoring and Assessment* 129 (1-3):227-241. <http://dx.doi.org/10.1007/s10661-006-9356-9>
- Brown, B. V., H. M. Valett, and M. E. Schreiber. 2007. Arsenic transport in groundwater, surface water, and the hyporheic zone of a mine-influenced stream-aquifer system. *Water Resources Research* 43 (11).  
<http://dx.doi.org/10.1029/2006WR005687>
- Butler, B. A. 2009. Effect of pH, ionic strength, dissolved organic carbon, time, and particle size on metals release from mine drainage impacted streambed sediments. *Water Research* 43 (5):1392-1402.  
<http://dx.doi.org/10.1016/j.watres.2008.12.009>
- Butler, B. A., J. F. Ranville, and P. E. Ross. 2008. Observed and modeled seasonal trends in dissolved and particulate Cu, Fe, Mn, and Zn in a mining-impacted stream. *Water Research* 42 (12):3135-3145.  
<http://dx.doi.org/10.1016/j.watres.2008.03.004>
- Caruso, B. S. 2004. Modeling metals transport and sediment/water interactions in a mining impacted mountain stream. *Journal of the American Water Resources Association* 40 (6):1603-1615.
- . 2005. Simulation of metals total maximum daily loads and remediation in a mining-impacted stream. *Journal of Environmental Engineering* 131 (5):777-789. [http://dx.doi.org/10.1061/\(ASCE\)0733-9372\(2005\)131:5\(777\)](http://dx.doi.org/10.1061/(ASCE)0733-9372(2005)131:5(777))

- Caruso, B. S., and T. J. Cox. 2008. Modeling effects of natural flow restoration on metals fate and transport in a mountain stream impacted by mine waste. *Journal of the American Water Resources Association* 44 (3):535-551. <http://dx.doi.org/10.1111/j.1752-1688.2008.00180.x>
- Caruso, B. S., T. J. Cox, R. L. Runkel, M. L. Velleux, K. E. Bencala, D. K. Nordstrom, P. Y. Julien, B. A. Butler, C. N. Alpers, A. Marion, and K. S. Smith. 2008. Metals fate and transport modelling in streams and watersheds: State of the science and USEPA workshop review. *Hydrological Processes* 22 (19):4011-4021. <http://dx.doi.org/10.1002/hyp.7114>
- Cohen, R. R. H. 2006. Use of microbes for cost reduction of metal removal from metals and mining industry waste streams. *Journal of Cleaner Production* 14 (12-13 SPEC. ISS.):1146-1157. <http://dx.doi.org/10.1016/j.jclepro.2004.10.009>
- DeNicola, D. M., and M. G. Stapleton. 2002. Impact of acid mine drainage on benthic communities in streams: The relative roles of substratum vs. aqueous effects. *Environmental Pollution* 119 (3):303-315. [http://dx.doi.org/10.1016/S0269-7491\(02\)00106-9](http://dx.doi.org/10.1016/S0269-7491(02)00106-9)
- Dsa, J. V., K. S. Johnson, D. Lopez, C. Kanuckel, and J. Tumlinson. 2008. Residual toxicity of acid mine drainage-contaminated sediment to stream macroinvertebrates: Relative contribution of acidity vs. metals. *Water, Air, and Soil Pollution* 194 (1-4):185-197. <http://dx.doi.org/10.1007/s11270-008-9707-y>
- Eger, P., A. Johnson, S. Dewar, B. Anderson, and P. Churak. 2004. Thinking outside the box - New ways to close old tailing basins. *Mining Engineering* 56 (1):45-51.
- Eger, P., G. Melchert, and J. Wagner. 2000. Using passive treatment systems for mine closure - A good approach or a risky alternative? *Mining Engineering* 52 (9):78-83.
- Furman, O., D. G. Strawn, G. H. Heinz, and B. Williams. 2006. Risk assessment test for lead bioaccessibility to waterfowl in mine-impacted soils. *Journal of Environmental Quality* 35 (2):450-458. <http://dx.doi.org/10.2134/jeq2005.0316>
- Grosbois, C. A., A. J. Horowitz, J. J. Smith, and K. A. Elrick. 2001. The effect of mining and related activities on the sediment-trace element geochemistry of Lake Coeur d'Alene, Idaho, USA. Part III. Downstream effects: The Spokane River Basin. *Hydrological Processes* 15 (5):855-875. <http://dx.doi.org/10.1002/hyp.192>
- Harper, M. P., and B. L. Peckarsky. 2005. Effects of pulsed and pressed disturbances on the benthic invertebrate community following a coal spill in a small stream in northeastern USA. *Hydrobiologia* 544 (1):241-247. <http://dx.doi.org/10.1007/s10750-005-0862-5>
- Hartman, K. J., M. D. Kaller, J. W. Howell, and J. A. Sweka. 2005. How much do valley fills influence headwater streams? *Hydrobiologia* 532 (1):91-102. <http://dx.doi.org/10.1007/s10750-004-9019-1>

- Hickey, P. J., P. A. McDaniel, and D. G. Strawn. 2008. Characterization of iron- and manganese-cemented redoximorphic aggregates in wetland soils contaminated with mine wastes. *Journal of Environmental Quality* 37 (6):2375-2385. <http://dx.doi.org/10.2134/jeq2007.0488>
- James, L. A. 2004. Decreasing sediment yields in northern California: Vestiges of hydraulic gold-mining and reservoir trapping. *IAHS-AISH Publication* (288):235-244.
- . 2004. Tailings fans and valley-spur cutoffs created by hydraulic mining. *Earth Surface Processes and Landforms* 29 (7):869-882. <http://dx.doi.org/10.1002/esp.1075>
- Johnson, V. G., R. E. Peterson, and K. B. Olsen. 2005. Heavy metal transport and behavior in the lower Columbia River, USA. *Environmental Monitoring and Assessment* 110 (1-3):271-289. <http://dx.doi.org/10.1007/s10661-005-8067-y>
- Koryak, M., L. J. Stafford, and R. J. Reilly. 2004. Declining intensity of acid mine drainage in the northern Appalachian bituminous coal fields: Major Allegheny River tributaries. *Journal of the American Water Resources Association* 40 (3):677-689.
- Lee, G., and G. Faure. 2007. Processes controlling trace-metal transport in surface water contaminated by acid-mine drainage in the Ducktown Mining District, Tennessee. *Water, Air, and Soil Pollution* 186 (1-4):221-232. <http://dx.doi.org/10.1007/s11270-007-9479-9>
- MacCausland, A., and M. E. McTammany. 2007. The impact of episodic coal mine drainage pollution on benthic macroinvertebrates in streams in the Anthracite region of Pennsylvania. *Environmental Pollution* 149 (2):216-226. <http://dx.doi.org/10.1016/j.envpol.2006.12.030>
- Marcus, W. A., G. A. Meyer, and D. R. Nimmo. 2001. Geomorphic control of persistent mine impacts in a Yellowstone Park stream and implications for the recovery of fluvial systems. *Geology* 29 (4):355-358. [http://dx.doi.org/10.1130/0091-7613\(2001\)029<0355:GCOPMI>2.0.CO;2](http://dx.doi.org/10.1130/0091-7613(2001)029<0355:GCOPMI>2.0.CO;2)
- McKnight, D. M., B. A. Kimball, and R. L. Runkel. 2001. pH dependence of iron photoreduction in a rocky mountain stream affected by acid mine drainage. *Hydrological Processes* 15 (10):1979-1992. <http://dx.doi.org/10.1002/hyp.251>
- Menendez, R., J. L. Clayton, P. E. Zurbuch, S. M. Sherlock, H. W. Rauch, and J. J. Renton. 2000. Sand-sized limestone treatment of streams impacted by acid mine drainage. *Water, Air, and Soil Pollution* 124 (3-4):411-428.
- Merovich, G. T., Jr., J. M. Stiles, J. T. Petty, P. F. Ziemkiewicz, and J. B. Fulton. 2007. Water chemistry-based classification of streams and implications for restoring mined Appalachian watersheds. *Environmental Toxicology and Chemistry* 26 (7):1361-1369. <http://dx.doi.org/10.1897/06-424R.1>
- Merricks, T. C., D. S. Cherry, C. E. Zipper, R. J. Currie, and T. W. Valenti. 2007. Coal-mine hollow fill and settling pond influences on headwater streams in Southern West Virginia, USA. *Environmental Monitoring and Assessment* 129 (1-3):359-378. <http://dx.doi.org/10.1007/s10661-006-9369-4>



- Moberly, J. G., T. Borch, R. K. Sani, N. F. Spycher, S. S. Sengor, T. R. Ginn, and B. M. Peyton. 2009. Heavy metal-mineral associations in Coeur d'Alene River sediments: A synchrotron-based analysis. *Water, Air, and Soil Pollution* 201 (1-4):195-208. <http://dx.doi.org/10.1007/s11270-008-9937-z>
- Nimick, D. A., B. R. McCleskey, C. H. Gammons, T. E. Cleasby, and S. R. Parker. 2007. Diel mercury-concentration variations in streams affected by mining and geothermal discharge. *Science of the Total Environment* 373 (1):344-355. <http://dx.doi.org/10.1016/j.scitotenv.2006.11.008>
- Parry, W. T., C. B. Forster, D. K. Solomon, and L. P. James. 2000. Ownership of mine-tunnel discharge. *Ground Water* 38 (4):487-496.
- Peckenham, J. M., T. Thornton, and B. Whalen. 2009. Sand and gravel mining: Effects on ground water resources in Hancock county, Maine, USA. *Environmental Geology* 56 (6):1103-1114. <http://dx.doi.org/10.1007/s00254-008-1210-7>
- Peplow, D., and R. Edmonds. 2005. The effects of mine waste contamination at multiple levels of biological organization. *Ecological Engineering* 24 (1-2):101-119. <http://dx.doi.org/10.1016/j.ecoleng.2004.12.011>
- Ross, R. M., E. S. Long, and D. S. Dropkin. 2008. Response of macroinvertebrate communities to remediation-simulating conditions in Pennsylvania streams influenced by acid mine drainage. *Environmental Monitoring and Assessment* 145 (1-3):323-338. <http://dx.doi.org/10.1007/s10661-007-0042-3>
- Runkel, R. L., and B. A. Kimball. 2002. Evaluating remedial alternatives for an acid mine drainage stream: Application of a reactive transport model. *Environmental Science and Technology* 36 (5):1093-1101. <http://dx.doi.org/10.1021/es0109794>
- Schmidt, T. S., D. J. Soucek, and D. S. Cherry. 2002. Integrative assessment of benthic macroinvertebrate community impairment from metal-contaminated waters in tributaries of the upper Powell river, Virginia, USA. *Environmental Toxicology and Chemistry* 21 (10):2233-2241. [http://dx.doi.org/10.1897/1551-5028\(2002\)021<2233:IAOBMC>2.0.CO;2](http://dx.doi.org/10.1897/1551-5028(2002)021<2233:IAOBMC>2.0.CO;2)
- Shope, C. L., Y. Xie, and C. H. Gammons. 2006. The influence of hydrous Mn-Zn oxides on diel cycling of Zn in an alkaline stream draining abandoned mine lands. *Applied Geochemistry* 21 (3):476-491. <http://dx.doi.org/10.1016/j.apgeochem.2005.11.004>
- Suchanek, T. H., J. Cooke, K. Keller, S. Jorgensen, P. J. Richerson, C. A. Eagles-Smith, E. J. Harner, and D. P. Adam. 2009. A mass balance mercury budget for a mine-dominated lake: Clear Lake, California. *Water, Air, and Soil Pollution* 196 (1-4):51-73. <http://dx.doi.org/10.1007/s11270-008-9757-1>
- Sullivan, A. B., and J. I. Drever. 2001. Geochemistry of suspended particles in a mine-affected mountain stream. *Applied Geochemistry* 16 (15):1663-1676. [http://dx.doi.org/10.1016/S0883-2927\(01\)00064-6](http://dx.doi.org/10.1016/S0883-2927(01)00064-6)
- . 2001. Spatiotemporal variability in stream chemistry in a high-elevation catchment affected by mine drainage. *Journal of Hydrology* 252 (1-4):237-250. [http://dx.doi.org/10.1016/S0022-1694\(01\)00458-9](http://dx.doi.org/10.1016/S0022-1694(01)00458-9)

Zielinski, R. A., J. K. Otton, and C. A. Johnson. 2001. Sources of salinity near a coal mine spoil pile, North-Central Colorado. *Journal of Environmental Quality* 30 (4):1237-1248.

## Appendix L: Powerlines and Pipelines

- Bonneau, J. 2005. *A guide to managing rights-of-ways for wildlife habitat*. Silver Spring, MD.
- Chasko, G. G., and J. E. Gates. 1982. Avian habitat suitability along a transmission-line corridor in an oak-hickory forest region. *Wildlife Monographs* (82):3-41. <http://www.jstor.org/stable/3830653>
- Confer, J. L., and S. M. Pascoe. 2003. Avian communities on utility rights-of-ways and other managed shrublands in the northeastern United States: Early-Successional Forests and Shrubland Habitats in the North Eastern United States :Critical Habitats dependent on Disturbance. *Forest Ecology and Management* 185 (1-2):193-205. <http://www.sciencedirect.com/science/article/B6T6X-4991RRF-1/2/f6547f27e000a6a4a28502882229ab51>
- Council, T. L., D. J. Hovey, and M. L. Cox. 2000. Environmental solutions key successful South Texas line installation. *Oil and Gas Journal* 98 (30):70-72.
- Doherty, P. F., and T. C. Grubb. 1998. Reproductive success of cavity-nesting birds breeding under high-voltage powerlines. *The American Midland Naturalist* 140 (1):122-128. [http://dx.doi.org/10.1674/0003-0031\(1998\)140\[0122:RSOCNB\]2.0.CO;2](http://dx.doi.org/10.1674/0003-0031(1998)140[0122:RSOCNB]2.0.CO;2)
- Genua, S. M. 2008. Pepco's environmental stewardship on transmission line right-of-way vegetation management. In *Environment Concerns in Rights-of-Way Management 8th International Symposium*, ed. W. G.-M. John, P. A. Lawrence, L. B. Jennifer and M. T. Susan. Amsterdam: Elsevier. <http://www.sciencedirect.com/science/article/B8KNJ-4SN8M5K-37/2/0382a8d17585c818837c5c0ab7364842>
- Gleason, N. C. 2008. Impacts of power line rights-of-way on forested stream habitat in western Washington. In *Environment Concerns in Rights-of-Way Management 8th International Symposium*, ed. W. G.-M. John, P. A. Lawrence, L. B. Jennifer and M. T. Susan. Amsterdam: Elsevier. <http://www.sciencedirect.com/science/article/B8KNJ-4SN8M5K-2R/2/11360711e0ec6bc234db2flc466f7345>
- Haggie, M. R., R. A. Johnstone, and H. A. Allen Jr. 2008. Tree, shrub, and herb succession and five years of management following the establishment of a new electric transmission right-of-way through a wooded wetland. In *Environment Concerns in Rights-of-Way Management 8th International Symposium*, ed. W. G.-M. John, P. A. Lawrence, L. B. Jennifer and M. T. Susan. Amsterdam: Elsevier. <http://www.sciencedirect.com/science/article/B8KNJ-4SN8M5K-31/2/282e82eb1e6e55620948e8d4d9084055>

- Hale, A. M. 2008. Critical habitat assessment using HEP modeling in ROW corridors. In *Environment Concerns in Rights-of-Way Management 8th International Symposium*, ed. W. G.-M. John, P. A. Lawrence, L. B. Jennifer and M. T. Susan. Amsterdam: Elsevier. <http://www.sciencedirect.com/science/article/B8KNJ-4SN8M5K-2C/2/74065ac4f6f731c9f00fc2dc9c4f8453>
- Johnson, W. C., R. K. Schreiber, and R. L. Burgess. 1979. Diversity of small mammals in a powerline right-of-way and adjacent forest in east Tennessee. *American Midland Naturalist* 101 (1):231-235. <http://www.jstor.org/stable/2424918>
- Jones, J. C., D. H. Arner, J. Byrd, L. Yager, and S. Gallagher. 2008. Selected non-native plants of rights-of-ways (ROWs) in the southeastern United States and associated impacts. In *Environment Concerns in Rights-of-Way Management 8th International Symposium*, ed. W. G.-M. John, P. A. Lawrence, L. B. Jennifer and M. T. Susan. Amsterdam: Elsevier. <http://www.sciencedirect.com/science/article/B8KNJ-4SN8M5K-2B/2/8887efc508d05d93d0cfd2fe799db31>
- Levesque, L., and M. Dube. 2007. Review of the effects of in-stream pipeline crossing construction on aquatic ecosystems and examination of Canadian methodologies for impact assessment. *Environmental Monitoring and Assessment* 132 (1):395-409. <http://dx.doi.org/10.1007/s10661-006-9542-9>
- Loft, E. R., and J. W. Menke. 1984. Deer use and habitat characteristics of transmission-line corridors in a Douglas-fir forest. *The Journal of Wildlife Management* 48 (4):1311-1316. <http://www.jstor.org/stable/3801791>
- Merriam, R. W. 2003. The abundance, distribution and edge associations of six non-indigenous, harmful plants across North Carolina. *Journal of the Torrey Botanical Society* 130 (4):283-291.
- Mullens, J. B., and R. S. Bristow. 2003. Overcoming the nation's best landscaped sewer: Recreators' perceptions of the Connecticut River. *Journal of the American Water Resources Association* 39 (1):7-15.
- Niemi, G. J., and J. M. Hanowski. 1984. Effects of a transmission line on bird populations in the Red Lake Peatland, northern Minnesota. *The Auk* 101 (3):487-498. <http://www.jstor.org/stable/4086601>
- Partridge, D. J. 2003. Dispelling the adage "you can't get there from here" horizontal direction drilling under the Chicopee River Front Street sewer system improvements Chicopee, Massachusetts. *Journal of New England Water Environment Association* 37 (1):53-64.
- Peterson, A. M. 1993. Effects of electric transmission rights-of-way on trout in forested headwater streams in New York. *North American Journal of Fisheries Management* 13 (3):581-585. <http://afsjournals.org/doi/abs/10.1577/1548-8675%281993%29013%3C0581%3AE0ETRO%3E2.3.CO%3B2>
- Pisano, W. C., O. C. O'Riordan, F. J. Ayotte, J. R. Barsanti, and D. L. Carr. 2003. Automated sewer and drainage flushing systems in Cambridge, Massachusetts. *Journal of Hydraulic Engineering* 129 (4):260-266. [http://dx.doi.org/10.1061/\(ASCE\)0733-9429\(2003\)129:4\(260\)](http://dx.doi.org/10.1061/(ASCE)0733-9429(2003)129:4(260))

- Russell, K. N., H. Ikerd, and S. Droege. 2005. The potential conservation value of unmowed powerline strips for native bees. *Biological Conservation* 124 (1):133-148. <http://www.sciencedirect.com/science/article/B6V5X-4FGXXFV-2/2/cf0b4454ec6d0e9ffc7b63c208b3e7e>
- Schreiber, R. K., and J. H. Graves. 1977. Powerline corridors as possible barriers to the movements of small mammals. *American Midland Naturalist* 97 (2):504-508. <http://www.jstor.org/stable/2425117>
- Small, M. F., and M. L. Hunter, Jr. 1989. Response of passerines to abrupt forest-river and forest-powerline edges in Maine. *The Wilson Bulletin* 101 (1):77-83. <http://www.jstor.org/stable/4162689>
- Smith, M. B., D. A. Aborn, T. J. Gaudin, and J. C. Tucker. 2008. Mammalian predator distribution around a transmission line. *Southeastern Naturalist* 7 (2):289-300. [http://dx.doi.org/10.1656/1528-7092\(2008\)7\[289:MPDAAT\]2.0.CO;2](http://dx.doi.org/10.1656/1528-7092(2008)7[289:MPDAAT]2.0.CO;2)
- Tullis, B. P., D. S. Anderson, and S. C. Robinson. 2008. Entrance loss coefficients and inlet control head-discharge relationships for buried-invert culverts. *Journal of Irrigation and Drainage Engineering* 134 (6):831-839. [http://dx.doi.org/10.1061/\(ASCE\)0733-9437\(2008\)134:6\(831\)](http://dx.doi.org/10.1061/(ASCE)0733-9437(2008)134:6(831))
- Willyard, C. J., and S. M. Tikalsky. 2008. Research gaps regarding the ecological effects of fragmentation related to transmission-line rights-of-way. In *Environment Concerns in Rights-of-Way Management 8th International Symposium*, ed. W. G.-M. John, P. A. Lawrence, L. B. Jennifer and M. T. Susan. Amsterdam: Elsevier. <http://www.sciencedirect.com/science/article/B8KNJ-4SN8M5K-26/2/decdafe8dcd91ec57d1c0280105451aa>

## Appendix M: Regulation, Policy, Mitigation and Restoration

- Abad, J. D., and M. H. Garcia. 2006. RVR Meander: A toolbox for re-meandering of channelized streams. *Computers and Geosciences* 32 (1):92-101.  
<http://dx.doi.org/10.1016/j.cageo.2005.05.006>
- Ahn, C., and R. M. Peralta. 2009. Soil bacterial community structure and physicochemical properties in mitigation wetlands created in the Piedmont region of Virginia (USA). *Ecological Engineering* 35 (7):1036-1042.  
[http://www.sciencedirect.com/science?\\_ob=MIImg&\\_imagekey=B6VFB-4W4JROR-1-7&\\_cdi=6006&\\_user=930810&\\_orig=search&\\_coverDate=07%2F31%2F2009&\\_sk=999649992&view=c&wchp=dGLzVtz-zSkWA&md5=b29a1ea7bf5332dcfd87b994565910ee&ie=/sdarticle.pdf](http://www.sciencedirect.com/science?_ob=MIImg&_imagekey=B6VFB-4W4JROR-1-7&_cdi=6006&_user=930810&_orig=search&_coverDate=07%2F31%2F2009&_sk=999649992&view=c&wchp=dGLzVtz-zSkWA&md5=b29a1ea7bf5332dcfd87b994565910ee&ie=/sdarticle.pdf)
- Anderson, C. J., and B. C. Cowell. 2004. Mulching effects on the seasonally flooded zone of west-central Florida, USA wetlands. *Wetlands* 24 (4):811-819.
- Anonymous. 2006. Compensatory mitigation allowed to offset degradation of streams. *Journal American Water Works Association* 98 (10):44-44.
- Ashby, W. C. 2006. Sustainable stripmine reclamation. *International Journal of Mining, Reclamation and Environment* 20 (2):87-95.  
<http://dx.doi.org/10.1080/13895260600557897>
- Austen, E., and A. Hanson. 2008. Identifying wetland compensation principles and mechanisms for Atlantic Canada using a Delphi approach. *Wetlands* 28 (3):640-655.
- Balcombe, C. K., J. T. Anderson, R. H. Fortney, and W. S. Kordek. 2005. Aquatic macroinvertebrate assemblages in mitigated and natural wetlands. *Hydrobiologia* 541:175-188.  
<http://www.springerlink.com/content/j1216567p1124265/fulltext.pdf>
- Balcombe, C. K., J. T. Anderson, R. H. Fortney, J. S. Rentch, W. N. Grafton, and W. S. Kordek. 2005. A comparison of plant communities in mitigation and reference wetlands in the mid-appalachians. *Wetlands* 25 (1):130-142.
- Balletto, J. H., M. V. Heimbuch, and H. J. Mahoney. 2005. Delaware Bay salt marsh restoration: Mitigation for a power plant cooling water system in New Jersey, USA. *Ecological Engineering* 25 (3):204-213.  
[http://www.sciencedirect.com/science?\\_ob=MIImg&\\_imagekey=B6VFB-4GTVYJT-1-1&\\_cdi=6006&\\_user=930810&\\_orig=search&\\_coverDate=09%2F20%2F2005&\\_sk=999749996&view=c&wchp=dGLbVlb-zSkWz&md5=aa43dfed96049422bf2ea2653f417b05&ie=/sdarticle.pdf](http://www.sciencedirect.com/science?_ob=MIImg&_imagekey=B6VFB-4GTVYJT-1-1&_cdi=6006&_user=930810&_orig=search&_coverDate=09%2F20%2F2005&_sk=999749996&view=c&wchp=dGLbVlb-zSkWz&md5=aa43dfed96049422bf2ea2653f417b05&ie=/sdarticle.pdf)

- Bauer, D. M., N. E. Cyr, and S. K. Swallow. 2004. Public preferences for compensatory mitigation of salt marsh losses: A contingent choice of alternatives. *Conservation Biology* 18 (2):401-411.
- BenDor, T. 2009. A dynamic analysis of the wetland mitigation process and its effects on no net loss policy. *Landscape and Urban Planning* 89 (1-2):17-27.  
[http://www.sciencedirect.com/science?\\_ob=ArticleURL&\\_udi=B6V91-4TP1F5R-1&\\_user=930810&\\_rdoc=1&\\_fmt=&\\_orig=search&\\_sort=d&\\_docanchor=&view=c&\\_acct=C000048423&\\_version=1&\\_urlVersion=0&\\_userid=930810&md5=73c4bfe3814b84792ebf0d4583412e8f](http://www.sciencedirect.com/science?_ob=ArticleURL&_udi=B6V91-4TP1F5R-1&_user=930810&_rdoc=1&_fmt=&_orig=search&_sort=d&_docanchor=&view=c&_acct=C000048423&_version=1&_urlVersion=0&_userid=930810&md5=73c4bfe3814b84792ebf0d4583412e8f)
- BenDor, T., and N. Brozovic. 2007. Determinants of spatial and temporal patterns in compensatory wetland mitigation. *Environmental Management* 40 (3):349-364.  
<http://www.springerlink.com/content/n085383251276m18/fulltext.pdf>
- Braatz, D. A., and R. L. Tucker. 2005. A new series of sediment collectors for developing bed load sediment budgets and restoring streams. *IAHS-AISH Publication* (291):222-226.
- Brenner, F. J. 2001. Use of constructed wetlands for acid mine drainage abatement and stream restoration. *Water Science and Technology* 44 (11-12):449-454.
- Brody, S. D., S. E. Davis, W. E. Highfield, and S. P. Bernhardt. 2008. A spatial-temporal analysis of section 404 wetland permitting in Texas and Florida: Thirteen years of impact along the coast. *Wetlands* 28 (1):107-116.
- Brooks, R. P., D. H. Wardrop, C. A. Cole, and D. A. Campbell. 2005. Are we purveyors of wetland homogeneity? A model of degradation and restoration to improve wetland mitigation performance. *Ecological Engineering* 24 (4):331-340.  
[http://www.sciencedirect.com/science?\\_ob=MImg&\\_imagekey=B6VFB-4G4N5RM-1-7&\\_cdi=6006&\\_user=930810&\\_orig=search&\\_coverDate=04%2F05%2F2005&\\_sk=999759995&view=c&wchp=dGLbVzW-zSkWb&md5=3d4327e83dc10c3f621fe384c92f50&ie=/sdarticle.pdf](http://www.sciencedirect.com/science?_ob=MImg&_imagekey=B6VFB-4G4N5RM-1-7&_cdi=6006&_user=930810&_orig=search&_coverDate=04%2F05%2F2005&_sk=999759995&view=c&wchp=dGLbVzW-zSkWb&md5=3d4327e83dc10c3f621fe384c92f50&ie=/sdarticle.pdf)
- Bruland, G. L., and C. J. Richardson. 2005. Spatial variability of soil properties in created, restored, and paired natural wetlands. *Soil Science Society of America Journal* 69 (1):273-284. <http://soil.scijournals.org/cgi/reprint/69/1/273.pdf>
- Carleton, J. N., T. J. Grizzard, A. N. Godrej, H. E. Post, L. Lampe, and P. P. Kenel. 2000. Performance of a constructed wetlands in treating urban stormwater runoff. *Water Environment Research* 72 (3):295-304.
- Chavan, P. V., K. E. Dennett, and E. A. Marchand. 2008. Behavior of pilot-scale constructed wetlands in removing nutrients and sediments under varying environmental conditions. *Water, Air, and Soil Pollution* 192 (1-4):239-250.  
<http://dx.doi.org/10.1007/s11270-008-9651-x>
- Clausen, J. C., K. Guillard, C. M. Sigmund, and K. Martin Dors. 2000. Water quality changes from riparian buffer restoration in Connecticut. *Journal of Environmental Quality* 29 (6):1751-1761.



- Craig, L. S., M. A. Palmer, D. C. Richardson, S. Filoso, E. S. Bernhardt, B. P. Bledsoe, M. W. Doyle, P. M. Groffman, B. A. Hassett, S. S. Kaushal, P. M. Mayer, S. M. Smith, and P. R. Wilcock. 2008. Stream restoration strategies for reducing river nitrogen loads. *Frontiers in Ecology and the Environment* 6 (10):529-538.
- Crifasi, R. 2005. Reflections in a stock pond: Are anthropogenically derived freshwater ecosystems natural, artificial, or something else? *Environmental Management* 36 (5):625-639. <http://dx.doi.org/10.1007/s00267-004-0147-1>
- Crispell, J. K., and T. A. Endreny. 2009. Hyporheic exchange flow around constructed in-channel structures and implications for restoration design. *Hydrological Processes* 23 (8):1158-1168. <http://dx.doi.org/10.1002/hyp.7230>
- Dale, L., and A. K. Gerlak. 2007. It's all in the numbers: Acreage tallies and environmental program evaluation. *Environmental Management* 39 (2):246-260. <http://www.springerlink.com/content/338glg47618j514q/fulltext.pdf>
- D'Angelo, E. M., A. D. Karathanasis, E. J. Sparks, S. A. Ritchey, and S. A. Wehr-McChesney. 2005. Soil carbon and microbial communities at mitigated and late successional bottomland forest wetlands. *Wetlands* 25 (1):162-175.
- Davidson, D. W., R. D. Gutar, and D. S. Anderson. 2008. Floristic and ecological studies on the Nelson Mitigation Site, near Grantsburg, Burnett County, Wisconsin. *Wulfenia* 15:25-34.
- Davis, D. E., C. H. Hanson, and R. B. Hansen. 2008. Constructed wetland habitat for American avocet and black-necked stilt foraging and nesting. *Journal of Wildlife Management* 72 (1):143-151. <http://dx.doi.org/10.2193/2005-553>
- Desrochers, D. W., J. C. Keagy, and D. A. Cristol. 2008. Created versus natural wetlands: Avian communities in Virginia salt marshes. *Ecoscience* 15 (1):36-43.
- DeWalle, D. R. 2008. Guidelines for riparian vegetative shade restoration based upon a theoretical shaded-stream model. *Journal of the American Water Resources Association* 44 (6):1373-1387. <http://dx.doi.org/10.1111/j.1752-1688.2008.00230.x>
- D'Ignazio, J., K. McDermott, B. Gilmore, and C. Russo. 2005. North Carolina's Ecosystem Enhancement Program - Mitigation for the future. *Energy and Environmental Concerns* 2005 (1941):175-183.
- Esty, A. 2007. Banking on mitigation. *American Scientist* 95 (2):122-123.
- Fennessy, M. S., A. Rokosch, and J. J. Mack. 2008. Patterns of plant decomposition and nutrient cycling in natural and created wetlands. *Wetlands* 28 (2):300-310.
- Fink, D. F., and W. J. Mitsch. 2007. Hydrology and nutrient biogeochemistry in a created river diversion oxbow wetland. *Ecological Engineering* 30 (2 SPEC. ISS.):93-102. <http://dx.doi.org/10.1016/j.ecoleng.2006.08.008>
- Forshay, K. J., H. N. Morzaria-Luna, B. Hale, and K. Predick. 2005. Landowner satisfaction with the wetlands reserve program in Wisconsin. *Environmental Management* 36 (2):248-257. <http://dx.doi.org/10.1007/s00267-004-0093-y>

- Gao, S., K. K. Tanji, Z. Q. Lin, N. Terry, and D. W. Peters. 2003. Selenium removal and mass balance in a constructed flow-through wetland system. *Journal of Environmental Quality* 32 (4):1557-1570.
- Gardner, R. C. 2009. North American wetland mitigation and restoration policies, Introduction. *Wetlands Ecology and Management* 17 (1):1-2.  
<http://www.springerlink.com/content/0775264jxp45725g/fulltext.pdf>
- General Accounting Office (GAO). 1988. *Wetlands: The Corps of Engineers' Administration of the Section 404 Program*. GAO/RCED-88-110. Washington, DC: GAO. <http://archive.gao.gov/d16t6/136780.pdf>
- Gillenwater, D., T. Granata, and U. Zika. 2006. GIS-based modeling of spawning habitat suitability for walleye in the Sandusky River, Ohio, and implications for dam removal and river restoration. *Ecological Engineering* 28 (3 SPEC. ISS.):311-323.  
<http://dx.doi.org/10.1016/j.ecoleng.2006.08.003>
- Gobster, P. H. 2001. Visions of nature: Conflict and compatibility in urban park restoration. *Landscape and Urban Planning* 56 (1-2):35-51.  
[http://dx.doi.org/10.1016/S0169-2046\(01\)00164-5](http://dx.doi.org/10.1016/S0169-2046(01)00164-5)
- Gopal, B. 2003. Perspectives on wetland science, application and policy. *Hydrobiologia* 490 (1):1-10. <http://dx.doi.org/10.1023/A:1023418911648>
- Gutrich, J. J., and F. J. Hitzhusen. 2004. Assessing the substitutability of mitigation wetlands for natural sites: Estimating restoration lag costs of wetland mitigation. *Ecological Economics* 48 (4):409-424.  
[http://www.sciencedirect.com/science?\\_ob=ArticleURL&\\_udi=B6VDY-4C4W50J-2&\\_user=930810&\\_rdoc=1&\\_fmt=&\\_orig=search&\\_sort=d&\\_docanchor=&view=c&\\_acct=C000048423&\\_version=1&\\_urlVersion=0&\\_userid=930810&md5=e5bdbdae95af000aa43b09d19d0d23b2](http://www.sciencedirect.com/science?_ob=ArticleURL&_udi=B6VDY-4C4W50J-2&_user=930810&_rdoc=1&_fmt=&_orig=search&_sort=d&_docanchor=&view=c&_acct=C000048423&_version=1&_urlVersion=0&_userid=930810&md5=e5bdbdae95af000aa43b09d19d0d23b2)
- Gutrich, J. J., K. J. Taylor, and M. S. Fennessy. 2009. Restoration of vegetation communities of created depressional marshes in Ohio and Colorado (USA): The importance of initial effort for mitigation success. *Ecological Engineering* 35 (3):351-368.  
[http://www.sciencedirect.com/science?\\_ob=MImg&\\_imagekey=B6VFB-4V8FFD3-1-7&\\_cdi=6006&\\_user=930810&\\_orig=search&\\_coverDate=03%2F04%2F2009&\\_sk=999649996&view=c&wchp=dGLbVzb-zSkzk&md5=7e269996d7a6ed5b696a61ce4d078fdc&ie=/sdarticle.pdf](http://www.sciencedirect.com/science?_ob=MImg&_imagekey=B6VFB-4V8FFD3-1-7&_cdi=6006&_user=930810&_orig=search&_coverDate=03%2F04%2F2009&_sk=999649996&view=c&wchp=dGLbVzb-zSkzk&md5=7e269996d7a6ed5b696a61ce4d078fdc&ie=/sdarticle.pdf)
- Hallwood, P. 2007. Contractual difficulties in environmental management: The case of wetland mitigation banking. *Ecological Economics* 63 (2-3):446-451.  
[http://www.sciencedirect.com/science?\\_ob=ArticleURL&\\_udi=B6VDY-4MRNCTX-2&\\_user=930810&\\_rdoc=1&\\_fmt=&\\_orig=search&\\_sort=d&\\_docanchor=&view=c&\\_acct=C000048423&\\_version=1&\\_urlVersion=0&\\_userid=930810&md5=3019ff2e1208aa7685f4d7d3c3fdb562](http://www.sciencedirect.com/science?_ob=ArticleURL&_udi=B6VDY-4MRNCTX-2&_user=930810&_rdoc=1&_fmt=&_orig=search&_sort=d&_docanchor=&view=c&_acct=C000048423&_version=1&_urlVersion=0&_userid=930810&md5=3019ff2e1208aa7685f4d7d3c3fdb562)
- Hammersmark, C. T., W. E. Fleenor, and S. G. Schladow. 2005. Simulation of flood impact and habitat extent for a tidal freshwater marsh restoration. *Ecological Engineering* 25 (2):137-152. <http://dx.doi.org/10.1016/j.ecoleng.2005.02.008>

- Hay, C. H., T. G. Franti, D. B. Marx, E. J. Peters, and L. W. Hesse. 2008. Macroinvertebrate drift density in relation to abiotic factors in the Missouri River. *Hydrobiologia* 598 (1):175-189. <http://dx.doi.org/10.1007/s10750-007-9149-3>
- Hey, D. L., L. S. Urban, and J. A. Kostel. 2005. Nutrient farming: The business of environmental management. *Ecological Engineering* 24 (4 SPEC. ISS.):279-287. <http://dx.doi.org/10.1016/j.ecoleng.2004.11.014>
- Hilderbrand, R. H., A. C. Watts, and A. M. Randle. 2005. The myths of restoration ecology. *Ecology and Society* 10 (1):-.
- Hoeltje, S., and C. Cole. 2007. Losing function through wetland mitigation in central Pennsylvania, USA. *Environmental Management* 39 (3):385-402. <http://dx.doi.org/10.1007/s00267-006-0212-z>
- . 2009. Comparison of function of created wetlands of two age classes in central Pennsylvania. *Environmental Management* 43 (4):597-608. <http://www.springerlink.com/content/5771g81311737412/fulltext.pdf>
- Hoepfner, S. S., G. P. Shaffer, and T. E. Perkins. 2008. Through droughts and hurricanes: Tree mortality, forest structure, and biomass production in a coastal swamp targeted for restoration in the Mississippi River Deltaic Plain. *Forest Ecology and Management* 256 (5):937-948. <http://dx.doi.org/10.1016/j.foreco.2008.05.040>
- Hornyak, M. M., and K. E. Halvorsen. 2003. Wetland mitigation compliance in the Western Upper Peninsula of Michigan. *Environmental Management* 32 (5):535-540. <http://dx.doi.org/10.1007/s00267-003-2851-7>
- Hough, P., and M. Robertson. 2009. Mitigation under Section 404 of the Clean Water Act: Where it comes from, what it means. *Wetlands Ecology and Management* 17 (1):15-33. <http://dx.doi.org/10.1007/s11273-008-9093-7>
- Huang, J. C., W. J. Mitsch, and L. Zhang. 2009. Ecological restoration design of a stream on a college campus in central Ohio. *Ecological Engineering* 35 (2):329-340. <http://dx.doi.org/10.1016/j.ecoleng.2008.07.018>
- ITRC Interstate Technology & Regulatory Council. 2005. *Characterization, design, construction and monitoring of mitigation wetlands*. WTLND-2. 444 North Capitol Street, NW, Suite 445, Washington, DC 20001: N. C. S. Interstate Technology & Regulatory Council, Nw, Suite 445, Washington, Dc 20001. (<http://www.itrcweb.org/Documents/WTLND-2.pdf>).
- Jahr, K. J., and G. E. Crow. 2005. Floristic reevaluation of a created wetland in Portsmouth, New Hampshire. *Rhodora* 107 (929):87-102.
- Johnson, P. A., and E. R. Brown. 2001. Incorporating uncertainty in the design of stream channel modifications. *Journal of the American Water Resources Association* 37 (5):1225-1236.
- Johnson, P. A., R. L. Tereska, and E. R. Brown. 2002. Using technical adaptive management to improve design guidelines for urban instream structures. *Journal of the American Water Resources Association* 38 (4):1143-1152.

- Julian, J. T., C. D. Snyder, and J. A. Young. 2006. The use of artificial impoundments by two amphibian species in the Delaware Water Gap National Recreation Area. *Northeastern Naturalist* 13 (4):459-468. [http://dx.doi.org/10.1656/1092-6194\(2006\)13\[459:TUOAIB\]2.0.CO;2](http://dx.doi.org/10.1656/1092-6194(2006)13[459:TUOAIB]2.0.CO;2)
- Kaplowitz, M. D., and F. Lupi. 2008. What wetland bankers think about mitigation banking. *Journal of Soil and Water Conservation* 63 (3):90a-90a.
- Kaplowitz, M. D., F. Lupi, and D. Bailey. 2008. Wetland mitigation banking: The bankers' perspective. *Journal of Soil and Water Conservation* 63 (3):162-172.
- Kelly, N. M. 2001. Changes to the landscape pattern of coastal North Carolina wetlands under the Clean Water Act, 1984-1992. *Landscape Ecology* 16 (1):3-16. <http://www.springerlink.com/content/l2u4t31425368104/fulltext.pdf>
- . 2001. Changes to the landscape pattern of coastal North Carolina wetlands under the Clean Water Act, 1984-1992. *Landscape Ecology* 16 (1):3-16. <http://dx.doi.org/10.1023/A:1008168322720>
- Kentula, M., J. Sifneos, J. Good, M. Rylko, and K. Kunz. 1992. Trends and patterns in section 404 permitting requiring compensatory mitigation in Oregon and Washington, USA. *Environmental Management* 16 (1):109-119. <http://dx.doi.org/10.1007/BF02393913>
- Kettlewell, C. I., V. Bouchard, D. Porej, M. Micacchion, J. J. Mack, D. White, and L. Fay. 2008. An assessment of wetland impacts and compensatory mitigation in the Cuyahoga River Watershed, Ohio, USA. *Wetlands* 28 (1):57-67. <http://dx.doi.org/10.1672/07-01.1>
- King, D. M., and E. W. Price. 2004. *Developing defensible wetland mitigation ratios: Companion to "The five-step wetland mitigation ratio Calculator."* 1315 East-West Highway, Silver Spring, MD 20910. (<http://www.nero.noaa.gov/hcd/socio/FinalNOAA%20Wetland%20mitigation%20ratio%20guidance.pdf>).
- Knox, A. K., R. A. Dahlgren, K. W. Tate, and E. R. Atwill. 2008. Efficacy of natural wetlands to retain nutrient, sediment and microbial pollutants. *Journal of Environmental Quality* 37 (5):1837-1846. <http://dx.doi.org/10.2134/jeq2007.0067>
- Kondolf, G. M., M. W. Smeltzer, and S. F. Railsback. 2001. Design and performance of a channel reconstruction project in a coastal California gravel-bed stream. *Environmental Management* 28 (6):761-776. <http://dx.doi.org/10.1007/s002670010260>
- Kovacic, D. A., M. B. David, L. E. Gentry, K. M. Starks, and R. A. Cooke. 2000. Effectiveness of constructed wetlands in reducing nitrogen and phosphorus export from agricultural tile drainage. *Journal of Environmental Quality* 29 (4):1262-1274.
- Kowalski, K. P., D. A. Wilcox, and M. J. Wiley. 2009. Stimulating a Great Lakes coastal wetland seed bank using portable cofferdams: Implications for habitat rehabilitation. *Journal of Great Lakes Research* 35 (2):206-214. <http://dx.doi.org/10.1016/j.jglr.2008.12.005>

- Kubel, J. E., and R. h. Yahner. 2008. Quality of anthropogenic habitats for Golden-winged Warblers in central Pennsylvania. *The Wilson Journal of Ornithology* 120 (4):801-812. <http://dx.doi.org/10.1676/06-114.1>
- Kusler, J. 2006. *Developing performance standards for the mitigation and restoration of northern forested wetlands*. ([http://www.aswm.org/propub/jon\\_kusler/forested\\_wetlands\\_080106.pdf](http://www.aswm.org/propub/jon_kusler/forested_wetlands_080106.pdf)).
- La Peyre, M. K., M. A. Reams, and I. A. Mendelssohn. 2009. Linking actions to outcomes in wetland management: An overview of U.S. State wetland management. *Wetlands* 21 (1):66-74. [http://dx.doi.org/10.1672/0277-5212\(2001\)021\[0066:LATOIW\]2.0.CO;2](http://dx.doi.org/10.1672/0277-5212(2001)021[0066:LATOIW]2.0.CO;2)
- Lichko, L. E., and A. J. K. Calhoun. 2003. An evaluation of vernal pool creation projects in New England: Project documentation from 1991-2000. *Environmental Management* 32 (1):141-151. <http://www.springerlink.com/content/ugq07q5ue8jha97w/fulltext.pdf>
- Line, D. E., G. D. Jennings, M. B. Shaffer, J. Calabria, and W. F. Hunt. 2008. Evaluating the effectiveness of two stormwater wetlands in North Carolina. *Transactions of the ASABE* 51 (2):521-528.
- Longwell, B. 2006. Construction challenges. *International Water Power and Dam Construction* 58 (6):28-31.
- Lott, R. B., and R. J. Hunt. 2001. Estimating evapotranspiration in natural and constructed wetlands. *Wetlands* 21 (4):614-628.
- Mashour, T., J. Alavalapati, R. Matta, S. Larkin, and D. Carter. 2005. A hedonic analysis of the effect of natural attributes and deed restrictions on the value of conservation easements. *Forest Policy and Economics* 7 (5):771-781. <http://dx.doi.org/10.1016/j.forpol.2005.03.013>
- Matthews, J. W., and A. G. Endress. 2008. Performance criteria, compliance success, and vegetation development in compensatory mitigation wetlands. *Environmental Management* 41 (1):130-141. <http://www.springerlink.com/content/b58641k31508h577/fulltext.pdf>
- Mayer, P. M., and S. M. Galatowitsch. 2001. Assessing ecosystem integrity of restored prairie wetlands from species production-diversity relationships. *Hydrobiologia* 443:177-185. <http://dx.doi.org/10.1023/A:1017516724965>
- Menzel, J. M., M. A. Menzel, J. C. Kilgo, W. M. Ford, and J. W. Edwards. 2005. Bat response to Carolina bays and wetland restoration in the Southeastern US Coastal Plain. *Wetlands* 25 (3):542-550.
- Merovich, G. T., Jr., G. T., J. M. Stiles, J. T. Petty, P. F. Ziemkiewicz, and J. B. Fulton. 2007. Water chemistry-based classification of streams and implications for restoring mined Appalachian watersheds. *Environmental Toxicology and Chemistry* 26 (7):1361-1369. <http://dx.doi.org/10.1897/06-424R.1>
- Miller, P. S., J. K. Mitchell, R. A. Cooke, and B. A. Engel. 2002. A wetland to improve agricultural subsurface drainage water quality. *Transactions of the American Society of Agricultural Engineers* 45 (5):1305-1317.

- Min, J.-H., and W. R. Wise. 2009. Simulating short-circuiting flow in a constructed wetland: The implications of bathymetry and vegetation effects. *Hydrological Processes* 23 (6):830-841. <http://dx.doi.org/10.1002/hyp.7219>
- Minkin, P., and R. Ladd. 2003. *Success of Corps-required wetland mitigation in New England*.
- Mitsch, W. J. 2005. Applying science to conservation and restoration of the world's wetlands. *Water Science and Technology* 51 (8):13-26.
- Mitsch, W. J., L. Zhang, C. J. Anderson, A. E. Altor, and M. E. Hernandez. 2005. Creating riverine wetlands: Ecological succession, nutrient retention, and pulsing effects. *Ecological Engineering* 25 (5):510-527. <http://dx.doi.org/10.1016/j.ecoleng.2005.04.014>
- Morgan, K. L., and T. H. Roberts. 2003. Characterization of wetland mitigation projects in Tennessee, USA. *Wetlands* 23 (1):65-69.
- Moser, K., C. Ahn, and G. Noe. 2007. Characterization of microtopography and its influence on vegetation patterns in created wetlands. *Wetlands* 27 (4):1081-1097.
- Muehlbauer, J. D., C. J. LeRoy, J. M. Lovett, K. K. Flaccus, J. K. Vlieg, and J. C. Marks. 2009. Short-term responses of decomposers to flow restoration in Fossil Creek, Arizona, USA. *Hydrobiologia* 618 (1):35-45. <http://dx.doi.org/10.1007/s10750-008-9545-3>
- Muir Hotaling, N. E., W. J. Kuenzel, and L. W. Douglass. 2002. Breeding season bird use of restored wetlands in eastern Maryland. *Southeastern Naturalist* 1 (3):233-252. [http://dx.doi.org/10.1656/1528-7092\(2002\)001\[0233:BSBUOR\]2.0.CO;2](http://dx.doi.org/10.1656/1528-7092(2002)001[0233:BSBUOR]2.0.CO;2)
- Nahlik, A. M., and W. J. Mitsch. 2008. The effect of river pulsing on sedimentation and nutrients in created riparian wetlands. *Journal of Environmental Quality* 37 (4):1634-1643. <http://dx.doi.org/10.2134/jeq2007.0116>
- Neary, V. S., S. A. Wright, and P. Bereciartua. 2001. Case study: Sediment transport in proposed geomorphic channel for Napa River. *Journal of Hydraulic Engineering* 127 (11):901-910. [http://dx.doi.org/10.1061/\(ASCE\)0733-9429\(2001\)127:11\(901\)](http://dx.doi.org/10.1061/(ASCE)0733-9429(2001)127:11(901))
- Nemerson, D. M., and K. W. Able. 2005. Juvenile sciaenid fishes respond favorably to Delaware Bay marsh restoration. *Ecological Engineering* 25 (3):260-274. [http://www.sciencedirect.com/science?\\_ob=MIImg&\\_imagekey=B6VFB-4GV9SC3-1-K&\\_cdi=6006&\\_user=930810&\\_orig=search&\\_coverDate=09%2F20%2F2005&\\_sk=999749996&view=c&wchp=dGLzVtb-zSkWb&md5=ef574d45496c70bf4bfcddf4580900f9&ie=/sdarticle.pdf](http://www.sciencedirect.com/science?_ob=MIImg&_imagekey=B6VFB-4GV9SC3-1-K&_cdi=6006&_user=930810&_orig=search&_coverDate=09%2F20%2F2005&_sk=999749996&view=c&wchp=dGLzVtb-zSkWb&md5=ef574d45496c70bf4bfcddf4580900f9&ie=/sdarticle.pdf)
- Ng, T. L., and J. W. Eheart. 2008. A multiple-realizations chance-constrained model for optimizing nutrient removal in constructed wetlands. *Water Resources Research* 44 (4). <http://dx.doi.org/10.1029/2007WR006126>
- Nie, M. 2008. The underappreciated role of regulatory enforcement in natural resource conservation. *Policy Sciences* 41 (2):139-164. <http://dx.doi.org/10.1007/s11077-008-9060-4>



- Niezgoda, S. L., and P. A. Johnson. 2007. Case study in cost-based risk assessment for selecting a stream restoration design method for a channel relocation project. *Journal of Hydraulic Engineering* 133 (5):468-481.  
[http://dx.doi.org/10.1061/\(ASCE\)0733-9429\(2007\)133:5\(468\)](http://dx.doi.org/10.1061/(ASCE)0733-9429(2007)133:5(468))
- National Research Council (NRC). 2001. *Compensating for wetland losses under the Clean Water Act*. National Academy Press, Washington, D.C.  
[http://www.nap.edu/catalog.php?record\\_id=10134](http://www.nap.edu/catalog.php?record_id=10134)
- O'Neal, B. J., E. J. Heske, and J. D. Stafford. 2008. Waterbird response to wetlands restored through the Conservation Reserve Enhancement Program. *Journal of Wildlife Management* 72 (3):654-664. <http://dx.doi.org/10.2193/2007-165>
- Owen, C., and H. Jacobs. 1992. Wetland protection as land-use planning: The impact of Section 404 in Wisconsin, USA. *Environmental Management* 16 (3):345-353.  
<http://dx.doi.org/10.1007/BF02400073>
- Palmer, M. A., and E. S. Bernhardt. 2006. Hydroecology and river restoration: Ripe for research and synthesis. *Water Resources Research* 42 (3).  
<http://dx.doi.org/10.1029/2005WR004354>
- Pankratz, S., T. Young, H. Cuevas-Arellano, R. Kumar, R. F. Ambrose, and I. H. Suffet. 2007. The ecological value of constructed wetlands for treating urban runoff. *Water Science and Technology* 55 (3):63-69.  
<http://dx.doi.org/10.2166/wst.2007.073>
- Pechmann, J. H. K., R. A. Estes, D. E. Scott, and J. Whitfield Gibbons. 2001. Amphibian colonization and use of ponds created for trial mitigation of wetland loss. *Wetlands* 21 (1):93-111. [http://dx.doi.org/10.1672/0277-5212\(2001\)021\[0093:ACAUOP\]2.0.CO;2](http://dx.doi.org/10.1672/0277-5212(2001)021[0093:ACAUOP]2.0.CO;2)
- Peterson, C. H., and R. N. Lipcius. 2003. Conceptual progress towards predicting quantitative ecosystem benefits of ecological restorations. *Marine Ecology-Progress Series* 264:297-307.
- Piegay, H., K. J. Gregory, V. Bondarev, A. Chin, N. Dahlstrom, A. Eloseg, S. V. Gregory, V. Joshi, M. Mutz, M. Rinaldi, B. Wyzga, and J. Zawiejska. 2005. Public perception as a barrier to introducing wood in rivers for restoration purposes. *Environmental Management* 36 (5):665-674.  
<http://dx.doi.org/10.1007/s00267-004-0092-z>
- Pollock, M. M., T. J. Beechie, and C. E. Jordan. 2007. Geomorphic changes upstream of beaver dams in Bridge Creek, an incised stream channel in the interior Columbia River basin, eastern Oregon. *Earth Surface Processes and Landforms* 32 (8):1174-1185. <http://dx.doi.org/10.1002/esp.1553>
- Ponader, K. C., D. F. Charles, and T. J. Belton. 2007. Diatom-based TP and TN inference models and indices for monitoring nutrient enrichment of New Jersey streams. *Ecological Indicators* 7 (1):79-93.  
<http://dx.doi.org/10.1016/j.ecolind.2005.10.003>



- Poplar-Jeffers, I. O., J. T. Petty, J. T. Anderson, S. J. Kite, M. P. Strager, and R. H. Fortney. 2009. Culvert replacement and stream habitat restoration: Implications from brook trout management in an Appalachian Watershed, USA. *Restoration Ecology* 17 (3):404-413.
- Postel, S. 2002. Rivers of life: The challenge of restoring health to freshwater ecosystems. *Water Science and Technology* 45 (11):3-8.
- Priddel, D. 2008. Compensatory mitigation. *Frontiers in ecology and the environment* 6 (2):68-68.
- Quigley, J., and D. Harper. 2006. Effectiveness of fish habitat compensation in Canada in achieving no net loss. *Environmental Management* 37 (3):351-366.  
<http://dx.doi.org/10.1007/s00267-004-0263-y>
- Robb, J. T. 2002. Assessing wetland compensatory mitigation sites to aid in establishing mitigation ratios. *Wetlands* 22 (2):435-440.
- Robertson, M. 2009. The work of wetland credit markets: Two cases in entrepreneurial wetland banking. *Wetlands Ecology and Management* 17 (1):35-51.  
<http://www.springerlink.com/content/1187t01u63480784/fulltext.pdf>
- Robertson, M., and N. Hayden. 2008. Evaluation of a market in wetland credits: Entrepreneurial wetland banking in Chicago. *Conservation Biology* 22 (3):636-646.
- Rolband, M. S. 2008. Response to stream mitigation. *Civil Engineering* 78 (7):10-10.
- Roseman, E. F., G. W. Kennedy, J. Boase, B. A. Manny, T. N. Todd, and W. Stott. 2007. Evidence of lake whitefish spawning in the Detroit River: Implications for habitat and population recovery. *Journal of Great Lakes Research* 33 (2):397-406.
- Rosi-Marshall, E. J., A. H. Moerke, and G. A. Lamberti. 2006. Ecological responses to trout habitat rehabilitation in a Northern Michigan stream. *Environmental Management* 38 (1):99-107. <http://dx.doi.org/10.1007/s00267-005-0177-3>
- Rossell, I. M., K. K. Moorhead, H. Alvarado, and R. J. Warren. 2009. Succession of a southern Appalachian mountain wetland six years following hydrologic and microtopographic restoration. *Restoration Ecology* 17 (2):205-214.
- Rubec, C. D. A., and A. R. Hanson. 2009. Wetland mitigation and compensation: Canadian experience. *Wetlands Ecology and Management* 17 (1):3-14.  
<http://www.springerlink.com/content/10r839236g2lw114/fulltext.pdf>
- Schweiger, E. W., S. G. Leibowitz, J. B. Hyman, W. E. Foster, and M. C. Downing. 2002. Synoptic assessment of wetland function: a planning tool for protection of wetland species biodiversity. *Biodiversity and Conservation* 11 (3):379-406.  
<http://dx.doi.org/10.1023/A:1014814226148>
- Sheibley, R. W., D. S. Ahearn, and R. A. Dahlgren. 2006. Nitrate loss from a restored floodplain in the Lower Cosumnes River, California. *Hydrobiologia* 571 (1):261-272. <http://dx.doi.org/10.1007/s10750-006-0249-2>

- Shields, F. D., C. M. Cooper Jr., S. S. Knight, and M. T. Moore. 2003. Stream corridor restoration research: A long and winding road. *Ecological Engineering* 20 (5):441-454.
- Shields, F. D., Jr., S. S. Knight, N. Morin, and J. Blank. 2003. Response of fishes and aquatic habitats to sand-bed stream restoration using large woody debris. *Hydrobiologia* 494:251-257. <http://dx.doi.org/10.1023/A:1025434920429>
- Shields, F. D., Jr., R. R. Copeland, P. C. Klingeman, M. W. Doyle, and A. Simon. 2003. Design for stream restoration. *Journal of Hydraulic Engineering* 129 (8):575-584.
- Sidle, W. C., and J. A. Goodrich. 2003. Denitrification efficiency in groundwater adjacent to ditches within constructed riparian wetlands: Kankakee watershed, Illinois-Indiana, U.S.A. *Water, Air, and Soil Pollution* 144 (1-4):391-404. <http://dx.doi.org/10.1023/A:1022962127801>
- Sifneos, J., E. Cake, and M. Kentula. 1992. Effects of Section 404 permitting on freshwater wetlands in Louisiana, Alabama, and Mississippi. *Wetlands* 12 (1):28-36. <http://dx.doi.org/10.1007/BF03160541>
- Siragusa, K. S. 2008. Integrating a watershed approach into Clean Water Act Section 404, wetland and stream compensatory mitigation lessons learned and recommendations for Georgia. Internet Resource; Archival Material Date of Entry: 20090824. <http://purl.galileo.usg.edu/uga%5Fetd/siragusa%5Fkelly%5F200805%5Fms>
- Slate, L. O., D. F. Shields, J. S. Schwartz, D. D. Carpenter, and G. E. Freeman. 2007. Engineering design standards and liability for stream channel restoration. *Journal of Hydraulic Engineering* 133 (10):1099-1102. [http://dx.doi.org/10.1061/\(ASCE\)0733-9429\(2007\)133:10\(1099\)](http://dx.doi.org/10.1061/(ASCE)0733-9429(2007)133:10(1099))
- Smiley, P. C., Jr., and E. D. Dibble. 2005. Implications of a hierarchical relationship among channel form, instream habitat, and stream communities for restoration of channelized streams. *Hydrobiologia* 548 (1):279-292. <http://dx.doi.org/10.1007/s10750-005-5447-9>
- Smiley, P. C., Jr., and E. D. Dibble. 2005. Implications of a hierarchical relationship among channel form, instream habitat, and stream communities for restoration of channelized streams. *Hydrobiologia* 548 (1):279-292.
- Smith, S. M., and K. L. Prestegard. 2005. Hydraulic performance of a morphology-based stream channel design. *Water Resources Research* 41 (11):1-17. <http://dx.doi.org/10.1029/2004WR003926>
- Sonntag, D. H., and C. A. Cole. 2008. Determining the feasibility and cost of an ecologically-based design for a mitigation wetland in central Pennsylvania, USA. *Landscape and Urban Planning* 87 (1):10-21. <http://dx.doi.org/10.1016/j.landurbplan.2008.03.008>
- Spieles, D. J. 2005. Vegetation development in created, restored, and enhanced mitigation wetland banks of the United States. *Wetlands* 25 (1):51-63.

- Spieles, D. J., M. Coneybeer, and J. Horn. 2006. Community structure and quality after 10 years in two central Ohio mitigation bank wetlands. *Environmental Management* 38 (5):837-852.
- Steiner, F., S. Pieart, E. Cook, J. Rich, and V. Coltman. 1994. State wetlands and riparian area protection programs. *Environmental Management* 18 (2):183-201. <http://dx.doi.org/10.1007/BF02393761>
- Stokstad, E. 2008. Environmental regulation: New rules on saving wetlands push the limits of the science. *Science* 320 (5873):162-163.
- Sudol, M. F., and R. F. Ambrose. 2002. The US Clean Water Act and habitat replacement: Evaluation of mitigation sites in Orange County, California, USA. *Environmental Management* 30 (5):727-734. <http://www.springerlink.com/content/kle5g5f92434t9cf/fulltext.pdf>
- Sullivan, P. J., J. M. Acheson, P. L. Angermeier, T. Faast, J. Flemma, C. M. Jones, E. E. Knudsen, T. J. Minello, D. H. Secor, R. Wunderlich, and B. A. Zanetell. 2006. Defining and implementing - Best available science for fisheries and environmental science, policy, and management. *Fisheries* 31 (9):460-465.
- Sutton-Grier, A. E., J. Pahl, M. Ho, and C. Richardson. 2005. Increasing vegetation, improving water: Compost use in urban restored wetlands. *BioCycle* 46 (10):40-41.
- Sweka, J. A., and K. J. Hartman. 2006. Effects of large woody debris addition on stream habitat and brook trout populations in Appalachian streams. *Hydrobiologia* 559 (1):363-378. <http://dx.doi.org/10.1007/s10750-005-9117-8>
- Tanji, K. K., and Keyes, Jr. 2002. Water quality aspects of irrigation and drainage: Past history and future challenges for civil engineers. *Journal of Irrigation and Drainage Engineering* 128 (6):332-340. [http://dx.doi.org/10.1061/\(ASCE\)0733-9437\(2002\)128:6\(332\)](http://dx.doi.org/10.1061/(ASCE)0733-9437(2002)128:6(332))
- Taylor, J., and B. A. Middleton. 2004. Comparison of litter decomposition in a natural versus coal-slurry pond reclaimed as a wetland. *Land Degradation and Development* 15 (4):439-446. <http://dx.doi.org/10.1002/ldr.625>
- Thompson, D. M. 2002. Long-term effect of instream habitat-improvement structures on channel morphology along the Blackledge and Salmon rivers, Connecticut, USA. *Environmental Management* 29 (2):250-265. <http://dx.doi.org/10.1007/s00267-001-0069-0>
- Thorne, J. H., P. R. Huber, E. H. Girvetz, J. Quinn, and M. C. McCoy. 2009. Integration of regional mitigation assessment and conservation planning. *Ecology and Society* 14 (1):-.
- Torok, L., S. Lockwood, and D. Fanz. 1996. Review and comparison of wetland impacts and mitigation requirements between New Jersey, USA, Freshwater Wetlands Protection Act and Section 404 of the Clean Water Act. *Environmental Management* 20 (5):741-752. <http://dx.doi.org/10.1007/BF01204145>

- Tullos, D. D., D. L. Penrose, and G. D. Jennings. 2006. Development and application of a bioindicator for benthic habitat enhancement in the North Carolina Piedmont. *Ecological Engineering* 27 (3):228-241. <http://dx.doi.org/10.1016/j.ecoleng.2006.03.001>
- Tweedy, K. L., and R. O. Evans. 2001. Hydrologic characterization of two prior converted wetland restoration sites in eastern north carolina. *Transactions of the American Society of Agricultural Engineers* 44 (5):1135-1142.
- U.S. Army Corps of Engineers and U.S. Environmental Protection Agency. 1990. *Memorandum of Agreement Between The Department of the Army and The Environmental Protection Agency: The Determination of Mitigation under the Clean Water Act Section 404(b)(1) Guidelines*. Washington, DC: <http://www.usace.army.mil/CECW/Documents/cecwo/reg/mou/migrate.pdf>
- Ullah, S., and S. P. Faulkner. 2006. Use of cotton gin trash to enhance denitrification in restored forested wetlands. *Forest Ecology and Management* 237 (1-3):557-563. <http://dx.doi.org/10.1016/j.foreco.2006.09.075>
- Van Lonkhuyzen, R. A., K. E. Lagory, and J. A. Kuiper. 2004. Modeling the suitability of potential wetland mitigation sites with a geographic information system. *Environmental Management* 33 (3):368-375.
- Vepraskas, M. J., R. L. Huffman, and G. S. Kreiser. 2006. Hydrologic models for altered landscapes. *Geoderma* 131 (3-4):287-298. <http://dx.doi.org/10.1016/j.geoderma.2005.03.010>
- Vymazal, J. 2007. Removal of nutrients in various types of constructed wetlands. *Science of the Total Environment* 380 (1-3):48-65. <http://dx.doi.org/10.1016/j.scitotenv.2006.09.014>
- Walther, D. A., and M. R. Whiles. 2008. Macroinvertebrate responses to constructed riffles in the Cache River, Illinois, USA. *Environmental Management* 41 (4):516-527. <http://dx.doi.org/10.1007/s00267-007-9058-2>
- Wardrop, D. H., M. E. Kentula, D. L. Stevens, S. F. Jensen, and R. P. Brooks. 2007. Assessment of wetland condition: An example from the upper Juniata watershed in Pennsylvania, USA. *Wetlands* 27 (3):416-431. [http://dx.doi.org/10.1672/0277-5212\(2007\)27\[416:AOWCAE\]2.0.CO;2](http://dx.doi.org/10.1672/0277-5212(2007)27[416:AOWCAE]2.0.CO;2)
- Warren, D. R., C. E. Kraft, W. S. Keeton, J. S. Nunery, and G. E. Likens. 2009. Dynamics of wood recruitment in streams of the northeastern US. *Forest Ecology and Management* 258 (5):804-813. <http://dx.doi.org/10.1016/j.foreco.2009.05.020>
- Weis, J. S., and P. Weis. 2004. Metal uptake, transport and release by wetland plants: Implications for phytoremediation and restoration. *Environment International* 30 (5):685-700. <http://dx.doi.org/10.1016/j.envint.2003.11.002>
- Weishar, L. L., J. M. Teal, and R. Hinkle. 2005. Designing large-scale wetland restoration for Delaware Bay. *Ecological Engineering* 25 (3):231-239. <http://dx.doi.org/10.1016/j.ecoleng.2005.04.012>
- Whalen, P. J., L. A. Toth, J. W. Koebel, and P. K. Strayer. 2002. Kissimmee River restoration: A case study. *Water Science and Technology* 45 (11):55-62.

- White, D., and S. Fennessy. 2005. Modeling the suitability of wetland restoration potential at the watershed scale. *Ecological Engineering* 24 (4):359-377.
- White, K. 2001. Preservation of wetlands on the federal-aid highway system. *Public Roads* 64 (4):26-29.
- Wilcox, D. A., M. J. Sweat, M. L. Carlson, and K. P. Kowalski. 2006. A water-budget approach to restoring a sedge fen affected by diking and ditching. *Journal of Hydrology* 320 (3-4):501-517. <http://dx.doi.org/10.1016/j.jhydrol.2005.07.026>
- Wilkinson, J. 2009. In-lieu fee mitigation: coming into compliance with the new Compensatory Mitigation Rule. *Wetlands Ecology and Management* 17 (1):53-70. <http://www.springerlink.com/content/y5538766x2551382/fulltext.pdf>
- Williams, C. F., and F. J. Adamsen. 2008. A low-cost three-dimensional sample collection array to evaluate and monitor constructed wetlands. *Ecological Engineering* 33 (1):83-90. <http://dx.doi.org/10.1016/j.ecoleng.2008.02.006>
- Woltemade, C. J., and J. Woodward. 2008. Nitrate removal in a restored spring-fed wetland, Pennsylvania, USA. *Journal of the American Water Resources Association* 44 (1):222-234. <http://dx.doi.org/10.1111/j.1752-1688.2007.00149.x>

## Appendix N: Roads

- Abella, S. R., J. E. Spencer, J. Hoines, and C. Nazarchyk. 2009. Assessing an exotic plant surveying program in the Mojave Desert, Clark County, Nevada, USA. *Environmental Monitoring and Assessment* 151 (1-4):221-230. <http://dx.doi.org/10.1007/s10661-008-0263-0>
- Akay, A. E., and J. Sessions. 2005. Applying the decision support system, TRACER, to forest road design. *Western Journal of Applied Forestry* 20 (3):184-191.
- Aldrich, J., M. Vilem, and M. Oakland. 2003. A culvert for Abram Creek. *Civil Engineering* 73 (11):64-69.
- Appelboom, T., G. Chescheir, R. Skaggs, and D. Hesterberg. 2002. Management practices for sediment reduction from forest roads in the coastal plain. *Transactions of the ASAE* 45 (2):337-344.
- Aruga, K., J. Sessions, and E. S. Miyata. 2005. Forest road design with soil sediment evaluation using a high-resolution DEM. *Journal of Forest Research* 10 (6):471-479. <http://dx.doi.org/10.1007/s10310-005-0174-7>
- Aust, W. M., R. Visser, T. Gallagher, T. Roberts, and M. Poirot. 2003. Cost of six different stream crossing options in the Appalachian area. *Southern Journal of Applied Forestry* 27 (1):66-70.
- Beschta, R. L., M. R. Pyles, A. E. Skaugset, and C. G. Surfleet. 2000. Peakflow responses to forest practices in the western cascades of Oregon, USA. *Journal of Hydrology* 233 (1-4):102-120. [http://dx.doi.org/10.1016/S0022-1694\(00\)00231-6](http://dx.doi.org/10.1016/S0022-1694(00)00231-6)
- Bhagat, Y., J. J. H. Ciborowski, L. B. Johnson, D. G. Uzarski, T. M. Burton, S. T. A. Timmermans, and M. J. Cooper. 2007. Testing a fish index of biotic integrity for responses to different stressors in Great Lakes coastal wetlands. *Journal of Great Lakes Research* 33 (SPEC. ISS. 3):224-235. [http://dx.doi.org/10.3394/0380-1330\(2007\)33\[224:TAFIOB\]2.0.CO;2](http://dx.doi.org/10.3394/0380-1330(2007)33[224:TAFIOB]2.0.CO;2)
- Bhatia, S. K., J. L. Smith, D. Lake, and D. Walowsky. 2002. A technical and economic evaluation of geosynthetic rolled erosion control products in highway drainage channels. *Geosynthetics International* 9 (2):125-148.
- Blasius, B. J., and R. W. Merritt. 2002. Field and laboratory investigations on the effects of road salt (NaCl) on stream macroinvertebrate communities. *Environmental Pollution* 120 (2):219-231. [http://dx.doi.org/10.1016/S0269-7491\(02\)00142-2](http://dx.doi.org/10.1016/S0269-7491(02)00142-2)
- Briaud, J.-L. 2006. Bridge scour. *Geotechnical News* 24 (3):54-56.
- Briaud, J. L., H. C. Chen, Y. Li, P. Nurtjahyo, and J. Wang. 2005. SRICOS-EFA method for contraction scour in fine-grained soils. *Journal of Geotechnical and Geoenvironmental Engineering* 131 (10):1283-1294. [http://dx.doi.org/10.1061/\(ASCE\)1090-0241\(2005\)131:10\(1283\)](http://dx.doi.org/10.1061/(ASCE)1090-0241(2005)131:10(1283))

- Brooks, E. S., J. Boll, W. J. Elliot, and T. Dechert. 2006. Global positioning system/GIS-based approach for modeling erosion from large road networks. *Journal of Hydrologic Engineering* 11 (5):418-426. [http://dx.doi.org/10.1061/\(ASCE\)1084-0699\(2006\)11:5\(418\)](http://dx.doi.org/10.1061/(ASCE)1084-0699(2006)11:5(418))
- Bryce, S. A. 2006. Development of a bird integrity index: Measuring avian response to disturbance in the Blue Mountains of Oregon, USA. *Environmental Management* 38 (3):470-486. <http://dx.doi.org/10.1007/s00267-005-0152-z>
- Camponelli, K. M., R. E. Casey, J. W. Snodgrass, S. M. Lev, and E. R. Landa. 2009. Impacts of weathered tire debris on the development of *Rana sylvatica* larvae. *Chemosphere* 74 (5):717-722. <http://dx.doi.org/10.1016/j.chemosphere.2008.09.056>
- Carr, L. W., L. Fahrig, and S. E. Pope. 2002. Impacts of landscape transformation by roads. In *Applying Landscape Ecology in Biological Conservation*. New York: Springer-Verlag.
- Cavalcanti, G. G., and B. Graeme Lockaby. 2005. Effects of sediment deposition on fine root dynamics in riparian forests. *Soil Science Society of America Journal* 69 (3):729-737. <http://dx.doi.org/10.2136/sssaj2004.0239>
- Cazenas, P. A. 2005. On the road to environmental excellence. *Public Roads* 69 (3).
- Chang, H. H. 2001. Sediment transport modeling for bridge scour downstream of a dam. *Applied Engineering in Agriculture* 17 (6):803-805.
- Chen, Y., R. C. Viadero Jr, X. Wei, R. Fortney, L. B. Hedrick, S. A. Welsh, J. T. Anderson, and L.-S. Lin. 2009. Effects of highway construction on stream water quality and macroinvertebrate condition in a Mid-Atlantic Highlands watershed, USA. *Journal of Environmental Quality* 38 (4):1672-1682. <http://dx.doi.org/10.2134/jeq2008.0423>
- Clinton, B. D., and J. M. Vose. 2003. Differences in surface water quality draining four road surface types in the Southern Appalachians. *Southern Journal of Applied Forestry* 27 (2):100-106.
- Councell, T. B., K. U. Duckenfield, E. R. Landa, and E. Callender. 2004. Tire-wear particles as a source of zinc to the environment. *Environmental Science and Technology* 38 (15):4206-4214. <http://dx.doi.org/10.1021/es034631f>
- Cupp, C. E. 2003. Influence of culvert crossings on movement of stream dwelling salmonids. *NCASI Technical Bulletin* (862):1-12.
- Davis, C. T., and W. K. Clatterbuck. 2003. Role of the Tennessee master logger program in implementation of best management practices on non-industrial private forests. *Southern Journal of Applied Forestry* 27 (1):36-40.
- Dolah, R. F., G. H. M. Riekerk, M. V. Levisen, G. I. Scott, M. H. Fulton, D. Bearden, S. Sivertsen, K. W. Chung, and D. M. Sanger. 2005. An evaluation of polycyclic aromatic hydrocarbon (PAH) runoff from highways into estuarine wetlands of South Carolina. *Archives of Environmental Contamination and Toxicology* 49 (3):362-370. <http://dx.doi.org/10.1007/s00244-004-0210-1>



- Downs, A. 2003. Why Florida's concurrency principles (for controlling new development by regulating road construction) do not - and cannot: Work effectively. *Transportation Quarterly* 57 (1):13-18.
- Endreny, T. A., and K. E. Thomas. 2009. Improving estimates of simulated runoff quality and quantity using road-enhanced land cover data. *Journal of Hydrologic Engineering* 14 (4):346-351. [http://dx.doi.org/10.1061/\(ASCE\)1084-0699\(2009\)14:4\(346\)](http://dx.doi.org/10.1061/(ASCE)1084-0699(2009)14:4(346))
- Findlay, C. S., and J. Bourdages. 2000. Response time of wetland biodiversity to road construction on adjacent lands. *Conservation Biology* 14 (1):86-94. <http://www.jstor.org/stable/2641907>
- Fitch, G. M., and J. E. Anderson. 2001. Use of digital multispectral videography to capture environmental data sets for Virginia Department of Transportation. *Transportation Research Record* (1756):87-93.
- Fitch, G. M., and D. S. Roosevelt. 2000. Environmental implications of the use of "Ice Ban" as a prewetting agent for sodium chloride. *Transportation Research Record* (1700):32-37.
- Forman, R. T. T. 2000. Estimate of the area affected ecologically by the road system in the United States. *Conservation Biology* 14 (1):31-35. <http://www.jstor.org/stable/2641901>
- Forman, R. T. T., and R. D. Deblinger. 2000. The ecological road-effect zone of a Massachusetts (USA) suburban highway. *Conservation Biology* 14 (1):36-46.
- Forman, R. T. T., D. Sperling, J. A. Bissonette, A. P. Clevenger, C. D. Cutshall, V. H. Dale, L. Fahrig, R. France, C. R. Goldman, K. Heanue, J. A. Jones, F. J. Swanson, T. Turrentine, and T. C. Winter, eds. 2003. *Road Ecology - Science and Solutions*. Washington, D.C.: Island Press.
- Frair, J. L., E. H. Merrill, H. L. Beyer, and J. M. Morales. 2008. Thresholds in landscape connectivity and mortality risks in response to growing road networks. *Journal of Applied Ecology* 45 (5):1504-1513.
- Galbraith, H. S., C. C. Vaughn, and C. K. Meier. 2008. Environmental variables interact across spatial scales to structure trichopteran assemblages in Ouachita Mountain rivers. *Hydrobiologia* 596 (1):401-411. <http://dx.doi.org/10.1007/s10750-007-9124-z>
- Gertler, A., H. Kuhns, M. Abu-Allaban, C. Damm, J. Gillies, V. Etyemezian, R. Clayton, and D. Proffitt. 2006. A case study of the impact of winter road sand/salt and street sweeping on road dust re-entrainment. *Atmospheric Environment* 40 (31):5976-5985. <http://dx.doi.org/10.1016/j.atmosenv.2005.12.047>

- Glista, D. J., T. L. Devault, and J. A. Dewoody. 2009. A review of mitigation measures for reducing wildlife mortality on roadways. *Landscape and Urban Planning* 91 (1):1-7.  
[http://www.sciencedirect.com/science?\\_ob=ArticleURL&\\_udi=B6V91-4V5GCN1-1&\\_user=930810&\\_rdoc=1&\\_fmt=&\\_orig=search&\\_sort=d&\\_docanchor=&view=c&\\_acct=C000048423&\\_version=1&\\_urlVersion=0&\\_userid=930810&md5=c845d9efa5b400381277282d95bdf114](http://www.sciencedirect.com/science?_ob=ArticleURL&_udi=B6V91-4V5GCN1-1&_user=930810&_rdoc=1&_fmt=&_orig=search&_sort=d&_docanchor=&view=c&_acct=C000048423&_version=1&_urlVersion=0&_userid=930810&md5=c845d9efa5b400381277282d95bdf114)
- Godwin, K. S., S. D. Hafner, and M. F. Buff. 2003. Long-term trends in sodium and chloride in the Mohawk River, New York: The effect of fifty years of road-salt application. *Environmental Pollution* 124 (2):273-281.  
[http://dx.doi.org/10.1016/S0269-7491\(02\)00481-5](http://dx.doi.org/10.1016/S0269-7491(02)00481-5)
- Hall, M., and S. Moler. 2006. Mimicking mother nature. *Public Roads* 69 (4).
- Hedrick, K. P., R. B. Robinson, B. Tschantz, and S. E. Moore. 2006. Impact of tunnel reconstruction on stream water quality in Great Smoky Mountains National Park. *Journal of Hydrologic Engineering* 11 (6):570-577.  
[http://dx.doi.org/10.1061/\(ASCE\)1084-0699\(2006\)11:6\(570\)](http://dx.doi.org/10.1061/(ASCE)1084-0699(2006)11:6(570))
- Herb, W. R., B. Janke, O. Mohseni, and H. G. Stefan. 2008. Ground surface temperature simulation for different land covers. *Journal of Hydrology* 356 (3-4):327-343.  
<http://dx.doi.org/10.1016/j.jhydrol.2008.04.020>
- House, M. R., M. R. Pyles, and D. White. 2005. Velocity distributions in streambed simulation culverts used for fish passage. *Journal of the American Water Resources Association* 41 (1):209-217.
- Janke, B. D., W. R. Herb, O. Mohseni, and H. G. Stefan. 2009. Simulation of heat export by rainfall-runoff from a paved surface. *Journal of Hydrology* 365 (3-4):195-212.  
<http://dx.doi.org/10.1016/j.jhydrol.2008.11.019>
- Jha, M. K. 2003. Criteria-based decision support system for selecting highway alignments. *Journal of Transportation Engineering* 129 (1):33-41.  
[http://dx.doi.org/10.1061/\(ASCE\)0733-947X\(2003\)129:1\(33\)](http://dx.doi.org/10.1061/(ASCE)0733-947X(2003)129:1(33))
- Johnson, P. A. 2005. Preliminary assessment and rating of stream channel stability near bridges. *Journal of Hydraulic Engineering* 131 (10):845-852.  
[http://dx.doi.org/10.1061/\(ASCE\)0733-9429\(2005\)131:10\(845\)](http://dx.doi.org/10.1061/(ASCE)0733-9429(2005)131:10(845))
- Johnson, P. A., and E. R. Brown. 2000. Stream assessment for multicell culvert use. *Journal of Hydraulic Engineering* 126 (5):381-386.  
[http://dx.doi.org/10.1061/\(ASCE\)0733-9429\(2000\)126:5\(381\)](http://dx.doi.org/10.1061/(ASCE)0733-9429(2000)126:5(381))
- Johnson, P. A., R. D. Hey, E. R. Brown, and D. L. Rosgen. 2002. Stream restoration in the vicinity of bridges. *Journal of the American Water Resources Association* 38 (1):55-67.
- Jones, J. A., F. J. Swanson, B. C. Wemple, and K. U. Snyder. 2000. Effects of roads on hydrology, geomorphology, and disturbance patches in stream networks. *Conservation Biology* 14 (1):76-85. <http://www.jstor.org/stable/2641906>

- Karwan, D. L., J. A. Gravelle, and J. A. Hubbard. 2007. Effects of timber harvest on suspended sediment loads in Mica Creek, Idaho. *Forest Science* 53 (2):181-188.
- Kayhanian, M., C. Stransky, S. Bay, S. L. Lau, and M. K. Stenstrom. 2008. Toxicity of urban highway runoff with respect to storm duration. *Science of the Total Environment* 389 (2-3):386-406.  
<http://dx.doi.org/10.1016/j.scitotenv.2007.08.052>
- Kelly, V. R., G. M. Lovett, K. C. Weathers, S. E. G. Findlay, D. L. Strayer, D. J. Burns, and G. E. Likens. 2008. Long-term sodium chloride retention in a rural watershed: Legacy effects of road salt on streamwater concentration. *Environmental Science and Technology* 42 (2):410-415. <http://dx.doi.org/10.1021/es071391l>
- Kosicki, A. J., and S. R. Davis. 2001. Consideration of stream morphology in culvert and bridge design. *Transportation Research Record* (1743):57-59.
- Loague, K., and J. E. Vanderkwaak. 2002. Simulating hydrological response for the R-5 catchment: Comparison of two models and the impact of the roads. *Hydrological Processes* 16 (5):1015-1032. <http://dx.doi.org/10.1002/hyp.316>
- Loehle, C., T. B. Wigley, P. A. Shipman, S. F. Fox, S. Rutzmoser, R. E. Thill, and M. A. Melchior. 2005. Herpetofaunal species richness responses to forest landscape structure in Arkansas. *Forest Ecology and Management* 209 (3):293-308.  
<http://dx.doi.org/10.1016/j.foreco.2005.02.007>
- Loehle, C., T. B. Wigley, S. Rutzmoser, J. A. Gerwin, P. D. Keyser, R. A. Lancia, C. J. Reynolds, R. E. Thill, R. Weih, D. White Jr, and P. B. Wood. 2005. Managed forest landscape structure and avian species richness in the southeastern US. *Forest Ecology and Management* 214 (1-3):279-293.  
<http://dx.doi.org/10.1016/j.foreco.2005.04.018>
- Madej, M. A. 2001. Erosion and sediment delivery following removal of forest roads. *Earth Surface Processes and Landforms* 26 (2):175-190.  
[http://dx.doi.org/10.1002/1096-9837\(200102\)26:2<175::AID-ESP174>3.0.CO;2-N](http://dx.doi.org/10.1002/1096-9837(200102)26:2<175::AID-ESP174>3.0.CO;2-N)
- Madej, M. A., E. A. Eschenbach, C. Diaz, R. Teasley, and K. Baker. 2006. Optimization strategies for sediment reduction practices on roads in steep, forested terrain. *Earth Surface Processes and Landforms* 31 (13):1643-1656.  
<http://dx.doi.org/10.1002/esp.1436>
- Megahan, W. F., M. Wilson, and S. B. Monsen. 2001. Sediment production from granitic cutslopes on forest roads in Idaho, USA. *Earth Surface Processes and Landforms* 26 (2):153-163. [http://dx.doi.org/10.1002/1096-9837\(200102\)26:2<153::AID-ESP172>3.0.CO;2-0](http://dx.doi.org/10.1002/1096-9837(200102)26:2<153::AID-ESP172>3.0.CO;2-0)
- Mitchell, G. F., C. L. Hunt, and Y. Su. 2002. Mitigating highway runoff constituents via a wetland. *Transportation Research Record* (1808):127-133.
- Noll, M. R., and E. A. Magee. 2009. Quantification of phosphorus sources to a small watershed: A case study of Graywood Gully, Conesus Lake, NY. *Journal of Great Lakes Research* 35 (SUPPL. 1):50-55.  
<http://dx.doi.org/10.1016/j.jglr.2008.09.005>

- Novotny, E. V., D. Murphy, and H. G. Stefan. 2008. Increase of urban lake salinity by road deicing salt. *Science of the Total Environment* 406 (1-2):131-144. <http://dx.doi.org/10.1016/j.scitotenv.2008.07.037>
- Padgett, P. E., D. Meadows, E. Eubanks, and W. E. Ryan. 2008. Monitoring fugitive dust emissions from off-highway vehicles traveling on unpaved roads and trails using passive samplers. *Environmental Monitoring and Assessment* 144 (1-3):93-103. <http://dx.doi.org/10.1007/s10661-007-9948-z>
- Price, D. J., and W. J. Birge. 2005. Effectiveness of stream restoration following highway reconstruction projects on two freshwater streams in Kentucky. *Ecological Engineering* 25 (1):73-84. <http://dx.doi.org/10.1016/j.ecoleng.2005.03.002>
- Rackley, J., and W. Chung. 2008. Incorporating forest road erosion into forest resource transportation planning: A case study in the Mica Creek watershed in Northern Idaho. *Transactions of the ASABE* 51 (1):115-127.
- Rhee, H., J. L. Fridley, and R. B. Foltz. 2004. Modeling erosion from unpaved forest roads at various levels of geometric detail using the WEPP model. *Transactions of the American Society of Agricultural Engineers* 47 (3):961-968.
- Rhodes, A. L., R. M. Newton, and A. Pufall. 2001. Influences of land use on water quality of a diverse New England watershed. *Environmental Science and Technology* 35 (18):3640-3645. <http://dx.doi.org/10.1021/es002052u>
- Richmond, M. C., Z. Deng, G. R. Guensch, H. Tritico, and W. H. Pearson. 2007. Mean flow and turbulence characteristics of a full-scale spiral corrugated culvert with implications for fish passage. *Ecological Engineering* 30 (4):333-340. <http://dx.doi.org/10.1016/j.ecoleng.2007.04.011>
- Riitters, K. H., and J. D. Wickham. 2003. How far to the nearest road? *Frontiers in Ecology and the Environment* 1 (3):125-129. <http://www.jstor.org/stable/3867984>
- Riitters, K. H., and J. W. Coulston. 2005. Hot spots of perforated forest in the eastern United States. *Environmental Management* 35 (4):483-492. <http://dx.doi.org/10.1007/s00267-003-0220-1>
- Rogers, T., and S. Mead. 2002. Low-impact construction techniques. *Construction Specifier* 55 (7):54-60.
- Rosfjord, C. H., K. E. Webster, J. S. Kahl, S. A. Norton, I. J. Fernandez, and A. T. Herlihy. 2007. Anthropogenically driven changes in chloride complicate interpretation of base cation trends in lakes recovering from acidic deposition. *Environmental Science and Technology* 41 (22):7688-7693. <http://dx.doi.org/10.1021/es062334f>
- Rowland, E. R., R. H. Hotchkiss, and M. E. Barber. 2003. Predicting fish passage design flows at ungaged streams in eastern Washington. *Journal of Hydrology* 273 (1-4):177-187. [http://dx.doi.org/10.1016/S0022-1694\(02\)00391-8](http://dx.doi.org/10.1016/S0022-1694(02)00391-8)

- Saunders, S. C., M. R. Mislivets, J. Chen, and D. T. Cleland. 2002. Effects of roads on landscape structure within nested ecological units of the Northern Great Lakes Region, USA. *Biological Conservation* 103 (2):209-225. <http://www.sciencedirect.com/science/article/B6V5X-44MX6S2-B/2/042d549a871e32258aad5ec74adb8918>
- Smith, D. J., ed. 2003. *Ecological effects of roads: Theory, analysis, management and planning considerations*. University of Florida.
- Snead, S. 2005. Route 17 - The four decade project. *Public Roads* 68 (6):28-34.
- Stickney, M. 2008. Building bridges, fording streams, reaching agreement in the Lake Champlain basin: Alternatives to legislation and regulation rooted in citizen and science-based approaches to inspire watershed protection. *Water SA* 34 (4 SPEC. ISS.):468-475.
- Stringer, J., and A. Thompson. 2001. Comparison of forestry best management practices. Part II: Forest roads and skid trails. *Forest Landowner* 60 (2):39-44.
- Svobodova, J., M. Salek, and T. Albrecht. 2007. Roads do not increase predation on experimental nests in a highly fragmented forest landscape. *Folia Zoologica* 56 (1):84-89.
- Thompson, A. M., K. Kim, and A. J. Vandermuss. 2008. Thermal characteristics of stormwater runoff from asphalt and sod surfaces. *Journal of the American Water Resources Association* 44 (5):1325-1336. <http://dx.doi.org/10.1111/j.1752-1688.2008.00226.x>
- Trombulak, S. C., and C. A. Frissell. 2000. Review of ecological effects of roads on terrestrial and aquatic communities. *Conservation Biology* 14 (1):18-30. <http://www.jstor.org/stable/2641900>
- Wang, C., N.-B. Chang, and G.-T. Yeh. 2009. Copula-based flood frequency (COFF) analysis at the confluences of river systems. *Hydrological Processes* 23 (10):1471-1486. <http://dx.doi.org/10.1002/hyp.7273>
- Wargo, R. S., and R. N. Weisman. 2006. A comparison of single-cell and multicell culverts for stream crossings. *Journal of the American Water Resources Association* 42 (4):989-995. <http://dx.doi.org/10.1111/j.1752-1688.2006.tb04509.x>
- Washington State Department of Transportation (WSDOT). 2008. *Wetland and buffer impact assessment guidance*. Washington State Department of Transportation <http://www.wsdot.wa.gov/NR/rdonlyres/D0FE60A8-A193-4615-A684-27E66CFBFB61/0/WetMitBuffImpAssess.pdf>
- Wemple, B. C., and J. A. Jones. 2003. Runoff production on forest roads in a steep, mountain catchment. *Water Resources Research* 39 (8):SWC81-SWC817. <http://dx.doi.org/10.1029/2002WR001744>
- Wemple, B. C., F. J. Swanson, and J. A. Jones. 2001. Forest roads and geomorphic process interactions, Cascade Range, Oregon. *Earth Surface Processes and Landforms* 26 (2):191-204. [http://dx.doi.org/10.1002/1096-9837\(200102\)26:2<191::AID-ESP175>3.0.CO;2-U](http://dx.doi.org/10.1002/1096-9837(200102)26:2<191::AID-ESP175>3.0.CO;2-U)

- Whited, D., S. Galatowitsch, J. R. Tester, K. Schik, R. Lehtinen, and J. Husveth. 2000. Importance of local and regional factors in predicting effective conservation planning strategies for wetland bird communities in agricultural and urban landscapes. *Landscape and Urban Planning (Amsterdam)* 49 (1-2):49-65. [http://dx.doi.org/10.1016/S0169-2046\(00\)00046-3](http://dx.doi.org/10.1016/S0169-2046(00)00046-3)
- Zech, W. C., J. L. Halverson, and T. P. Clement. 2008. Intermediate-scale experiments to evaluate silt fence designs to control sediment discharge from highway construction sites. *Journal of Hydrologic Engineering* 13 (6):497-504. [http://dx.doi.org/10.1061/\(ASCE\)1084-0699\(2008\)13:6\(497\)](http://dx.doi.org/10.1061/(ASCE)1084-0699(2008)13:6(497))

## Appendix O: Roads and Wildlife

- Ament, R., A. Clevenger, O. Yu, and A. Hardy. 2008. An assessment of road impacts on wildlife populations in U.S. National Parks. *Environmental Management* 42 (3):480-496. <http://dx.doi.org/10.1007/s00267-008-9112-8>
- Andrews, K. M., and J. W. Gibbons. 2005. How do highways influence snake movement? Behavioral responses to roads and vehicles. *Copeia* (4):772-782.
- Antworth, R. L., D. A. Pike, and E. E. Stevens. 2005. Hit and run: Effects of scavenging on estimates of roadkilled vertebrates. *Southeastern Naturalist* 4 (4):647-656.
- Aresco, M. J. 2005. Mitigation measures to reduce highway mortality of turtles and other herpetofauna at a north Florida lake. *Journal of Wildlife Management* 69 (2):549-560.
- Avila-Flores, R., and M. B. Fenton. 2005. Use of spatial features by foraging insectivorous bats in a large urban landscape. *Journal of Mammalogy* 86 (6):1193-1204.
- Baldwin, E. A., M. N. Marchand, and J. A. Litvaitis. 2004. Terrestrial habitat use by nesting painted turtles in landscapes with different levels of fragmentation. *Northeastern Naturalist* 11 (1):41-48.
- Brack, V. 2006. Autumn activity of *Myotis sodalis* (Indiana bat) in Bland County, Virginia. *Northeastern Naturalist* 13 (3):421-434.
- Braden, A. W., R. R. Lopez, C. W. Roberts, N. J. Silvy, C. B. Owen, and P. A. Frank. 2008. Florida Key deer *Odocoileus Virginianus Clavium* underpass use and movements along a highway corridor. *Wildlife Biology* 14 (1):155-163.
- Broders, H. G., G. J. Forbes, S. Woodley, and I. D. Thompson. 2006. Range extent and stand selection for roosting and foraging in forest-dwelling northern long-eared bats and little brown bats in the Greater Fundy Ecosystem, New Brunswick. *Journal of Wildlife Management* 70 (5):1174-1184.
- Chambers, D. L. 2008. Logging road effects on breeding-site selection in *Notophthalmus viridescens* (Red-spotted Newt) and three ambystomatid salamanders in south-central Pennsylvania. *Northeastern Naturalist* 15 (1):123-130.
- Demaynadier, P. G., and M. L. Hunter. 2000. Road effects on amphibian movements in a forested landscape. *Natural Areas Journal* 20 (1):56-65.
- Elmore, L. W., D. A. Miller, and F. J. Vilella. 2005. Foraging area size and habitat use by red bats (*Lasiurus borealis*) in an intensively managed pine landscape in Mississippi. *American Midland Naturalist* 153 (2):405-417.
- Gaisler, J., Z. Rehak, and T. Bartonicka. 2009. Bat casualties by road traffic (*Brno-Vienna*). *Acta Theriologica* 54 (2):147-155.



- Gibbs, J. P. 1998. Amphibian movements in response to forest edges, roads, and streambeds in Southern New England. *Journal of Wildlife Management* 62 (2):584-589.
- Hein, C. D., K. V. Miller, and S. B. Castleberry. 2009. Evening bat summer roost-site selection on a managed pine landscape. *Journal of Wildlife Management* 73 (4):511-517.
- Henderson, L. E., and H. G. Broders. 2008. Movements and resource selection of the northern long-eared myotis (*Myotis septentrionalis*) in a forest-agriculture landscape. *Journal of Mammalogy* 89 (4):952-963.
- Jackson, S. D. 2000. Overview of transportation impacts on wildlife movement and populations. In *Wildlife and highways: Seeking solutions to an ecological and socio-economic dilemma*. The Wildlife Society.
- Karraker, N. E., J. P. Gibbs, and J. R. Vonesh. 2008. Impacts of road deicing salt on the demography of vernal pool-breeding amphibians. *Ecological Applications* 18 (3):724-734.
- Kerth, G., and M. Melber. 2009. Species-specific barrier effects of a motorway on the habitat use of two threatened forest-living bat species. *Biological Conservation* 142 (2):270-279.  
[http://www.sciencedirect.com/science?\\_ob=MIimg&\\_imagekey=B6V5X-4V2G7KB-5-7&\\_cdi=5798&\\_user=930810&\\_orig=search&\\_coverDate=02%2F28%2F2009&\\_sk=998579997&view=c&wchp=dGLzVtb-sZkzV&md5=c0a8f0182416f1d0b34eaa573a7e97af&ie=/sdarticle.pdf](http://www.sciencedirect.com/science?_ob=MIimg&_imagekey=B6V5X-4V2G7KB-5-7&_cdi=5798&_user=930810&_orig=search&_coverDate=02%2F28%2F2009&_sk=998579997&view=c&wchp=dGLzVtb-sZkzV&md5=c0a8f0182416f1d0b34eaa573a7e97af&ie=/sdarticle.pdf)
- Klatt, B. J., and L. L. Getz. 1987. Vegetation characteristics of *Microtus ochrogaster* and *M. pennsylvanicus* habitats in east-central Illinois. *Journal of Mammalogy* 68 (3):569-577. <http://www.jstor.org/stable/1381593>
- Kunz, T. H., E. B. Arnett, B. M. Cooper, W. P. Erickson, R. P. Larkin, T. Mabey, M. L. Morrison, M. D. Strickland, and J. M. Szwedczak. 2007. Assessing impacts of wind-energy development on nocturnally active birds and bats: A guidance document. *Journal of Wildlife Management* 71 (8):2449-2486.
- Kuvlesky, W. P., L. A. Brennan, M. L. Morrison, K. K. Boydston, B. M. Ballard, and F. C. Bryant. 2007. Wind energy development and wildlife conservation: Challenges and opportunities. *Journal of Wildlife Management* 71 (8):2487-2498.
- Langen, T. A., A. Machniak, E. K. Crowe, C. Mangan, D. F. Marker, N. Liddle, and B. Roden. 2007. Methodologies for surveying herpetofauna mortality on rural highways. *Journal of Wildlife Management* 71 (4):1361-1368.
- Langen, T. A., K. M. Ogden, and L. L. Schwarting. 2009. Predicting hot spots of herpetofauna road mortality along highway networks. *Journal of Wildlife Management* 73 (1):104-114.
- Laurian, C., C. Dussault, J. P. Ouellet, R. Courtois, M. Poulin, and L. Breton. 2008. Behavior of moose relative to a road network. *Journal of Wildlife Management* 72 (7):1550-1557.

- Lesinski, G. 2007. Bat road casualties and factors determining their number. *Mammalia* 71 (3):138-142.
- . 2008. Linear landscape elements and bat casualties on roads - an example. *Annales Zoologici Fennici* 45 (4):277-280.
- Limpert, D. L., D. L. Birch, M. S. Scott, M. Andre, and E. Gillam. 2007. Tree selection and landscape analysis of eastern red bat day roosts. *Journal of Wildlife Management* 71 (2):478-486.
- Loeb, S. C., and J. M. O'Keefe. 2006. Habitat use by forest bats in South Carolina in relation to local, stand, and landscape characteristics. *Journal of Wildlife Management* 70 (5):1210-1218.
- Marsh, D. M. 2007. Edge effects of gated and ungated roads on terrestrial salamanders. *Journal of Wildlife Management* 71 (2):389-394.
- Marsh, D. M., and N. G. Beckman. 2004. Effects of forest roads on the abundance and activity of terrestrial salamanders. *Ecological Applications* 14 (6):1882-1891.
- Marsh, D. M., G. S. Milam, N. R. Gorham, and N. G. Beckman. 2005. Forest roads as partial barriers to terrestrial salamander movement. *Conservation Biology* 19 (6):2004-2008.
- Mazerolle, M. J. 2004. Amphibian road mortality in response to nightly variations in traffic intensity. *Herpetologica* 60 (1):45-53.
- McCown, J. W., P. Kubilis, T. H. Eason, and B. K. Scheick. 2009. Effect of traffic volume on American black bears in central Florida, USA. *Ursus* 20 (1):39-46.
- Ober, H. K., and J. P. Hayes. 2008. Influence of vegetation on bat use of riparian areas at multiple spatial scales. *Journal of Wildlife Management* 72 (2):396-404.
- Owen, S. F., M. A. Menzel, W. M. Ford, B. R. Chapman, K. V. Miller, J. W. Edwards, and P. B. Wood. 2003. Home-range size and habitat used by the northern myotis (*Myotis septentrionalis*). *American Midland Naturalist* 150 (2):352-359.
- Perry, R. W. 2007. Summer roosting by adult male seminole bats in the Ouachita Mountains, Arkansas. *American Midland Naturalist* 158 (2):361-368.
- Perry, R. W., R. E. Thill, and D. M. Leslie. 2008. Scale-dependent effects of landscape structure and composition on diurnal roost selection by forest bats. *Journal of Wildlife Management* 72 (4):913-925.
- Reynolds, D. S. 2006. Monitoring the potential impact of a wind development site on bats in the northeast. *Journal of Wildlife Management* 70 (5):1219-1227.
- Reynolds-Hogland, M. J., and M. S. Mitchell. 2007. Effects of roads on habitat quality for bears in the southern Appalachians: A long-term study. *Journal of Mammalogy* 88 (4):1050-1061.
- Rico, A., P. Kindlmann, and F. Sedlacek. 2007. Barrier effects of roads on movements of small mammals. *Folia Zoologica* 56 (1):1-12.

- Roe, J. H., B. A. Kingsbury, and N. R. Herbert. 2003. Wetland and upland use patterns in semi-aquatic snakes: Implications for wetland conservation. *Wetlands* 23 (4):1003-1014. [http://dx.doi.org/10.1672/0277-5212\(2003\)023\[1003:WAUUPI\]2.0.CO;2](http://dx.doi.org/10.1672/0277-5212(2003)023[1003:WAUUPI]2.0.CO;2)
- Roe, J. H., J. Gibson, and B. A. Kingsbury. 2006. Beyond the wetland border: Estimating the impact of roads for two species of water snakes. *Biological Conservation* 130 (2):161-168. [http://www.sciencedirect.com/science?\\_ob=MIImg&\\_imagekey=B6V5X-4J2TSR8-2-9&\\_cdi=5798&\\_user=930810&\\_orig=search&\\_coverDate=06%2F30%2F2006&\\_sk=998699997&view=c&wchp=dGLzVzz-zSkWb&md5=078fa0cfbbf6b8b1f66457876c977f46&ie=/sdarticle.pdf](http://www.sciencedirect.com/science?_ob=MIImg&_imagekey=B6V5X-4J2TSR8-2-9&_cdi=5798&_user=930810&_orig=search&_coverDate=06%2F30%2F2006&_sk=998699997&view=c&wchp=dGLzVzz-zSkWb&md5=078fa0cfbbf6b8b1f66457876c977f46&ie=/sdarticle.pdf)
- Row, J. R., G. Blouin-Demers, and P. J. Weatherhead. 2007. Demographic effects of road mortality in black ratsnakes (*Elaphe Obsoleta*). *Biological Conservation* 137 (1):117-124. [http://www.sciencedirect.com/science?\\_ob=MIImg&\\_imagekey=B6V5X-4NCKK0Y-1-9&\\_cdi=5798&\\_user=930810&\\_orig=search&\\_coverDate=06%2F30%2F2007&\\_sk=998629998&view=c&wchp=dGLbVzb-zSkWb&md5=bf539d121ff69f83ea2b014db08ccb12&ie=/sdarticle.pdf](http://www.sciencedirect.com/science?_ob=MIImg&_imagekey=B6V5X-4NCKK0Y-1-9&_cdi=5798&_user=930810&_orig=search&_coverDate=06%2F30%2F2007&_sk=998629998&view=c&wchp=dGLbVzb-zSkWb&md5=bf539d121ff69f83ea2b014db08ccb12&ie=/sdarticle.pdf)
- Rowland, M. M., M. J. Wisdom, B. K. Johnson, and J. G. Kie. 2000. Elk distribution and modeling in relation to roads. *Journal of Wildlife Management* 64 (3):672-684.
- Schaub, A., J. Ostwald, and B. M. Siemers. 2008. Foraging bats avoid noise. *Journal of Experimental Biology* 211 (19):3174-3180.
- Schindler, D. W. 2000. Aquatic problems caused by human activities in Banff National Park, Alberta, Canada. *Ambio* 29 (7):401-407.
- Semlitsch, R. D., T. J. Ryan, K. Ramey, M. Chatfield, B. Drehman, N. Pekarek, M. Spath, and A. Watland. 2007. Salamander abundance along road edges and within abandoned logging roads in Appalachian forests. *Conservation Biology* 21 (1):159-167.
- Shepard, D. B., M. J. Dreslik, B. C. Jellen, and C. A. Phillips. 2008. Reptile road mortality around an oasis in the Illinois Corn Desert with emphasis on the endangered Eastern Massasauga. *Copeia* (2):350-359.
- Shine, R., M. Lemaster, M. Wall, T. Langkilde, and R. Mason. 2004. Why did the snake cross the road? Effects of roads on movement and location of mates by garter snakes (*Thamnophis Sirtalis Parietalis*) - Art. No. 9. *Ecology and Society* 9 (1):9.
- Sparks, D. W., C. M. Ritzi, J. E. Duchamp, and J. O. Whitaker. 2005. Foraging habitat of the Indiana bat (*Myotis sodalis*) at an urban-rural interface. *Journal of Mammalogy* 86 (4):713-718.
- Steen, D. A., M. J. Aresco, S. G. Beilke, B. W. Compton, E. P. Condon, C. K. Dodd, H. Forrester, J. W. Gibbons, J. L. Greene, G. Johnson, T. A. Langen, M. J. Oldham, D. N. Oxier, R. A. Saumure, F. W. Schueler, J. M. Sleeman, L. L. Smith, J. K. Tucker, and J. P. Gibbs. 2006. Relative vulnerability of female turtles to road mortality. *Animal Conservation* 9 (3):269-273.

- Timm, B. C., K. McGarigal, and L. R. Gamble. 2007. Emigration timing of juvenile pond-breeding amphibians in western Massachusetts. *Journal of Herpetology* 41 (2):243-250.
- Ward, R. L., J. T. Anderson, and J. T. Petty. 2008. Effects of road crossings on stream and streamside salamanders. *Journal of Wildlife Management* 72 (3):760-771.
- Woltz, H. W., J. P. Gibbs, and P. K. Ducey. 2008. Road crossing structures for amphibians and reptiles: Informing design through behavioral analysis. *Biological Conservation* 141 (11):2745-2750.
- Yost, A. C., and R. G. Wright. 2001. Moose, caribou, and grizzly bear distribution in relation to road traffic in Denali National Park, Alaska. *Arctic* 54 (1):41-48.

## Appendix P: Silviculture

- Beschta, R. L., M. R. Pyles, A. E. Skaugset, and C. G. Surfleet. 2000. Peakflow responses to forest practices in the western cascades of Oregon, USA. *Journal of Hydrology* 233 (1-4):102-120. [http://dx.doi.org/10.1016/S0022-1694\(00\)00231-6](http://dx.doi.org/10.1016/S0022-1694(00)00231-6)
- Bockheim, J. G., H. Park, and J. Gallagher. 2005. Genotypic variation and recovery of *Populus tremuloides* from biomass removal and compaction in northern Wisconsin, USA. *Canadian Journal of Forest Research* 35 (1):221-228. <http://dx.doi.org/10.1139/x04-147>
- Bowen, L. T., C. E. Moorman, and J. C. Kilgo. 2007. Seasonal bird use of canopy gaps in a bottomland forest. *Wilson Journal of Ornithology* 119 (1):77-88.
- Buckley, D. S., T. R. Crow, E. A. Nauertz, and K. E. Schulz. 2003. Influence of skid trails and haul roads on understory plant richness and composition in managed forest landscapes in Upper Michigan, USA. *Forest Ecology and Management* 175 (1-3):509-520. [http://dx.doi.org/10.1016/S0378-1127\(02\)00185-8](http://dx.doi.org/10.1016/S0378-1127(02)00185-8)
- Dun, S., J. Q. Wu, W. J. Elliot, P. R. Robichaud, D. C. Flanagan, J. R. Frankenberger, R. E. Brown, and A. C. Xu. 2009. Adapting the water erosion prediction project (WEPP) model for forest applications. *Journal of Hydrology* 366 (1-4):46-54. <http://dx.doi.org/10.1016/j.jhydrol.2008.12.019>
- Flaspohler, D. J., C. J. F. Huckins, B. R. Bub, and P. J. Van Dusen. 2002. Temporal patterns in aquatic and avian communities following selective logging in the Upper Great Lakes Region. *Forest Science* 48 (2):339-349.
- Goldstein, M. I., R. N. Wilkins, and T. E. Lacher. 2005. Spatiotemporal responses of reptiles and amphibians to timber harvest treatments. *Journal of Wildlife Management* 69 (2):525-539.
- Goldstein, M. I., R. N. Wilkins, T. E. Lacher, And Russell. 2005. Spatiotemporal responses of reptiles and amphibians to timber harvest treatments. *Journal of Wildlife Management* 69 (2):525-539. [http://dx.doi.org/10.2193/0022-541X\(2005\)069\[0525:SRORAA\]2.0.CO;2](http://dx.doi.org/10.2193/0022-541X(2005)069[0525:SRORAA]2.0.CO;2)
- Gravelle, J. A., and T. E. Link. 2007. Influence of timber harvesting on headwater peak stream temperatures in a northern Idaho Watershed. *Forest Science* 53 (2):189-205.
- Hanowski, J., N. Danz, and J. Lind. 2007. Breeding bird response to riparian forest management: 9 years post-harvest. *Forest Ecology and Management* 241 (1-3):272-277. [http://www.sciencedirect.com/science?\\_ob=ArticleURL&\\_udi=B6T6X-4N2D60K-3&\\_user=930810&\\_rdoc=1&\\_fmt=&\\_orig=search&\\_sort=d&\\_docanchor=&view=c&\\_acct=C000048423&\\_version=1&\\_urlVersion=0&\\_userid=930810&md5=1123a756f675be2e1eed7a7dfc2b4bc4](http://www.sciencedirect.com/science?_ob=ArticleURL&_udi=B6T6X-4N2D60K-3&_user=930810&_rdoc=1&_fmt=&_orig=search&_sort=d&_docanchor=&view=c&_acct=C000048423&_version=1&_urlVersion=0&_userid=930810&md5=1123a756f675be2e1eed7a7dfc2b4bc4)

- Hanowski, J., N. Danz, J. Lind, and G. Niemi. 2003. Breeding bird response to riparian forest harvest and harvest equipment. *Forest Ecology and Management* 174 (1-3):315-328. [http://dx.doi.org/10.1016/S0378-1127\(02\)00040-3](http://dx.doi.org/10.1016/S0378-1127(02)00040-3)
- Harrison, C. A., and J. C. Kilgo. 2004. Short-term breeding bird response to two harvest practices in a bottomland hardwood forest. *Wilson Bulletin* 116 (4):314-323.
- Heltzel, J. M., and P. L. Leberg. 2006. Effects of selective logging on breeding bird communities in bottomland hardwood forests in Louisiana. *Journal of Wildlife Management* 70 (5):1416-1424.
- Hubbart, J. A., T. E. Link, J. A. Gravelle, and W. J. Elliot. 2007. Timber harvest impacts on water yield in the continental/maritime hydroclimatic region of the United States. *Forest Science* 53 (2):169-180.
- Hutchens, J. J., D. P. Batzer, and E. Reese. 2004. Bioassessment of silvicultural impacts in streams and wetlands of the Eastern United States. *Water, Air, & Soil Pollution: Focus* 4 (1):37-53. <http://dx.doi.org/10.1023/B:WAFO.00000012827.95431.b8>
- Jackson, C. R., D. P. Batzer, S. S. Cross, S. M. Haggerty, and C. A. Sturm. 2007. Headwater streams and timber harvest, channel, macroinvertebrate, and amphibian response and recovery. *Forest Science* 53 (2):356-370.
- Kardynal, K. J., K. A. Hobson, S. L. Van Wilgenburg, and J. L. Morissette. 2009. Moving riparian management guidelines towards a natural disturbance model: An example using boreal riparian and shoreline forest bird communities. *Forest Ecology and Management* 257 (1):54-65. [http://www.sciencedirect.com/science?\\_ob=ArticleURL&\\_udi=B6T6X-4TMHKTX-1&\\_user=930810&\\_rdoc=1&\\_fmt=&\\_orig=search&\\_sort=d&\\_docanchor=&view=c&\\_acct=C000048423&\\_version=1&\\_urlVersion=0&\\_userid=930810&md5=bed0f4ebf0a4ee28b75f416f9bec26c4](http://www.sciencedirect.com/science?_ob=ArticleURL&_udi=B6T6X-4TMHKTX-1&_user=930810&_rdoc=1&_fmt=&_orig=search&_sort=d&_docanchor=&view=c&_acct=C000048423&_version=1&_urlVersion=0&_userid=930810&md5=bed0f4ebf0a4ee28b75f416f9bec26c4)
- Karwan, D. L., J. A. Gravelle, and J. A. Hubbard. 2007. Effects of timber harvest on suspended sediment loads in Mica Creek, Idaho. *Forest Science* 53 (2):181-188.
- Kilgo, J. C. 2005. Harvest-related edge effects on prey availability and foraging of hooded warblers in a bottomland hardwood forest. *Condor* 107 (3):627-636.
- Kilgo, J. C., K. V. Miller, and W. P. Smith. 1999. Effects of group-selection timber harvest in bottomland hardwoods on fall migrant birds. *Journal of Field Ornithology* 70 (3):404-413. <http://www.blackwellpublishing.com>
- Kittredge, D. B., K. Clark, M. Ohmann, P. Huckery, and T. French. 2006. Protection of habitat for state-listed rare flora and fauna in Massachusetts during timber harvesting. *Natural Areas Journal* 26 (2):198-207.
- La Marche, J. L., and D. P. Lettenmaier. 2001. Effects of forest roads on flood flows in the Deschutes River, Washington. *Earth Surface Processes and Landforms* 26 (2):115-134. [http://dx.doi.org/10.1002/1096-9837\(200102\)26:2<115::AID-ESP166>3.0.CO;2-O](http://dx.doi.org/10.1002/1096-9837(200102)26:2<115::AID-ESP166>3.0.CO;2-O)

- Litvaitis, J. A. 2001. Importance of early successional habitats to mammals in eastern forests. *Wildlife Society Bulletin* 29 (2):466-473. <http://www.jstor.org/stable/3784170>
- Litvaitis, J. A., and R. Villafuerte. 1996. Factors affecting the persistence of new england cottontail metapopulations: The role of habitat management. *Wildlife Society Bulletin* 24 (4):686-693. <http://www.jstor.org/stable/3783159>
- Loehle, C., T. B. Wigley, S. Rutzmoser, J. A. Gerwin, P. D. Keyser, R. A. Lancia, C. J. Reynolds, R. E. Thill, R. Weih, D. White Jr., and P. B. Wood. 2005. Managed forest landscape structure and avian species richness in the southeastern US. *Forest Ecology and Management* 214 (1-3):279-293.
- Manolis, J. C., D. E. Andersen, and F. J. Cuthbert. 2002. Edge effect on nesting success of ground nesting birds near regenerating clearcuts in a forest-dominated landscape. *Auk* 119 (4):955-970.
- McCord, S. B., R. S. Grippio, and D. M. Eagle. 2007. Effects of silviculture using best management practices on stream macroinvertebrate communities in three ecoregions of Arkansas, USA. *Water, Air, and Soil Pollution* 184 (1-4):299-311. <http://dx.doi.org/10.1007/s11270-007-9417-x>
- McLaughlin, J. W., M. R. Gale, M. F. Jurgensen, and C. C. Trettin. 2000. Soil organic matter and nitrogen cycling in response to harvesting, mechanical site preparation, and fertilization in a wetland with a mineral substrate. *Forest Ecology and Management* 129 (1):7-23. [http://dx.doi.org/10.1016/S0378-1127\(99\)00164-4](http://dx.doi.org/10.1016/S0378-1127(99)00164-4)
- National Council for Air and Stream Improvement, Inc. (NCASI). 2009. *Wildlife responses to stand-level structural retention practices in the boreal forest*. Research Triangle Park, NC.
- Pierre, J. P., S. M. Boss, and C. A. Paszkowski. 2005. Effects of forest harvesting on Bufflehead and Common Loon foraging behavior. *Ornithological Science* 4 (2):161-168.
- Pollock, M. M., T. J. Beechie, M. Liermann, and R. E. Bigley. 2009. Stream temperature relationships to forest harvest in Western Washington. *Journal of the American Water Resources Association* 45 (1):141-156. <http://dx.doi.org/10.1111/j.1752-1688.2008.00266.x>
- Rashin, E. B., C. J. Clishe, A. T. Loch, and J. M. Bell. 2006. Effectiveness of timber harvest practices for controlling sediment related water quality impacts. *Journal of the American Water Resources Association* 42 (5):1307-1327.
- Semlitsch, R. D., C. A. Conner, D. J. Hocking, T. A. G. Rittenhouse, and E. B. Harper. 2008. Effects of timber harvesting on pond-breeding amphibian persistence: Testing the evacuation hypothesis. *Ecological Applications* 18 (2):283-289.
- Teply, M., D. McGreer, D. Schult, and P. Seymour. 2007. Simulating the effects of forest management on large woody debris in streams in northern Idaho. *Western Journal of Applied Forestry* 22 (2):81-87.



- Tonina, D., C. H. Luce, B. Rieman, J. M. Buffington, P. Goodwin, S. R. Clayton, S. M. Ali, J. J. Barry, and C. Berenbrock. 2008. Hydrological response to timber harvest in northern Idaho: Implications for channel scour and persistence of salmonids. *Hydrological Processes* 22 (17):3223-3235. <http://dx.doi.org/10.1002/hyp.6918>
- Wang, X., D. A. Burns, R. D. Yanai, R. D. Briggs, and R. H. Germain. 2006. Changes in stream chemistry and nutrient export following a partial harvest in the Catskill Mountains, New York, USA. *Forest Ecology and Management* 223 (1-3):103-112. <http://dx.doi.org/10.1016/j.foreco.2005.10.060>
- Williams, L. R., C. M. Taylor, M. L. Warren Jr, and J. A. Clingenpeel. 2002. Large-scale effects of timber harvesting on stream systems in the Ouachita Mountains, Arkansas, USA. *Environmental Management* 29 (1):76-87. <http://dx.doi.org/10.1007/s00267-001-0042-y>

## Appendix Q: Stream Channel Geometry and Stability

- Abad, J. D., and M. H. Garcia. 2006. RVR Meander: A toolbox for re-meandering of channelized streams. *Computers and Geosciences* 32 (1):92-101.  
<http://dx.doi.org/10.1016/j.cageo.2005.05.006>
- Agouridis, C. T., D. R. Edwards, S. R. Workman, J. R. Bicudo, B. K. Koostra, E. S. Vanzant, and J. L. Taraba. 2005. Streambank erosion associated with grazing practices in the humid region. *Transactions of the American Society of Agricultural Engineers* 48 (1):181-190.
- Allan, C. J., and C. J. Estes. 2005. A morphological and economic examination of plunge pools as energy dissipaters in urban stream channels. *Journal of the American Water Resources Association* 41 (1):123-133.
- Allen, P. M., J. G. Arnold, and W. Shipwith. 2008. Prediction of channel degradation rates in urbanizing watersheds. *Hydrological Sciences Journal* 53 (5):1013-1029.  
<http://dx.doi.org/10.1623/hysj.53.5.1013>
- Ames, D. P., E. B. Rafn, R. Van Kirk, and B. Crosby. 2009. Estimation of stream channel geometry in Idaho using GIS-derived watershed characteristics. *Environmental Modelling and Software* 24 (3):444-448.  
<http://dx.doi.org/10.1016/j.envsoft.2008.08.008>
- Anderson, R. J., B. P. Bledsoe, and W. C. Hession. 2004. Width of streams and rivers in response to vegetation, bank material, and other factors. *Journal of the American Water Resources Association* 40 (5):1159-1172.
- Anthony, D. M., and D. E. Granger. 2007. An empirical stream power formulation for knickpoint retreat in Appalachian Plateau fluviokarst. *Journal of Hydrology* 343 (3-4):117-126. <http://dx.doi.org/10.1016/j.jhydrol.2007.06.013>
- Barry, J. J., J. M. Buffington, and J. G. King. 2004. A general power equation for predicting bed load transport rates in gravel bed rivers. *Water Resources Research* 40 (10):W104011-W1040122.  
<http://dx.doi.org/10.1029/2004WR003190>
- Beechie, T. J., M. M. Pollock, and S. Baker. 2008. Channel incision, evolution and potential recovery in the Walla Walla and Tucannon River basins, northwestern USA. *Earth Surface Processes and Landforms* 33 (5):784-800.  
<http://dx.doi.org/10.1002/esp.1578>
- Benda, L., K. Andras, D. Miller, and P. Bigelow. 2004. Confluence effects in rivers: Interactions of basin scale, network geometry, and disturbance regimes. *Water Resources Research* 40 (5):W054021-W0540215.

- Bennett, S. J., W. Wu, C. V. Alonso, and S. S. Y. Wang. 2008. Modeling fluvial response to in-stream woody vegetation: Implications for stream corridor restoration. *Earth Surface Processes and Landforms* 33 (6):890-909. <http://dx.doi.org/10.1002/esp.1581>
- Bledsoe, B. P., C. C. Watson, and D. S. Biedenharn. 2002. Quantification of incised channel evolution and equilibrium. *Journal of the American Water Resources Association* 38 (3):861-870.
- Brummer, C. J., and D. R. Montgomery. 2006. Influence of coarse lag formation on the mechanics of sediment pulse dispersion in a mountain stream, Squire Creek, North Cascades, Washington, United States. *Water Resources Research* 42 (7). <http://dx.doi.org/10.1029/2005WR004776>
- Bukaveckas, P. A. 2007. Effects of channel restoration on water velocity, transient storage, and nutrient uptake in a channelized stream. *Environmental Science and Technology* 41 (5):1570-1576. <http://dx.doi.org/10.1021/es061618x>
- Cardenas, M. B., J. L. Wilson, and V. A. Zlotnik. 2004. Impact of heterogeneity, bed forms, and stream curvature on subchannel hyporheic exchange. *Water Resources Research* 40 (8):W083071-W0830713. <http://dx.doi.org/10.1029/2004WR003008>
- Chatanantavet, P., and G. Parker. 2008. Experimental study of bedrock channel alluviation under varied sediment supply and hydraulic conditions. *Water Resources Research* 44 (12). <http://dx.doi.org/10.1029/2007WR006581>
- Chin, A., D. L. Harris, T. H. Trice, and J. L. Given. 2002. Adjustment of stream channel capacity following dam closure, Yegua Creek, Texas. *Journal of the American Water Resources Association* 38 (6):1521-1531.
- Chu-Agor, M. L., G. V. Wilson, and G. A. Fox. 2008. Numerical modeling of bank instability by seepage erosion undercutting of layered streambanks. *Journal of Hydrologic Engineering* 13 (12):1133-1145. [http://dx.doi.org/10.1061/\(ASCE\)1084-0699\(2008\)13:12\(1133\)](http://dx.doi.org/10.1061/(ASCE)1084-0699(2008)13:12(1133))
- Cianfrani, C. M., W. C. Hession, and D. M. Rizzo. 2006. Watershed imperviousness impacts on stream channel condition in southeastern Pennsylvania. *Journal of the American Water Resources Association* 42 (4):941-956. <http://dx.doi.org/10.1111/j.1752-1688.2006.tb04506.x>
- Clark, L. A., and T. M. Wynn. 2007. Methods for determining streambank critical shear stress and soil erodibility: Implications for erosion rate predictions. *Transactions of the ASABE* 50 (1):95-106.
- Clayton, J. A., and J. Pitlick. 2008. Persistence of the surface texture of a gravel-bed river during a large flood. *Earth Surface Processes and Landforms* 33 (5):661-673. <http://dx.doi.org/10.1002/esp.1567>
- Colosimo, M. F., and P. R. Wilcock. 2007. Alluvial sedimentation and erosion in an urbanizing watershed, Gwynns Falls, Maryland. *Journal of the American Water Resources Association* 43 (2):499-521. <http://dx.doi.org/10.1111/j.1752-1688.2007.00039.x>

- Crispell, J. K., and T. A. Endreny. 2009. Hyporheic exchange flow around constructed in-channel structures and implications for restoration design. *Hydrological Processes* 23 (8):1158-1168. <http://dx.doi.org/10.1002/hyp.7230>
- Daniels, M. D., and B. L. Rhoads. 2007. Influence of experimental removal of large woody debris on spatial patterns of three-dimensional flow in a meander bend. *Earth Surface Processes and Landforms* 32 (3):460-474. <http://dx.doi.org/10.1002/esp.1419>
- Downs, P. W., and G. M. Kondolf. 2002. Post-project appraisals in adaptive management of river channel restoration. *Environmental Management* 29 (4):477-496. <http://dx.doi.org/10.1007/s00267-001-0035-X>
- Doyle, M. W., D. Shields, K. F. Boyd, P. B. Skidmore, and D. Dominick. 2007. Channel-forming discharge selection in river restoration design. *Journal of Hydraulic Engineering* 133 (7):831-837. [http://dx.doi.org/10.1061/\(ASCE\)0733-9429\(2007\)133:7\(831\)](http://dx.doi.org/10.1061/(ASCE)0733-9429(2007)133:7(831))
- Doyle, M. W., E. H. Stanley, and J. M. Harbor. 2003. Channel adjustments following two dam removals in Wisconsin. *Water Resources Research* 39 (1):ESG21-ESG215. <http://dx.doi.org/10.1029/2002WR001714>
- Duan, J. G. 2005. Analytical approach to calculate rate of bank erosion. *Journal of Hydraulic Engineering* 131 (11):980-990. [http://dx.doi.org/10.1061/\(ASCE\)0733-9429\(2005\)131:11\(980\)](http://dx.doi.org/10.1061/(ASCE)0733-9429(2005)131:11(980))
- Elkins, E. M., G. B. Pasternack, and J. E. Merz. 2007. Use of slope creation for rehabilitating incised, regulated, gravel bed rivers. *Water Resources Research* 43 (5). <http://dx.doi.org/10.1029/2006WR005159>
- Fagherazzi, S., A. D. Howard, A. W. Niedoroda, and P. L. Wiberg. 2008. Controls on the degree of fluvial incision of continental shelves. *Computers and Geosciences* 34 (10):1381-1393. <http://dx.doi.org/10.1016/j.cageo.2008.02.004>
- Faucette, B., and M. Ruhlman. 2004. Stream bank stabilization utilizing compost. *BioCycle* 45 (1):27.
- Fox, G. A., G. V. Wilson, A. Simon, E. J. Langendoen, O. Akay, and J. W. Fuchs. 2007. Measuring streambank erosion due to ground water seepage: Correlation to bank pore water pressure, precipitation and stream stage. *Earth Surface Processes and Landforms* 32 (10):1558-1573. <http://dx.doi.org/10.1002/esp.1490>
- Fox, J. F., A. N. Papanicolaou, B. Hobbs, C. Kramer, and L. Kjos. 2005. Fluid-sediment dynamics around a barb: An experimental case study of a hydraulic structure for the Pacific Northwest. *Canadian Journal of Civil Engineering* 32 (5):853-867. <http://dx.doi.org/10.1139/l05-033>
- Gatz, A. J., Jr. 2008. The use of floating overhead cover by warmwater stream fishes. *Hydrobiologia* 600 (1):307-310. <http://dx.doi.org/10.1007/s10750-007-9252-5>
- Grable, J. L., and C. P. Harden. 2006. Geomorphic response of an Appalachian Valley and Ridge stream to urbanization. *Earth Surface Processes and Landforms* 31 (13):1707-1720. <http://dx.doi.org/10.1002/esp.1433>

- Grace, J. M., III. 2002. Control of sediment export from the forest road prism. *Transactions of the American Society of Agricultural Engineers* 45 (4):1127-1132.
- Graf, W. L. 2000. Locational probability for a dammed, urbanizing stream: Salt River, Arizona, USA. *Environmental Management* 25 (3):321-335.  
<http://dx.doi.org/10.1007/s002679910025>
- Grams, P. E., J. C. Schmidt, and D. J. Topping. 2007. The rate and pattern of bed incision and bank adjustment on the Colorado River in Glen Canyon downstream from Glen Canyon Dam, 1956-2000. *Bulletin of the Geological Society of America* 119 (5-6):556-575. <http://dx.doi.org/10.1130/B25969.1>
- Gran, K., and C. Paola. 2001. Riparian vegetation controls on braided stream dynamics. *Water Resources Research* 37 (12):3275-3283.  
<http://dx.doi.org/10.1029/2000WR000203>
- Gran, K. B., D. R. Montgomery, and D. G. Sutherland. 2006. Channel bed evolution and sediment transport under declining sand inputs. *Water Resources Research* 42 (10). <http://dx.doi.org/10.1029/2005WR004306>
- Hagen, S., S. Salisbury, M. Wierenga, G. Xu, and L. Lewis. 2002. Soil bioengineering as an alternative for roadside management: Benefit-cost analysis case study. *Transportation Research Record* (1794):97-104.
- Hassan, M. A., R. Egozi, and G. Parker. 2006. Experiments on the effect of hydrograph characteristics on vertical grain sorting in gravel bed rivers. *Water Resources Research* 42 (9). <http://dx.doi.org/10.1029/2005WR004707>
- Hession, W. C., J. E. Pizzuto, T. E. Johnson, and R. J. Horwitz. 2003. Influence of bank vegetation on channel morphology in rural and urban watersheds. *Geology* 31 (2):147-150.
- Hicks, N. S., J. A. Smith, A. J. Miller, and P. A. Nelson. 2005. Catastrophic flooding from an orographic thunderstorm in the central Appalachians. *Water Resources Research* 41 (12):1-17. <http://dx.doi.org/10.1029/2005WR004129>
- Hrodey, P. J., B. J. Kalb, and T. M. Sutton. 2008. Macroinvertebrate community response to large-woody debris additions in small warmwater streams. *Hydrobiologia* 605 (1):193-207. <http://dx.doi.org/10.1007/s10750-008-9354-8>
- Jacobsen, S. M., and S. Becker. 2004. A soil bioengineering success: Elm Creek stream bank stabilization. *Resource: Engineering and Technology for Sustainable World* 11 (9):9-10.
- James, L. A. 2006. Bed waves at the basin scale: Implications for river management and restoration. *Earth Surface Processes and Landforms* 31 (13):1692-1706.  
<http://dx.doi.org/10.1002/esp.1432>
- Kassem, A., and M. H. Chaudhry. 2005. Effect of bed armoring on bed topography of channel bends. *Journal of Hydraulic Engineering* 131 (12):1136-1140.  
[http://dx.doi.org/10.1061/\(ASCE\)0733-9429\(2005\)131:12\(1136\)](http://dx.doi.org/10.1061/(ASCE)0733-9429(2005)131:12(1136))

- Kaufmann, P. R., D. P. Larsen, and J. M. Faustini. 2009. Bed stability and sedimentation associated with human disturbances in Pacific Northwest streams. *Journal of the American Water Resources Association* 45 (2):434-459. <http://dx.doi.org/10.1111/j.1752-1688.2009.00301.x>
- Kavage Adams, R., and J. A. Spotila. 2005. The form and function of headwater streams based on field and modeling investigations in the Southern Appalachian Mountains. *Earth Surface Processes and Landforms* 30 (12):1521-1546. <http://dx.doi.org/10.1002/esp.1211>
- Klingbeil, A. D., and C. K. Sommerfield. 2005. Latest Holocene evolution and human disturbance of a channel segment in the Hudson River Estuary. *Marine Geology* 218 (1-4):135-153. <http://dx.doi.org/10.1016/j.margeo.2005.02.026>
- Knust, A. E., and J. J. Warwick. 2009. Using a fluctuating tracer to estimate hyporheic exchange in restored and unrestored reaches of the Truckee River, Nevada, USA. *Hydrological Processes* 23 (8):1119-1130. <http://dx.doi.org/10.1002/hyp.7218>
- Kondolf, G. M., M. W. Smeltzer, and S. F. Railsback. 2001. Design and performance of a channel reconstruction project in a coastal California gravel-bed stream. *Environmental Management* 28 (6):761-776. <http://dx.doi.org/10.1007/s002670010260>
- Lamb, M. P., J. D. Parsons, B. L. Mullenbach, D. P. Finlayson, D. L. Orange, and C. A. Nitttrouer. 2008. Evidence for superelevation, channel incision, and formation of cyclic steps by turbidity currents in Eel Canyon, California. *Bulletin of the Geological Society of America* 120 (3-4):463-475. <http://dx.doi.org/10.1130/B26184.1>
- Larsen, E. W., A. K. Fremier, and S. E. Greco. 2006. Cumulative effective stream power and bank erosion on the Sacramento River, California, USA. *Journal of the American Water Resources Association* 42 (4):1077-1097. <http://dx.doi.org/10.1111/j.1752-1688.2006.tb04515.x>
- Larsen, E. W., and S. E. Greco. 2002. Modeling channel management impacts on river migration: A case study of Woodson Bridge State Recreation Area, Sacramento River, California, USA. *Environmental Management* 30 (2):209-224. <http://dx.doi.org/10.1007/s00267-002-2663-1>
- Larsen, E. W., E. H. Girvetz, and A. K. Fremier. 2007. Landscape level planning in alluvial riparian floodplain ecosystems: Using geomorphic modeling to avoid conflicts between human infrastructure and habitat conservation. *Landscape and Urban Planning* 79 (3-4):338-346. <http://dx.doi.org/10.1016/j.landurbplan.2006.04.003>
- LaSage, D. M., J. L. Sexton, A. Mukherjee, A. E. Fryar, and S. F. Greb. 2008. Groundwater discharge along a channelized Coastal Plain stream. *Journal of Hydrology* 360 (1-4):252-264. <http://dx.doi.org/10.1016/j.jhydrol.2008.06.026>
- Laser, M., J. Jordan, and K. Nislow. 2009. Riparian forest and instream large wood characteristics, West Branch Sheepscot River, Maine, USA. *Forest Ecology and Management* 257 (7):1558-1565. <http://dx.doi.org/10.1016/j.foreco.2008.12.024>

- Lauer, J. W., and G. Parker. 2008. Modeling framework for sediment deposition, storage, and evacuation in the floodplain of a meandering river: Theory. *Water Resources Research* 44 (4). <http://dx.doi.org/10.1029/2006WR005528>
- Li, M.-H. 2006. Learning from streambank failures at bridge crossings: A biotechnical streambank stabilization project in warm regions. *Landscape and Urban Planning* 77 (4):343-358. <http://dx.doi.org/10.1016/j.landurbplan.2005.04.006>
- Li, M.-H., and K. E. Eddleman. 2002. Biotechnical engineering as an alternative to traditional engineering methods a biotechnical streambank stabilization design approach. *Landscape and Urban Planning* 60 (4):225-242. [http://dx.doi.org/10.1016/S0169-2046\(02\)00057-9](http://dx.doi.org/10.1016/S0169-2046(02)00057-9)
- Loheide, S. P., II, and S. M. Gorelick. 2007. Riparian hydroecology: A coupled model of the observed interactions between groundwater flow and meadow vegetation patterning. *Water Resources Research* 43 (7). <http://dx.doi.org/10.1029/2006WR005233>
- Maloney, K. O., P. J. Mulholland, and J. W. Feminella. 2005. Influence of catchment-scale military land use on stream physical and organic matter variables in small Southeastern Plains catchments (USA). *Environmental Management* 35 (5):677-691. <http://dx.doi.org/10.1007/s00267-004-4212-6>
- Marion, A., A. I. Packman, M. Zaramella, and A. Bottacin-Busolin. 2008. Hyporheic flows in stratified beds. *Water Resources Research* 44 (9). <http://dx.doi.org/10.1029/2007WR006079>
- Mattocks, C., and C. Forbes. 2008. A real-time, event-triggered storm surge forecasting system for the state of North Carolina. *Ocean Modelling* 25 (3-4):95-119. <http://dx.doi.org/10.1016/j.ocemod.2008.06.008>
- Maxwell, A. R., and A. N. Papanicolaou. 2001. Step-pool morphology in high-gradient streams. *International Journal of Sediment Research* 16 (3):380-390.
- May, C. 2007. Sediment and wood routing in steep headwater streams: An overview of geomorphic processes and their topographic signatures. *Forest Science* 53 (2):119-130.
- Murray, B. A., and C. Paola. 2003. Modelling the effect of vegetation on channel pattern in bedload rivers. *Earth Surface Processes and Landforms* 28 (2):131-143. <http://dx.doi.org/10.1002/esp.428>
- Nelson, P. A., J. A. Smith, and A. J. Miller. 2006. Evolution of channel morphology and hydrologic response in an urbanizing drainage basin. *Earth Surface Processes and Landforms* 31 (9):1063-1079. <http://dx.doi.org/10.1002/esp.1308>
- Nicklow, J. W., O. Ozkurt, and J. A. Bringer Jr. 2003. Control of channel bed morphology in large-scale river networks using a genetic algorithm. *Water Resources Management* 17 (2):113-132. <http://dx.doi.org/10.1023/A:1023609806431>



- Niezgoda, S. L., and P. A. Johnson. 2005. Improving the urban stream restoration effort: Identifying critical form and processes relationships. *Environmental Management* 35 (5):579-592. <http://dx.doi.org/10.1007/s00267-004-0088-8>
- . 2006. Modeling the long term impacts of using rigid structures in stream channel restoration. *Journal of the American Water Resources Association* 42 (6):1597-1613. <http://dx.doi.org/10.1111/j.1752-1688.2006.tb06023.x>
- Noriega, G. R., J. R. Arrowsmith, L. B. Grant, and J. J. Young. 2006. Stream channel offset and Late Holocene slip rate of the San Andreas fault at the Van Matre Ranch site, Carrizo Plain, California. *Bulletin of the Seismological Society of America* 96 (1):33-47. <http://dx.doi.org/10.1785/0120050094>
- Opperman, J. J. 2005. Large woody debris and land management in California's hardwood-dominated watersheds. *Environmental Management* 35 (3):266-277. <http://dx.doi.org/10.1007/s00267-004-0068-z>
- Oswalt, S. N., and S. L. King. 2005. Channelization and floodplain forests: Impacts of accelerated sedimentation and valley plug formation on floodplain forests of the Middle Fork Forked Deer River, Tennessee, USA. *Forest Ecology and Management* 215 (1-3):69-83. <http://dx.doi.org/10.1016/j.foreco.2005.05.004>
- Parker, G., and C. M. Toro-Escobar. 2002. Equal mobility of gravel in streams: The remains of the day. *Water Resources Research* 38 (11):461-468. <http://dx.doi.org/10.1029/2001WR000669>
- Pearce, S. A., and R. M. Grossinger. 2004. Relative effects of fluvial processes and historical land use on channel morphology in three sub-basins, Napa River basin, California, USA. *IAHS-AISH Publication* (288):170-178.
- Pelletier, J. D., and S. DeLong. 2004. Oscillations in arid alluvial-channel geometry. *Geology* 32 (8):713-716. <http://dx.doi.org/10.1130/G20512.1>
- Pinter, N., K. Miller, J. H. Wlosinski, and R. R. Van Der Ploeg. 2004. Recurrent shoaling and channel dredging, Middle and Upper Mississippi River, USA. *Journal of Hydrology* 290 (3-4):275-296. <http://dx.doi.org/10.1016/j.jhydrol.2003.12.021>
- Pitlick, J., E. R. Mueller, C. Segura, R. Cress, and M. Torizzo. 2008. Relation between flow, surface-layer armoring and sediment transport in gravel-bed rivers. *Earth Surface Processes and Landforms* 33 (8):1192-1209. <http://dx.doi.org/10.1002/esp.1607>
- Pizzuto, J., and M. O'Neal. 2009. Increased mid-twentieth century riverbank erosion rates related to the demise of mill dams, South River, Virginia. *Geology* 37 (1):19-22. <http://dx.doi.org/10.1130/G25207A.1>
- Poulton, B. C., M. L. Wildhaber, C. S. Charbonneau, J. F. Fairchild, B. G. Mueller, and C. J. Schmitt. 2003. A longitudinal assessment of the aquatic macroinvertebrate community in the channelized lower Missouri River. *Environmental Monitoring and Assessment* 85 (1):23-53. <http://dx.doi.org/10.1023/A:1023301016001>
- Rados, T., S. Sottung, D. Descaro, and D. Altland. 2002. Changing channels. *Civil Engineering* 72 (7):72-77.

- Rohasliney, H., and D. C. Jackson. 2008. Lignite mining and stream channelization influences on aquatic macroinvertebrate assemblages along the Natchez Trace Parkway, Mississippi, USA. *Hydrobiologia* 598 (1):149-162. <http://dx.doi.org/10.1007/s10750-007-9147-5>
- Shields, F. D., Jr., R. R. Copeland, P. C. Klingeman, M. W. Doyle, and A. Simon. 2003. Design for stream restoration. *Journal of Hydraulic Engineering* 129 (8):575-584. [http://dx.doi.org/10.1061/\(ASCE\)0733-9429\(2003\)129:8\(575\)](http://dx.doi.org/10.1061/(ASCE)0733-9429(2003)129:8(575))
- Shields, F. D., Jr., S. S. Knight, and C. M. Cooper. 2007. Can warmwater streams be rehabilitated using watershed-scale standard erosion control measures alone? *Environmental Management* 40 (1):62-79. <http://dx.doi.org/10.1007/s00267-006-0191-0>
- Shields, F. D., Jr., S. S. Knight, N. Morin, and J. Blank. 2003. Response of fishes and aquatic habitats to sand-bed stream restoration using large woody debris. *Hydrobiologia* 494:251-257. <http://dx.doi.org/10.1023/A:1025434920429>
- Shields, F. D., Jr., A. Simon, and S. M. Dabney. 2009. Streambank dewatering for increased stability. *Hydrological Processes* 23 (11):1537-1547. <http://dx.doi.org/10.1002/hyp.7286>
- Shirinian-Orlando, A. A., and C. G. Uchirin. 2007. Modeling the hydrology and water quality using BASINS/HSPF for the upper Maurice River watershed, New Jersey. *Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering* 42 (3):289-303. <http://dx.doi.org/10.1080/10934520601134254>
- Simon, A., and M. Rinaldi. 2000. Channel instability in the loess area of the midwestern United States. *Journal of the American Water Resources Association* 36 (1):133-150.
- Simon, A., M. Doyle, M. Kondolf, F. D. Shields Jr, B. Rhoads, and M. McPhillips. 2007. Critical evaluation of how the Rosgen classification and associated "natural channel design" methods fail to integrate and quantify fluvial processes and channel response. *Journal of the American Water Resources Association* 43 (5):1117-1131. <http://dx.doi.org/10.1111/j.1752-1688.2007.00091.x>
- Simon, A., N. Pollen-Bankhead, V. Mahacek, and E. Langendoen. 2009. Quantifying reductions of mass-failure frequency and sediment loadings from streambanks using toe protection and other means: Lake Tahoe, United States. *Journal of the American Water Resources Association* 45 (1):170-186. <http://dx.doi.org/10.1111/j.1752-1688.2008.00268.x>
- Simon, A., R. E. Thomas, A. Curini, and F. D. Shields Jr. 2002. Case study: Channel stability of the Missouri River, eastern Montana. *Journal of Hydraulic Engineering* 128 (10):880-890.
- Singer, M. B. 2008. Downstream patterns of bed material grain size in a large, lowland alluvial river subject to low sediment supply. *Water Resources Research* 44 (12). <http://dx.doi.org/10.1029/2008WR007183>

- Sklar, L. S., and W. E. Dietrich. 2008. Implications of the saltation-abrasion bedrock incision model for steady-state river longitudinal profile relief and concavity. *Earth Surface Processes and Landforms* 33 (7):1129-1151. <http://dx.doi.org/10.1002/esp.1689>
- Stark, C. P. 2006. A self-regulating model of bedrock river channel geometry. *Geophysical Research Letters* 33 (4). <http://dx.doi.org/10.1029/2005GL023193>
- Steinberger, N., and E. Wohl. 2003. Impacts to water quality and fish habitat associated with maintaining natural channels for flood control. *Environmental Management* 31 (6):724-740. <http://dx.doi.org/10.1007/s00267-003-2838-4>
- Stewart, T. L., and J. F. Martin. 2005. Energy model to predict suspended load deposition induced by woody debris: Case study. *Journal of Hydraulic Engineering* 131 (11):1011-1016. [http://dx.doi.org/10.1061/\(ASCE\)0733-9429\(2005\)131:11\(1011\)](http://dx.doi.org/10.1061/(ASCE)0733-9429(2005)131:11(1011))
- Sudduth, E. B., and J. L. Meyer. 2006. Effects of bioengineered streambank stabilization on bank habitat and macroinvertebrates in urban streams. *Environmental Management* 38 (2):218-226. <http://dx.doi.org/10.1007/s00267-004-0381-6>
- Surbeck, C. Q., S. C. Jiang, J. H. Ahn, and S. B. Grant. 2006. Flow fingerprinting fecal pollution and suspended solids in stormwater runoff from an urban coastal watershed. *Environmental Science and Technology* 40 (14):4435-4441. <http://dx.doi.org/10.1021/es060701h>
- Svec, J. R., R. K. Kolka, and J. W. Stringer. 2005. Defining perennial, intermittent, and ephemeral channels in Eastern Kentucky: Application to forestry best management practices. *Forest Ecology and Management* 214 (1-3):170-182. <http://dx.doi.org/10.1016/j.foreco.2005.04.008>
- Thompson, D. M. 2002. Long-term effect of instream habitat-improvement structures on channel morphology along the Blackledge and Salmon rivers, Connecticut, USA. *Environmental Management* 29 (2):250-265. <http://dx.doi.org/10.1007/s00267-001-0069-0>
- . 2003. A geomorphic explanation for a meander cutoff following channel relocation of a coarse-bedded river. *Environmental Management* 31 (3):385-400. <http://dx.doi.org/10.1007/s00267-002-2842-0>
- Tucker, G. E., L. Arnold, R. L. Bras, H. Flores, E. Istanbuluoglu, and P. Solyom. 2006. Headwater channel dynamics in semiarid rangelands, Colorado high plains, USA. *Bulletin of the Geological Society of America* 118 (7-8):959-974. <http://dx.doi.org/10.1130/B25928.1>
- Vincent, K. R., J. M. Friedman, and E. R. Griffin. 2009. Erosional consequence of saltcedar control. *Environmental Management* 44 (2):218-227. <http://dx.doi.org/10.1007/s00267-009-9314-8>
- Warren, D. R., and C. E. Kraft. 2006. Invertebrate community and stream substrate responses to woody debris removal from an ice storm-impacted stream system, NY USA. *Hydrobiologia* 568 (1):477-488. <http://dx.doi.org/10.1007/s10750-006-0218-9>

- Wilcock, P. R., and B. T. DeTemple. 2005. Persistence of armor layers in gravel-bed streams. *Geophysical Research Letters* 32 (8):1-4. <http://dx.doi.org/10.1029/2004GL021772>
- Wilcock, P. R., S. T. Kenworthy, and J. C. Crowe. 2001. Experimental study of the transport of mixed sand and gravel. *Water Resources Research* 37 (12):3349-3358. <http://dx.doi.org/10.1029/2001WR000683>
- Wilson, G. V., R. K. Periketi, G. A. Fox, S. M. Dabney, F. D. Shields, and R. F. Cullum. 2007. Soil properties controlling seepage erosion contributions to streambank failure. *Earth Surface Processes and Landforms* 32 (3):447-459. <http://dx.doi.org/10.1002/esp.1405>
- Wohl, E., J. N. Kuzma, and N. E. Brown. 2004. Reach-scale channel geometry of a mountain river. *Earth Surface Processes and Landforms* 29 (8):969-981. <http://dx.doi.org/10.1002/esp.1078>
- Workman, R. D., D. B. Hayes, and T. G. Coon. 2004. Spawning habitat selection by rainbow trout in the Pere Marquette River, Michigan. *Journal of Great Lakes Research* 30 (3):397-406.
- Wynn, T., and S. Mostaghimi. 2006. The effects of vegetation and soil type on streambank erosion, Southwestern Virginia, USA. *Journal of the American Water Resources Association* 42 (1):69-82.
- Wynn, T. M., S. Mostaghimi, J. A. Burger, A. A. Harpold, M. B. Henderson, and L.-A. Henry. 2004. Variation in root density along stream banks. *Journal of Environmental Quality* 33 (6):2030-2039.
- Yang, C.-T. 2008. Applications of GSTARS computer models for solving river and reservoir sedimentation problems. *Transactions of Tianjin University* 14 (4):235-247. <http://dx.doi.org/10.1007/s12209-008-0043-5>

## Appendix R: Water Quality

- Adams, R. M., M. R. Twiss, and C. T. Driscoll. 2009. Patterns of mercury accumulation among seston in lakes of the Adirondack Mountains, New York. *Environmental Science and Technology* 43 (13):4836-4842. <http://dx.doi.org/10.1021/es900409b>
- Anderson, B. S., B. M. Phillips, J. W. Hunt, K. Worcester, M. Adams, N. Kapellas, and R. S. Tjeerdema. 2006. Evidence of pesticide impacts in the Santa Maria River watershed, California, USA. *Environmental Toxicology and Chemistry* 25 (4):1160-1170. <http://dx.doi.org/10.1897/05-231R.1>
- Anisfeld, S. C., R. T. Barnes, M. A. Altabet, and T. Wu. 2007. Isotopic apportionment of atmospheric and sewage nitrogen sources in two Connecticut rivers. *Environmental Science and Technology* 41 (18):6363-6369. <http://dx.doi.org/10.1021/es070469v>
- Aparna, C., P. Saritha, V. Himabindu, and Y. Anjaneyulu. 2008. Techniques for the evaluation of maturity for composts of industrially contaminated lake sediments. *Waste Management* 28 (10):1773-1784. <http://dx.doi.org/10.1016/j.wasman.2007.07.008>
- Barber, L. B., S. H. Keefe, R. C. Antweiler, H. E. Taylor, and R. D. Wass. 2006. Accumulation of contaminants in fish from wastewater treatment wetlands. *Environmental Science and Technology* 40 (2):603-611. <http://dx.doi.org/10.1021/es0514287>
- Behrends, L. L., E. Bailey, P. Jansen, L. Houke, and S. Smith. 2007. Integrated constructed wetland systems: Design, operation, and performance of low-cost decentralized wastewater treatment systems. *Water Science and Technology* 55 (7):155-161. <http://dx.doi.org/10.2166/wst.2007.140>
- Bezbaruah, A. N., and T. C. Zhang. 2004. pH, redox, and oxygen microprofiles in rhizosphere of bulrush (*Scirpus validus*) in a constructed wetland treating municipal wastewater. *Biotechnology and Bioengineering* 88 (1):60-70. <http://dx.doi.org/10.1002/bit.20208>
- . 2005. Quantification of oxygen release by bulrush (*Scirpus validus*) roots in a constructed treatment wetland. *Biotechnology and Bioengineering* 89 (3):308-318. <http://dx.doi.org/10.1002/bit.20332>
- Blothe, M., D. M. Akob, J. E. Kostka, K. Goschel, H. L. Drake, and K. Kusel. 2008. pH gradient-induced heterogeneity of Fe(III)-reducing microorganisms in coal mining-associated lake sediments. *Applied and Environmental Microbiology* 74 (4):1019-1029. <http://dx.doi.org/10.1128/AEM.01194-07>
- Brooks, M. L., J. S. Meyer, and D. M. McKnight. 2007. Photooxidation of wetland and riverine dissolved organic matter: Altered copper complexation and organic composition. *Hydrobiologia* 579 (1):95-113. <http://dx.doi.org/10.1007/s10750-006-0387-6>

- Brooks, R., M. McKenney-Easterling, M. Brinson, R. Rheinhardt, K. Havens, D. O'Brien, J. Bishop, J. Rubbo, B. Armstrong, and J. Hite. 2009. A Stream-Wetland-Riparian (SWR) index for assessing condition of aquatic ecosystems in small watersheds along the Atlantic slope of the eastern U.S. *Environmental Monitoring and Assessment* 150 (1-4):101-117.  
<http://dx.doi.org/10.1007/s10661-008-0673-z>
- Chang, H., and T. N. Carlson. 2005. Water quality during winter storm events in Spring Creek, Pennsylvania USA. *Hydrobiologia* 544 (1):321-332.  
<http://dx.doi.org/10.1007/s10750-005-1894-6>
- Chen, T. Y., C. M. Kao, T. Y. Yeh, H. Y. Chien, and A. C. Chao. 2006. Application of a constructed wetland for industrial wastewater treatment: A pilot-scale study. *Chemosphere* 64 (3):497-502.  
<http://dx.doi.org/10.1016/j.chemosphere.2005.11.069>
- Chilmakuri, C., J. A. McCorquodale, I. Georgiou, and J. Leal. 2005. The fate of stormwater runoff in an estuarine lake. Paper read at: *33rd CSCE Annual Conference 2005, June 2, 2005 - June 4, 2005, at Toronto, ON, Canada.*
- Choi, J. H., S. S. Park, and P. R. Jaffe. 2006. The effect of emergent macrophytes on the dynamics of sulfur species and trace metals in wetland sediments. *Environmental Pollution* 140 (2):286-293.  
<http://dx.doi.org/10.1016/j.envpol.2005.07.009>
- Cole, M. L., K. D. Kroeger, J. W. McClelland, and I. Valiela. 2005. Macrophytes as indicators of land-derived wastewater: Application of a 15N method in aquatic systems. *Water Resources Research* 41 (1):1-9.  
<http://dx.doi.org/10.1029/2004WR003269>
- Conder, J. M., M. T. Sorensen, P. Leitman, L. B. Martello, and R. J. Wenning. 2009. Avian ecological risk potential in an urbanized estuary: Lower Hackensack River, New Jersey, U.S.A. *Science of the Total Environment* 407 (3):1035-1047.  
<http://dx.doi.org/10.1016/j.scitotenv.2008.09.043>
- Conkle, J. L., J. R. White, and C. D. Metcalfe. 2008. Reduction of pharmaceutically active compounds by a lagoon wetland wastewater treatment system in Southeast Louisiana. *Chemosphere* 73 (11):1741-1748.  
<http://dx.doi.org/10.1016/j.chemosphere.2008.09.020>
- Connolly, J. P., H. A. Zahakos, J. Benaman, C. K. Ziegler, J. R. Rhea, and K. Russell. 2000. Model of PCB fate in the Upper Hudson River. *Environmental Science and Technology* 34 (19):4076-4087. <http://dx.doi.org/10.1021/es001046v>
- Conroy, J. D., D. D. Kane, D. M. Dolan, W. J. Edwards, M. N. Charlton, and D. A. Culver. 2005. Temporal trends in Lake Erie plankton biomass: Roles of external phosphorus loading and Dreissenid mussels. *Journal of Great Lakes Research* 31 (SUPPL. 2):89-110.
- Crifasi, R. R. 2005. Reflections in a stock pond: Are anthropogenically derived freshwater ecosystems natural, artificial, or something else? *Environmental Management* 36 (5):625-639. <http://dx.doi.org/10.1007/s00267-004-0147-1>



- Crisman, T. L., C. Mitraki, and G. Zalidis. 2005. Integrating vertical and horizontal approaches for management of shallow lakes and wetlands. *Ecological Engineering* 24 (4 SPEC. ISS.):379-389. <http://dx.doi.org/10.1016/j.ecoleng.2005.01.006>
- Darmody, R. G., J. C. Marlin, J. Talbott, R. A. Green, E. F. Brewer, and C. Stohr. 2004. Dredged Illinois River sediments: Plant growth and metal uptake. *Journal of Environmental Quality* 33 (2):458-464.
- Diaz, F. J., A. T. Chow, A. T. O'Geen, R. A. Dahlgren, and P.-K. Wong. 2008. Restored wetlands as a source of disinfection byproduct precursors. *Environmental Science and Technology* 42 (16):5992-5997. <http://dx.doi.org/10.1021/es800781n>
- Dierberg, F. E., J. J. Juston, T. A. DeBusk, K. Pietro, and B. Gu. 2005. Relationship between hydraulic efficiency and phosphorus removal in a submerged aquatic vegetation-dominated treatment wetland. *Ecological Engineering* 25 (1):9-23. <http://dx.doi.org/10.1016/j.ecoleng.2004.12.018>
- Dodds, W. K., and M. R. Whiles. 2004. Quality and quantity of suspended particles in rivers: Continent-scale patterns in the United States. *Environmental Management* 33 (3):355-367. <http://dx.doi.org/10.1007/s00267-003-0089-z>
- Durant, J. L., T. Ivushkina, K. MacLaughlin, H. Lukacs, J. Gawel, D. Senn, and H. F. Hemond. 2004. Elevated levels of arsenic in the sediments of an urban pond: Sources, distribution and water quality impacts. *Water Research* 38 (13):2989-3000. <http://dx.doi.org/10.1016/j.watres.2004.04.010>
- Eleria, A., and R. M. Vogel. 2005. Predicting fecal coliform bacteria levels in the Charles River, Massachusetts, USA. *Journal of the American Water Resources Association* 41 (5):1195-1209.
- Elliott, E. M., and G. S. Brush. 2006. Sedimented organic nitrogen isotopes in freshwater wetlands record long-term changes in watershed nitrogen source and land use. *Environmental Science and Technology* 40 (9):2910-2916. <http://dx.doi.org/10.1021/es051587q>
- Fisher, T. R., J. A. Benitez, K.-Y. Lee, and A. J. Sutton. 2006. History of land cover change and biogeochemical impacts in the Choptank River basin in the mid-Atlantic region of the US. *International Journal of Remote Sensing* 27 (17):3683-3703. <http://dx.doi.org/10.1080/01431160500500383>
- Flemer, D. A., and M. A. Champ. 2006. What is the future fate of estuaries given nutrient over-enrichment, freshwater diversion and low flows? *Marine Pollution Bulletin* 52 (3):247-258. <http://dx.doi.org/10.1016/j.marpolbul.2005.11.027>
- Foltz, S. J., and S. I. Dodson. 2009. Aquatic Hemiptera community structure in stormwater retention ponds: A watershed land cover approach. *Hydrobiologia* 621 (1):49-62. <http://dx.doi.org/10.1007/s10750-008-9631-6>



- Gao, N., N. G. Armatas, J. B. Shanley, N. C. Kamman, E. K. Miller, G. J. Keeler, T. Scherbatskoy, T. M. Holsen, T. Young, L. McIlroy, S. Drake, B. Olsen, and C. Cady. 2006. Mass balance assessment for mercury in Lake Champlain. *Environmental Science and Technology* 40 (1):82-89. <http://dx.doi.org/10.1021/es050513b>
- Gathumbi, S. M., P. J. Bohlen, and D. A. Graetz. 2005. Nutrient enrichment of wetland vegetation and sediments in subtropical pastures. *Soil Science Society of America Journal* 69 (2):539-548.
- Gessner, T. P., R. H. Kadlec, and R. P. Reaves. 2005. Wetland remediation of cyanide and hydrocarbons. *Ecological Engineering* 25 (4):457-469. <http://dx.doi.org/10.1016/j.ecoleng.2005.07.015>
- Gilchrist, S., A. Gates, Z. Szabo, and P. J. Lamothe. 2009. Impact of AMD on water quality in critical watershed in the Hudson River drainage basin: Phillips Mine, Hudson Highlands, New York. *Environmental Geology* 57 (2):397-409. <http://dx.doi.org/10.1007/s00254-008-1310-4>
- Godfrey, E., W. W. Woessner, and M. J. Benotti. 2007. Pharmaceuticals in on-site sewage effluent and ground water, Western Montana. *Ground Water* 45 (3):263-271. <http://dx.doi.org/10.1111/j.1745-6584.2006.00288.x>
- Gomez-Hermosillo, C., J. H. Pardue, and D. D. Reible. 2006. Wetland plant uptake of desorption-resistant organic compounds from sediments. *Environmental Science and Technology* 40 (10):3229-3236. <http://dx.doi.org/10.1021/es051341l>
- Grove, J. K., and O. R. Stein. 2005. Polar organic solvent removal in microcosm constructed wetlands. *Water Research* 39 (16):4040-4050. <http://dx.doi.org/10.1016/j.watres.2005.07.023>
- Hafner, S. D., and W. J. Jewell. 2006. Predicting nitrogen and phosphorus removal in wetlands due to detritus accumulation: A simple mechanistic model. *Ecological Engineering* 27 (1):13-21. <http://dx.doi.org/10.1016/j.ecoleng.2005.09.014>
- Hargreaves, J. A., C. S. Tucker, E. R. Thornton, and S. K. Kingsbury. 2005. Characteristics and sedimentation of initial effluent discharged from excavated levee ponds for channel catfish. *Aquacultural Engineering* 33 (2):96-109. <http://dx.doi.org/10.1016/j.aquaeng.2004.10.002>
- Harmon, S. M., J. K. King, J. B. Gladden, G. T. Chandler, and L. A. Newman. 2004. Methylmercury formation in a wetland mesocosm amended with sulfate. *Environmental Science and Technology* 38 (2):650-656. <http://dx.doi.org/10.1021/es030513g>
- Hellweger, F. L., and P. Masopust. 2008. Investigating the fate and transport of *Escherichia coli* in the Charles River, Boston, using high-resolution observation and modeling. *Journal of the American Water Resources Association* 44 (2):509-522. <http://dx.doi.org/10.1111/j.1752-1688.2008.00179.x>
- Hench, K. R., A. J. Sexstone, and G. K. Bissonnette. 2004. Heterotrophic community-level physiological profiles of domestic wastewater following treatment by small constructed subsurface flow wetlands. *Water Environment Research* 76 (5):468-473. <http://dx.doi.org/10.2175/106143004X151554>

- Hernandez, M. E., and W. J. Mitsch. 2007. Denitrification in created riverine wetlands: Influence of hydrology and season. *Ecological Engineering* 30 (1):78-88. <http://dx.doi.org/10.1016/j.ecoleng.2007.01.015>
- Horowitz, A. J. 2004. Monitoring suspended sediment and associated trace element and nutrient fluxes in large river basins in the USA. *IAHS-AISH Publication* (288):419-428.
- Howell, C. J., D. M. Crohn, and M. Omary. 2005. Simulating nutrient cycling and removal through treatment wetlands in arid/semiarid environments. *Ecological Engineering* 25 (1):25-39. <http://dx.doi.org/10.1016/j.ecoleng.2005.02.007>
- Hu, H., S. E. Mylon, and G. Benoit. 2007. Volatile organic sulfur compounds in a stratified lake. *Chemosphere* 67 (5):911-919. <http://dx.doi.org/10.1016/j.chemosphere.2006.11.012>
- Hwang, H.-M., P. G. Green, and R. W. Holmes. 2009. Anthropogenic impacts on the quality of streambed sediments in the lower Sacramento River watershed, California. *Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering* 44 (1):1-11. <http://dx.doi.org/10.1080/10934520802515137>
- Ishida, C. K., J. J. Kelly, and K. A. Gray. 2006. Effects of variable hydroperiods and water level fluctuations on denitrification capacity, nitrate removal, and benthic-microbial community structure in constructed wetlands. *Ecological Engineering* 28 (4):363-373. <http://dx.doi.org/10.1016/j.ecoleng.2006.06.010>
- Jaisi, D. P., S. Ji, H. Dong, R. E. Blake, D. D. Eberl, and J. Kim. 2008. Role of microbial Fe(III) reduction and solution chemistry in aggregation and settling of suspended particles in the Mississippi River Delta plain, Louisiana, USA. *Clays and Clay Minerals* 56 (4):416-428. <http://dx.doi.org/10.1346/CCMN.2008.0560403>
- Jeng, H., and Y.-J. Hong. 2005. Assessment of a natural wetland for use in wastewater remediation. *Environmental Monitoring and Assessment* 111 (1-3):113-131. <http://dx.doi.org/10.1007/s10661-005-8217-2>
- Jeremiason, J. D., D. R. Engstrom, E. B. Swain, E. A. Nater, B. M. Johnson, J. E. Almendinger, B. A. Monson, and R. K. Kolka. 2006. Sulfate addition increases methylmercury production in an experimental wetland. *Environmental Science and Technology* 40 (12):3800-3806. <http://dx.doi.org/10.1021/es0524144>
- Jin, G., and T. R. Kelley. 2007. Characterization of microbial communities in a pilot-scale constructed wetland using PLFA and PCR-DGGE analyses. *Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering* 42 (11):1639-1647. <http://dx.doi.org/10.1080/10934520701518125>
- Jones, R. C., D. P. Kelso, and E. Schaeffer. 2008. Spatial and seasonal patterns in water quality in an embayment-mainstem reach of the tidal freshwater Potomac River, USA: A multiyear study. *Environmental Monitoring and Assessment* 147 (1-3):351-375. <http://dx.doi.org/10.1007/s10661-007-0126-0>

- Kadlec, R. H. 2005. Phosphorus removal in emergent free surface wetlands. *Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering* 40 (6-7):1293-1306.  
<http://dx.doi.org/10.1081/ESE-200055832>
- . 2005. Wetland to pond treatment gradients. *Water Science and Technology* 51 (9):291-298.
- . 2008. The effects of wetland vegetation and morphology on nitrogen processing. *Ecological Engineering* 33 (2):126-141.  
<http://dx.doi.org/10.1016/j.ecoleng.2008.02.012>
- . 2009. Comparison of free water and horizontal subsurface treatment wetlands. *Ecological Engineering* 35 (2):159-174.  
<http://dx.doi.org/10.1016/j.ecoleng.2008.04.008>
- . 2009. Wastewater treatment at the Houghton Lake wetland: Hydrology and water quality. *Ecological Engineering* 35 (9):1287-1311.  
<http://dx.doi.org/10.1016/j.ecoleng.2008.10.001>
- Kadlec, R. H., and F. B. Bevis. 2009. Wastewater treatment at the Houghton Lake wetland: Vegetation response. *Ecological Engineering* 35 (9):1312-1332.  
<http://dx.doi.org/10.1016/j.ecoleng.2008.11.001>
- Karim, M. R., F. D. Manshadi, M. M. Karpiscak, and C. P. Gerba. 2004. The persistence and removal of enteric pathogens in constructed wetlands. *Water Research* 38 (7):1831-1837. <http://dx.doi.org/10.1016/j.watres.2003.12.029>
- Kelly, W. R., H. A. Wehrmann, T. R. Holm, J. L. Talbott, and L. M. Skowron. 2003. Subsurface movement of zinc from contaminated dredge spoils at a periodically flooded site. *Environmental Geology* 45 (1):23-34.  
<http://dx.doi.org/10.1007/s00254-003-0855-5>
- Kincaid, T. M., D. P. Larsen, and N. S. Urquhart. 2004. The structure of variation and its influence on the estimation of status: Indicators of condition of lakes in the Northeast, U.S.A. *Environmental Monitoring and Assessment* 98 (1-3):1-21.  
<http://dx.doi.org/10.1023/B:EMAS.0000038176.68766.71>
- Knox, A. S., D. L. Dunn, M. H. Paller, E. A. Nelson, W. L. Specht, and J. C. Seaman. 2006. Assessment of contaminant retention in constructed wetland sediments. *Engineering in Life Sciences* 6 (1):31-36.  
<http://dx.doi.org/10.1002/elsc.200620116>
- Kohler, E. A., V. L. Poole, Z. J. Reicher, and R. F. Turco. 2004. Nutrient, metal, and pesticide removal during storm and nonstorm events by a constructed wetland on an urban golf course. *Ecological Engineering* 23 (4-5):285-298.  
<http://dx.doi.org/10.1016/j.ecoleng.2004.11.002>
- Kroger, R., M. T. Moore, M. A. Locke, R. F. Cullum, R. W. Steinriede, Jr., S. Testa, III, C. T. Bryant, and C. M. Cooper. 2009. Evaluating the influence of wetland vegetation on chemical residence time in Mississippi Delta drainage ditches. *Agricultural Water Management* 96 (7):1175-1179.  
<http://dx.doi.org/10.1016/j.agwat.2009.03.002>

- Lansing, S. L., and J. F. Martin. 2006. Use of an ecological treatment system (ETS) for removal of nutrients from dairy wastewater. *Ecological Engineering* 28 (3 SPEC. ISS.):235-245. <http://dx.doi.org/10.1016/j.ecoleng.2006.04.006>
- LaSage, D. M., A. E. Fryar, A. Mukherjee, N. C. Sturchio, and L. J. Heraty. 2008. Groundwater-derived contaminant fluxes along a channelized Coastal Plain stream. *Journal of Hydrology* 360 (1-4):265-280. <http://dx.doi.org/10.1016/j.jhydrol.2008.07.026>
- Leader, J. W., K. R. Reddy, and A. C. Wilkie. 2005. Optimization of low-cost phosphorus removal from wastewater using co-treatments with constructed wetlands. *Water Science and Technology* 51 (9):283-290.
- Lee, S., J. H. Pardue, W. M. Moe, and D. J. Kim. 2009. Effect of sorption and desorption-resistance on biodegradation of chlorobenzene in two wetland soils. *Journal of Hazardous Materials* 161 (1):492-498. <http://dx.doi.org/10.1016/j.jhazmat.2008.03.129>
- Li, C., J. Cui, G. Sun, and C. Trettin. 2004. Modeling impacts of management on carbon sequestration and trace gas emissions in forested wetland ecosystems. *Environmental Management* 33 (SUPPL. 1):S176-S186. <http://dx.doi.org/10.1007/s00267-003-9128-z>
- Lorah, M. M., and M. A. Voytek. 2004. Degradation of 1,1,2,2-tetrachloroethane and accumulation of vinyl chloride in wetland sediment microcosms and in situ porewater: Biogeochemical controls and associations with microbial communities. *Journal of Contaminant Hydrology* 70 (1-2):117-145. <http://dx.doi.org/10.1016/j.jconhyd.2003.08.010>
- Manios, T., M. S. Fountoulakis, and A. D. Karathanasis. 2009. Construction simplicity and cost as selection criteria between two types of constructed wetlands treating highway runoff. *Environmental Management* 43 (5):908-920. <http://dx.doi.org/10.1007/s00267-008-9250-z>
- Mankin, K. R., and C. D. Ikenberry. 2004. Batch reactor unvegetated wetland performance in treating dairy wastewater. *Journal of the American Water Resources Association* 40 (6):1527-1535.
- Mayhew, C. R., D. R. Raman, R. R. Gerhardt, R. T. Burns, and M. S. Younger. 2004. Periodic draining reduces mosquito emergence from free-water surface constructed wetlands. *Transactions of the American Society of Agricultural Engineers* 47 (2):567-573.
- McLain, J. E. T., and C. F. Williams. 2008. Seasonal variation in accurate identification of *Escherichia coli* within a constructed wetland receiving tertiary-treated municipal effluent. *Water Research* 42 (15):4041-4048. <http://dx.doi.org/10.1016/j.watres.2008.06.003>
- Meyer, J. L., D. L. Strayer, J. B. Wallace, S. L. Eggert, G. S. Helfman, and N. E. Leonard. 2007. The contribution of headwater streams to biodiversity in river networks. *Journal of the American Water Resources Association* 43 (1):86-103. <http://dx.doi.org/10.1111/j.1752-1688.2007.00008.x>

- Money, E. S., G. P. Carter, and M. L. Serre. 2009. Modern space/time geostatistics using river distances: Data integration of turbidity and *E. coli* measurements to assess fecal contamination along the Raritan River in New Jersey. *Environmental Science and Technology* 43 (10):3736-3742.  
<http://dx.doi.org/10.1021/es803236j>
- Moore, M. T., C. M. Cooper, S. Smith Jr, R. F. Cullum, S. S. Knight, M. A. Locke, and E. R. Bennett. 2007. Diazinon mitigation in constructed wetlands: Influence of vegetation. *Water, Air, and Soil Pollution* 184 (1-4):313-321.  
<http://dx.doi.org/10.1007/s11270-007-9418-9>
- Morrice, J. A., N. P. Danz, R. R. Regal, J. R. Kelly, G. J. Niemi, E. D. Reavie, T. Hollenhorst, R. P. Axler, A. S. Trebitz, A. M. Cotter, and G. S. Peterson. 2008. Human influences on water quality in Great Lakes coastal wetlands. *Environmental Management* 41 (3):347-357.  
<http://dx.doi.org/10.1007/s00267-007-9055-5>
- Murtaugh, P. A., and P. S. Pooler. 2006. Evaluating ecological indicators: Lakes in the Northeastern United States. *Environmental Monitoring and Assessment* 119 (1-3):83-96. <http://dx.doi.org/10.1007/s10661-005-9011-x>
- Neatrou, M. A., R. H. Jones, and S. W. Golladay. 2005. Correlations between soil nutrient availability and fine-root biomass at two spatial scales in forested wetlands with contrasting hydrological regimes. *Canadian Journal of Forest Research* 35 (12):2934-2941. <http://dx.doi.org/10.1139/x05-217>
- Nelson, E. A., W. L. Specht, and A. S. Knox. 2006. Metal removal from water discharges by a constructed treatment wetland. *Engineering in Life Sciences* 6 (1):26-30.  
<http://dx.doi.org/10.1002/elsc.200620112>
- Nicomrat, D., W. A. Dick, and O. H. Tuovinen. 2006. Microbial populations identified by fluorescence in situ hybridization in a constructed wetland treating acid coal mine drainage. *Journal of Environmental Quality* 35 (4):1329-1337.  
<http://dx.doi.org/10.2134/jeq2005.0325>
- Nicomrat, D., W. A. Dick, M. Dopson, and O. H. Tuovinen. 2008. Bacterial phylogenetic diversity in a constructed wetland system treating acid coal mine drainage. *Soil Biology and Biochemistry* 40 (2):312-321.  
<http://dx.doi.org/10.1016/j.soilbio.2007.08.009>
- Nivala, J., M. B. Hoos, C. Cross, S. Wallace, and G. Parkin. 2007. Treatment of landfill leachate using an aerated, horizontal subsurface-flow constructed wetland. *Science of the Total Environment* 380 (1-3):19-27.  
<http://dx.doi.org/10.1016/j.scitotenv.2006.12.030>
- Park, N., B. J. Vanderford, S. A. Snyder, S. Sarp, S. D. Kim, and J. Cho. 2009. Effective controls of micropollutants included in wastewater effluent using constructed wetlands under anoxic condition. *Ecological Engineering* 35 (3):418-423.  
<http://dx.doi.org/10.1016/j.ecoleng.2008.10.004>
- Parsons, M. J., D. T. Long, S. S. Yohn, and J. P. Giesy. 2007. Spatial and temporal trends of mercury loadings to Michigan inland lakes. *Environmental Science and Technology* 41 (16):5634-5640. <http://dx.doi.org/10.1021/es0701356>

- Peeler, K. A., S. P. Opsahl, and J. P. Chanton. 2006. Tracking anthropogenic inputs using caffeine, indicator bacteria, and nutrients in rural freshwater and urban marine systems. *Environmental Science and Technology* 40 (24):7616-7622. <http://dx.doi.org/10.1021/es061213c>
- Peterson, S. A., J. Van Sickle, A. T. Herlihy, and R. M. Hughes. 2007. Mercury concentration in fish from streams and rivers throughout the western United States. *Environmental Science and Technology* 41 (1):58-65. <http://dx.doi.org/10.1021/es061070u>
- Poach, M. E., P. G. Hunt, G. B. Reddy, K. C. Stone, M. H. Johnson, and A. Grubbs. 2004. Swine wastewater treatment by marsh-pond-marsh constructed wetlands under varying nitrogen loads. *Ecological Engineering* 23 (3):165-175. <http://dx.doi.org/10.1016/j.ecoleng.2004.09.001>
- . 2007. Effect of intermittent drainage on swine wastewater treatment by marsh-pond-marsh constructed wetlands. *Ecological Engineering* 30 (1):43-50. <http://dx.doi.org/10.1016/j.ecoleng.2007.01.003>
- Prochaska, C. A., A. I. Zouboulis, and K. M. Eskridge. 2007. Performance of pilot-scale vertical-flow constructed wetlands, as affected by season, substrate, hydraulic load and frequency of application of simulated urban sewage. *Ecological Engineering* 31 (1):57-66. <http://dx.doi.org/10.1016/j.ecoleng.2007.05.007>
- Riley, K. A., O. R. Stein, and P. B. Hook. 2005. Ammonium removal in constructed wetland microcosms as influenced by season and organic carbon load. *Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering* 40 (6-7):1109-1121. <http://dx.doi.org/10.1081/ESE-200055594>
- Robinson, G. R., Jr., and R. A. Ayuso. 2004. Use of spatial statistics and isotopic tracers to measure the influence of arsenical pesticide use on stream sediment chemistry in New England, USA. *Applied Geochemistry* 19 (7):1097-1110.
- Sahoo, G. B., C. Ray, J. Z. Wang, S. A. Hubbs, R. Song, J. Jasperse, and D. Seymour. 2005. Use of artificial neural networks to evaluate the effectiveness of riverbank filtration. *Water Research* 39 (12):2505-2516. <http://dx.doi.org/10.1016/j.watres.2005.04.020>
- Seo, D. C., S. H. Hwang, H. J. Kim, J. S. Cho, H. J. Lee, R. D. DeLaune, A. Jugsujinda, S. T. Lee, J. Y. Seo, and J. S. Heo. 2008. Evaluation of 2- and 3-stage combinations of vertical and horizontal flow constructed wetlands for treating greenhouse wastewater. *Ecological Engineering* 32 (2):121-132. <http://dx.doi.org/10.1016/j.ecoleng.2007.10.007>
- Shellenbarger, G. G., N. D. Athearn, J. Y. Takekawa, and A. B. Boehm. 2008. Fecal indicator bacteria and Salmonella in ponds managed as bird habitat, San Francisco Bay, California, USA. *Water Research* 42 (12):2921-2930. <http://dx.doi.org/10.1016/j.watres.2008.03.006>
- Shen, J., J.-J. Jia, and G. M. Sisson. 2006. Inverse estimation of nonpoint sources of fecal coliform for establishing allowable load for Wye River, Maryland. *Water Research* 40 (18):3333-3342. <http://dx.doi.org/10.1016/j.watres.2006.07.035>



- Simon, N. S., O. P. Bricker, W. Newell, J. McCoy, and R. Morawe. 2005. The distribution of phosphorus in Popes Creek, VA, and in the Pocomoke River, MD: Two watersheds with different land management practices in the Chesapeake Bay Basin. *Water, Air, and Soil Pollution* 164 (1-4):189-204. <http://dx.doi.org/10.1007/s11270-005-3024-5>
- Sirivedhin, T., and K. A. Gray. 2006. Factors affecting denitrification rates in experimental wetlands: Field and laboratory studies. *Ecological Engineering* 26 (2):167-181. <http://dx.doi.org/10.1016/j.ecoleng.2005.09.001>
- Sprague, L. A., and D. L. Lorenz. 2009. Regional nutrient trends in streams and rivers of the United States, 1993-2003. *Environmental Science and Technology* 43 (10):3430-3435. <http://dx.doi.org/10.1021/es803664x>
- Steer, D. N., L. H. Fraser, and B. A. Seibert. 2005. Cell-to-cell pollution reduction effectiveness of subsurface domestic treatment wetlands. *Bioresource Technology* 96 (8):969-976. <http://dx.doi.org/10.1016/j.biortech.2004.08.006>
- Stein, O. R., B. W. Towler, P. B. Hook, and J. A. Biederman. 2007. On fitting the k-C\* first order model to batch loaded sub-surface treatment wetlands. *Water Science and Technology* 56 (3):93-99. <http://dx.doi.org/10.2166/wst.2007.515>
- Stein, O. R., D. J. Borden-Stewart, P. B. Hook, and W. L. Jones. 2007. Seasonal influence on sulfate reduction and zinc sequestration in subsurface treatment wetlands. *Water Research* 41 (15):3440-3448. <http://dx.doi.org/10.1016/j.watres.2007.04.023>
- Stein, O. R., J. A. Biederman, P. B. Hook, and W. C. Allen. 2006. Plant species and temperature effects on the k-C\* first-order model for COD removal in batch-loaded SSF wetlands. *Ecological Engineering* 26 (2):100-112. <http://dx.doi.org/10.1016/j.ecoleng.2005.07.001>
- Steinberg, L. M., and J. M. Regan. 2008. Phylogenetic comparison of the methanogenic communities from an acidic, oligotrophic fen and an anaerobic digester treating municipal wastewater sludge. *Applied and Environmental Microbiology* 74 (21):6663-6671. <http://dx.doi.org/10.1128/AEM.00553-08>
- Stringfellow, W. T., J. S. Hanlon, S. E. Borglin, and N. W. T. Quinn. 2008. Comparison of wetland and agriculture drainage as sources of biochemical oxygen demand to the San Joaquin River, California. *Agricultural Water Management* 95 (5):527-538. <http://dx.doi.org/10.1016/j.agwat.2007.12.007>
- Struck, S. D., A. Selvakumar, and M. Borst. 2008. Prediction of effluent quality from retention ponds and constructed wetlands for managing bacterial stressors in storm-water runoff. *Journal of Irrigation and Drainage Engineering* 134 (5):567-578. [http://dx.doi.org/10.1061/\(ASCE\)0733-9437\(2008\)134:5\(567\)](http://dx.doi.org/10.1061/(ASCE)0733-9437(2008)134:5(567))
- Sullivan, T. J., B. J. Cosby, A. T. Herlihy, C. T. Driscoll, I. J. Fernandez, T. C. McDonnell, C. W. Boylen, S. A. Nierzwicki-Bauer, and K. U. Snyder. 2007. Assessment of the extent to which intensively-studied lakes are representative of the Adirondack region and response to future changes in acidic deposition. *Water, Air, and Soil Pollution* 185 (1-4):279-291. <http://dx.doi.org/10.1007/s11270-007-9449-2>



- Sun, G., and D. Austin. 2007. A mass balance study on nitrification and deammonification in vertical flow constructed wetlands treating landfill leachate. *Water Science and Technology* 56 (3):117-123. <http://dx.doi.org/10.2166/wst.2007.503>
- Surampalli, R. Y., S. K. Banerji, R. D. Tyagi, and P. Y. Yang. 2007. Integrated advanced natural wastewater treatment system for small communities. *Water Science and Technology* 55 (11):239-243. <http://dx.doi.org/10.2166/wst.2007.371>
- Tao, W., and J. Wang. 2009. Effects of vegetation, limestone and aeration on nitrification, anammox and denitrification in wetland treatment systems. *Ecological Engineering* 35 (5):836-842. <http://dx.doi.org/10.1016/j.ecoleng.2008.12.003>
- Totten, L. A., M. Panangadan, S. J. Eisenreich, G. J. Cavallo, and T. J. Fikslin. 2006. Direct and indirect atmospheric deposition of PCBs to the Delaware River watershed. *Environmental Science and Technology* 40 (7):2171-2176. <http://dx.doi.org/10.1021/es052149m>
- Turner, B. L., and S. Newman. 2005. Phosphorus cycling in wetland soils: The importance of phosphate diesters. *Journal of Environmental Quality* 34 (5):1921-1929. <http://dx.doi.org/10.2134/jeq2005.0060>
- Tweel, A. W., and P. J. Bohlen. 2008. Influence of soft rush (*Juncus effusus*) on phosphorus flux in grazed seasonal wetlands. *Ecological Engineering* 33 (3-4):242-251. <http://dx.doi.org/10.1016/j.ecoleng.2008.05.003>
- Warren, W. J., R. M. Jeter, R. C. Kimbrough, and J. C. Zak. 2004. Population patterns and antimicrobial resistance of *Aeromonas* in urban playa lakes. *Canadian Journal of Microbiology* 50 (6):397-404. <http://dx.doi.org/10.1139/w04-029>
- Watras, C. J., K. A. Morrison, A. Kent, N. Price, O. Regnell, C. Eckley, H. Hintelmann, and T. Hubacher. 2005. Sources of methylmercury to a wetland-dominated lake in northern Wisconsin. *Environmental Science and Technology* 39 (13):4747-4758. <http://dx.doi.org/10.1021/es040561g>
- Whitman, R. L., K. Przybyla-Kelly, D. A. Shively, M. B. Nevers, and M. N. Byappanahalli. 2008. Sunlight, season, snowmelt, storm, and source affect *E. coli* populations in an artificially ponded stream. *Science of the Total Environment* 390 (2-3):448-455. <http://dx.doi.org/10.1016/j.scitotenv.2007.10.014>
- Whitmire, S. L., and S. K. Hamilton. 2005. Rapid removal of nitrate and sulfate in freshwater wetland sediments. *Journal of Environmental Quality* 34 (6):2062-2071. <http://dx.doi.org/10.2134/jeq2004.0483>
- Williams, M., C. Hopkinson, E. Rastetter, J. Vallino, and L. Claessens. 2005. Relationships of land use and stream solute concentrations in the Ipswich River basin, northeastern Massachusetts. *Water, Air, and Soil Pollution* 161 (1-4):55-74. <http://dx.doi.org/10.1007/s11270-005-2830-0>
- Wu, J., J. Zhang, W. Jia, H. Xie, R. R. Gu, C. Li, and B. Gao. 2009. Impact of COD/N ratio on nitrous oxide emission from microcosm wetlands and their performance in removing nitrogen from wastewater. *Bioresource Technology* 100 (12):2910-2917. <http://dx.doi.org/10.1016/j.biortech.2009.01.056>

- Zazo, J. A., J. S. Paull, and P. R. Jaffe. 2008. Influence of plants on the reduction of hexavalent chromium in wetland sediments. *Environmental Pollution* 156 (1):29-35. <http://dx.doi.org/10.1016/j.envpol.2008.01.006>
- Zeng, X., and T. C. Rasmussen. 2005. Multivariate statistical characterization of water quality in Lake Lanier, Georgia, USA. *Journal of Environmental Quality* 34 (6):1980-1991. <http://dx.doi.org/10.2134/jeq2004.0337>
- Zhang, Y., and W. T. Frankenberger Jr. 2005. Removal of selenium from river water by a microbial community enhanced with *Enterobacter taylorae* in organic carbon coated sand columns. *Science of the Total Environment* 346 (1-3):280-285. <http://dx.doi.org/10.1016/j.scitotenv.2005.02.019>
- Zhu, J., and C. R. Olsen. 2009. Beryllium-7 atmospheric deposition and sediment inventories in the Neponset River estuary, Massachusetts, USA. *Journal of Environmental Radioactivity* 100 (2):192-197. <http://dx.doi.org/10.1016/j.jenvrad.2008.11.013>

## Appendix S: Wetlands and Wildlife

- Argent, D. G., and R. J. Zwier. 2007. Seasonal use of recently fenced agricultural riparian habitat by avifauna in Pennsylvania. *Northeastern Naturalist* 14 (3):361-374.
- Ashley, M. C., J. A. Robinson, L. W. Oring, and G. A. Vinyard. 2000. Dipteran standing stock biomass and effects of aquatic bird predation at a constructed wetland. *Wetlands* 20 (1):84-90.
- Aznar, J. C., and A. Desrochers. 2008. Building for the future: Abandoned beaver ponds promote bird diversity. *Ecoscience* 15 (2):250-257.
- Balcombe, C. K., J. T. Anderson, R. H. Fortney, and W. S. Kordek. 2005. Wildlife use of mitigation and reference wetlands in West Virginia. *Ecological Engineering* 25 (1):85-99.  
[http://www.sciencedirect.com/science?\\_ob=MIImg&\\_imagekey=B6VFB-4G94HHW-1-3&\\_cdi=6006&\\_user=930810&\\_orig=search&\\_coverDate=07%2F20%2F2005&\\_sk=999749998&view=c&wchp=dGLbVtz-zSkzS&md5=8f414c321ff131d443f9475c853fe1e3&ie=/sdarticle.pdf](http://www.sciencedirect.com/science?_ob=MIImg&_imagekey=B6VFB-4G94HHW-1-3&_cdi=6006&_user=930810&_orig=search&_coverDate=07%2F20%2F2005&_sk=999749998&view=c&wchp=dGLbVtz-zSkzS&md5=8f414c321ff131d443f9475c853fe1e3&ie=/sdarticle.pdf)
- Barrett, K., and C. Guyer. 2008. Differential responses of amphibians and reptiles in riparian and stream habitats to land use disturbances in western Georgia, USA. *Biological Conservation* 141 (9):2290-2300.  
[http://www.sciencedirect.com/science?\\_ob=MIImg&\\_imagekey=B6V5X-4T4HJJ5-1-7&\\_cdi=5798&\\_user=930810&\\_orig=search&\\_coverDate=09%2F30%2F2008&\\_sk=998589990&view=c&wchp=dGLbVlz-zSkWb&md5=1c10ea16bf3a2323f5f3d655762f4b24&ie=/sdarticle.pdf](http://www.sciencedirect.com/science?_ob=MIImg&_imagekey=B6V5X-4T4HJJ5-1-7&_cdi=5798&_user=930810&_orig=search&_coverDate=09%2F30%2F2008&_sk=998589990&view=c&wchp=dGLbVlz-zSkWb&md5=1c10ea16bf3a2323f5f3d655762f4b24&ie=/sdarticle.pdf)
- Beachy, B. L., and G. R. Robinson. 2008. Divergence in avian communities following woody plant invasions in a pine barrens ecosystem. *Natural Areas Journal* 28 (4):395-403.
- Bogner, H. E., and G. A. Baldassarre. 2002. Home range, movement, and nesting of Least Bitterns in western New York. *Wilson Bulletin* 114 (3):297-308.
- Brasher, M. G., J. D. Steckel, and R. J. Gates. 2007. Energetic carrying capacity of actively and passively managed wetlands for migrating ducks in Ohio. *Journal of Wildlife Management* 71 (8):2532-2541. <http://dx.doi.org/10.2193/2006-401>
- Bub, B. R., D. J. Flaspohler, and C. J. F. Huckins. 2004. Riparian and upland breeding-bird assemblages along headwater streams in Michigan's Upper Peninsula. *Journal of Wildlife Management* 68 (2):383-392.
- Bulluck, J. F., and M. P. Rowe. 2006. The use of southern Appalachian wetlands by breeding birds, with a focus on Neotropical migratory species. *Wilson Journal of Ornithology* 118 (3):399-410.

- Calhoun, A. J. K., and P. deMaynadier. 2004. *Forestry habitat management guidelines for vernal pool wildlife*. Bronx, NY.
- Carter, T. C. 2006. Indiana bats in the Midwest: The importance of hydric habitats. *Journal of Wildlife Management* 70 (5):1185-1190.
- Chalmers, R. J., and C. S. Loftin. 2006. Wetland and microhabitat use by nesting Four-Toed Salamanders in Maine. *Journal of Herpetology* 40 (4):478-485.
- Champlin, T. B., J. C. Kilgo, and C. E. Moorman. 2009. Food abundance does not determine bird use of early-successional habitat. *Ecology* 90 (6):1586-1594.
- Champlin, T. B., J. C. Kilgo, M. L. Gumpertz, and C. E. Moorman. 2009. Avian response to microclimate in canopy gaps in a bottomland hardwood forest. *Southeastern Naturalist* 8 (1):107-120.
- Chandler, R. B., D. I. King, and S. DeStefano. 2009. Scrub-shrub bird habitat associations at multiple spatial scales in beaver meadows in Massachusetts. *Auk* 126 (1):186-197.
- Coleman, J. L., N. B. Ford, and K. Herriman. 2008. A road survey of amphibians and reptiles in a bottomland hardwood forest. *Southeastern Naturalist* 7 (2):339-348.
- Conner, R. N., J. G. Dickson, J. H. Williamson, and B. N. Ortego. 2004. Width of forest streamside zones and breeding bird abundance in eastern Texas. *Southeastern Naturalist* 3 (4):669-682.
- Crozier, G. E., and D. E. Gawlik. 2003. Wading bird nesting effort as an index to wetland ecosystem integrity. *Waterbirds* 26 (3):303-324.
- Cunningham, J. M., A. J. K. Calhoun, and W. E. Glanz. 2007. Pond-breeding amphibian species richness and habitat selection in a beaver-modified landscape. *Journal of Wildlife Management* 71 (8):2517-2526. <http://dx.doi.org/10.2193/2006-510>
- DeLuca, W. V., C. E. Studds, L. L. Rockwood, and P. P. Marra. 2004. Influence of land use on the integrity of marsh bird communities of Chesapeake Bay, USA. *Wetlands* 24 (4):837-847.
- Dykstra, C. R., J. L. Hays, F. B. Daniel, and M. M. Simon. 2001. Home range and habitat use of suburban Red-shouldered Hawks in southwestern Ohio. *Wilson Bulletin* 113 (3):308-316.
- Edwards, N. T., and D. L. Otis. 1999. Avian communities and habitat relationships in South Carolina Piedmont beaver ponds. *American Midland Naturalist* 141 (1):158-171.
- Faccio, S. D. 2003. Postbreeding emigration and habitat use by Jefferson and spotted salamanders in Vermont. *Journal of Herpetology* 37 (3):479-489.
- Fairbairn, S. E., and J. J. Dinsmore. 2001. Local and landscape-level influences on wetland bird communities of the prairie pothole region of Iowa, USA. *Wetlands* 21 (1):41-47.

- Fletcher, R. J., and R. R. Koford. 2003. Changes in breeding bird populations with habitat restoration in northern Iowa. *American Midland Naturalist* 150 (1):83-94.
- Fowle, S. 2001. *Guidelines for protecting spotted turtles and their habitats in Massachusetts*. Westborough, MA: Natural Heritage and Endangered Species Program.
- . 2001. *Guidelines for protecting wood turtles and their habitats in Massachusetts*. Westborough, MA: Natural Heritage and Endangered Species Program.
- Francel, K. E., S. B. Castleberry, and W. M. Ford. 2004. Small mammal communities of high elevation central Appalachian wetlands. *American Midland Naturalist* 151 (2):388-398.
- Frey, S. N., and M. R. Conover. 2006. Habitat use by meso-predators in a corridor environment. *Journal of Wildlife Management* 70 (4):1111-1118.
- Gamble, L. R., K. McGarigal, D. B. Sigourney, and B. C. Timm. 2009. Survival and breeding frequency in marbled salamanders (*Ambystoma opacum*): Implications for spatio-temporal population dynamics. *Copeia* (2):394-407.
- Golet, F. C., Y. Wang, J. S. Merrow, and W. R. DeRagon. 2001. Relationship between habitat and landscape features and the avian community of red maple swamps in southern Rhode Island. *Wilson Bulletin* 113 (2):217-227.
- Graves, G. R. 2001. Factors governing the distribution of Swainson's warbler along a hydrological gradient in great dismal swamp. *Auk* 118 (3):650-664.
- Hallworth, M., A. Ueland, E. Anderson, J. D. Lambert, and L. Reitsma. 2008. Habitat selection and site fidelity of Canada warblers (*Wilsonia canadensis*) in central New Hampshire. *Auk* 125 (4):880-888.
- Hartwig, T. S., and E. Kiviat. 2007. Microhabitat association of blanding's turtles in natural and constructed wetlands in southeastern New York. *Journal of Wildlife Management* 71 (2):576-582.
- Hocking, D. J., T. A. G. Rittenhouse, B. B. Rothermel, J. R. Johnson, C. A. Conner, E. B. Harper, and R. D. Semlitsch. 2008. Breeding and recruitment phenology of amphibians in Missouri oak-hickory forests. *American Midland Naturalist* 160 (1):41-60.
- Kaminski, M. R., G. A. Baldassarre, and A. T. Pearse. 2006. Waterbird responses to hydrological management of Wetlands Reserve Program habitats in New York. *Wildlife Society Bulletin* 34 (4):921-926. [http://dx.doi.org/10.2193/0091-7648\(2006\)34\[921:WRTHMO\]2.O.CO;2](http://dx.doi.org/10.2193/0091-7648(2006)34[921:WRTHMO]2.O.CO;2)
- Knutson, M. G., G. J. Niemi, W. E. Newton, and M. A. Friberg. 2004. Avian nest success in midwestern forests fragmented by agriculture. *Condor* 106 (1):116-130.
- Laurent, E. J., and B. A. Kingsbury. 2003. Habitat separation among three species of water snakes in northwestern Kentucky. *Journal of Herpetology* 37 (2):229-235.

- Litzgus, J. D., T. A. Mousseau, and M. J. Lannoo. 2004. Home range and seasonal activity of Southern Spotted Turtles (*Clemmys guttata*): Implications for management. *Copeia* 2004 (4):804-817. <http://dx.doi.org/10.1643/CH-04024R1>
- Lor, S., and R. A. Malecki. 2006. Breeding ecology and nesting habitat associations of five marsh bird species in western New York. *Waterbirds* 29 (4):427-436.
- Merola-Zwartjes, M., and J. P. DeLong. 2005. Avian species assemblages on New Mexico golf courses: Surrogate riparian habitat for birds? *Wildlife Society Bulletin* 33 (2):435-447.
- Metts, B. S., J. D. Lanham, and K. R. Russell. 2001. Evaluation of herpetofaunal communities on upland streams and beaver-impounded streams in the upper Piedmont of South Carolina. *American Midland Naturalist* 145 (1):54-65.
- Montieth, K. E., and P. W. C. Paton. 2006. Emigration behavior of Spotted Salamanders on golf courses in southern Rhode Island. *Journal of Herpetology* 40 (2):195-205.
- Moser, A. M., and J. T. Ratti. 2005. Value of riverine islands to nongame birds. *Wildlife Society Bulletin* 33 (1):273-284.
- Naugle, D. E., K. F. Higgins, and S. M. Nusser. 1999. Effects of woody vegetation on prairie wetland birds. *Canadian Field-Naturalist* 113 (3):487-492.
- Naugle, D. E., R. R. Johnson, M. E. Estey, and K. F. Higgins. 2001. A landscape approach to conserving wetland bird habitat in the prairie pothole region of eastern South Dakota. *Wetlands* 21 (1):1-17.
- Newbury, R. K., and T. A. Nelson. 2007. Habitat selection and movements of raccoons on a grassland reserve managed for imperiled birds. *Journal of Mammalogy* 88 (4):1082-1089.
- Oneal, B. J., E. J. Heske, and J. D. Stafford. 2008. Waterbird response to wetlands restored through the conservation reserve enhancement program. *Journal of Wildlife Management* 72 (3):654-664.
- Paracuellos, M., and J. L. Telleria. 2004. Factors affecting the distribution of a waterbird community: The role of habitat configuration and bird abundance. *Waterbirds* 27 (4):446-453.
- Pearl, C. A., M. J. Adams, N. Leuthold, and R. B. Bury. 2005. Amphibian occurrence and aquatic invaders in a changing landscape: Implications for wetland mitigation in the Willamette Valley, Oregon, USA. *Wetlands* 25 (1):76-88.
- Petranka, J. W., and C. T. Holbrook. 2006. Wetland restoration for amphibians: Should local sites be designed to support metapopulations or patchy populations? *Restoration Ecology* 14 (3):404-411.
- Petranka, J. W., C. A. Kennedy, and S. S. Murray. 2003. Response of amphibians to restoration of a southern appalachian wetland: A long-term analysis of community dynamics. *Wetlands* 23 (4):1030-1042.

- Petranka, J. W., E. M. Harp, C. T. Holbrook, and J. A. Hamel. 2007. Long-term persistence of amphibian populations in a restored wetland complex. *Biological Conservation* 138 (3-4):371-380.  
[http://www.sciencedirect.com/science?\\_ob=MIimg&\\_imagekey=B6V5X-4P127CC-2-H&\\_cdi=5798&\\_user=930810&\\_orig=search&\\_coverDate=09%2F30%2F2007&\\_sk=998619996&view=c&wchp=dGLzVtb-zSkzV&md5=d391e633a9e782d2a5022e046b5afa99&ie=/sdarticle.pdf](http://www.sciencedirect.com/science?_ob=MIimg&_imagekey=B6V5X-4P127CC-2-H&_cdi=5798&_user=930810&_orig=search&_coverDate=09%2F30%2F2007&_sk=998619996&view=c&wchp=dGLzVtb-zSkzV&md5=d391e633a9e782d2a5022e046b5afa99&ie=/sdarticle.pdf)
- Rehm, E. M., and G. A. Baldassarre. 2007. The influence of interspersions on marsh bird abundance in New York. *Wilson Journal of Ornithology* 119 (4):648-654.
- Rossell, C. R., Jr., S. C. Patch, and S. P. Wilds. 2003. Attributes of Golden-Winged Warbler territories in a mountain wetland. *Wildlife Society Bulletin* 31 (4):1099-1104. <http://www.jstor.org/stable/3784457>
- Russell, K. R., C. E. Moorman, J. K. Edwards, B. S. Metts, and D. C. Guynn. 1999. Amphibian and reptile communities associated with beaver (*Castor canadensis*) ponds and unimpounded streams in the Piedmont of South Carolina. *Journal of Freshwater Ecology* 14 (2):149-158.
- Snell-Rood, E. C., and D. A. Cristol. 2003. Avian communities of created and natural wetlands: bottomland forests in Virginia. *The Condor* 105 (2):303-315.  
[http://dx.doi.org/10.1650/0010-5422\(2003\)105\[0303:ACOCAN\]2.0.CO;2](http://dx.doi.org/10.1650/0010-5422(2003)105[0303:ACOCAN]2.0.CO;2)
- Somers, A. B., J. Mansfield-Jones, and J. Braswell. 2007. In stream, streamside, and under stream bank movements of a bog turtle, *Glyptemys muhlenbergii*. *Chelonian Conservation and Biology* 6 (2):286-288.
- Steen, D. A., J. P. Gibbs, and S. T. A. Timmermans. 2006. Assessing the sensitivity of wetland bird communities to hydrologic change in the Eastern Great Lakes Region. *Wetlands* 26 (2):605-611.
- Twedt, D. J., C. O. Nelms, V. E. Rettig, and S. R. Aycock. 1998. Shorebird use of managed wetlands in the Mississippi Alluvial Valley. *The American Midland Naturalist* 140 (1):140-152. [http://dx.doi.org/10.1674/0003-0031\(1998\)140\[0140:SUOMWI\]2.0.CO;2](http://dx.doi.org/10.1674/0003-0031(1998)140[0140:SUOMWI]2.0.CO;2)
- Valiela, I., and P. Martinetto. 2007. Changes in bird abundance in eastern North America: Urban sprawl and global footprint? *Bioscience* 57 (4):360-370.
- Vasconcelos, D., and A. J. K. Calhoun. 2004. Movement patterns of adult and juvenile *Rana sylvatica* (LeConte) and *Ambystoma maculatum* (Shaw) in three restored seasonal pools in Maine. *Journal of Herpetology* 38 (4):551-561.
- . 2006. Monitoring created seasonal pools for functional success: A six-year case study of amphibian responses, Sears Island, Maine, USA. *Wetlands* 26 (4):992-1003.
- Wilson, M. D., B. D. Watts, and D. F. Brinker. 2007. Status review of Chesapeake Bay marsh lands and breeding marsh birds. *Waterbirds* 30:122-137.



## Appendix T: Wetland Mitigation Web Sites

Arkansas Natural Resources Commission. Arkansas Wetland Mitigation Bank Program.  
<http://www.anrc.arkansas.gov/WetlandMitBank.html>. (accessed August 9, 2009)

California Coastal Commission. Procedural guidance for evaluating wetland mitigation projects in california's coastal zone: table of contents.  
<http://www.coastal.ca.gov/weteval/wetc.html>. (accessed August 9, 2009)

DuPage County Illinois. DuPage County Stormwater Permits.  
[http://www.dupageco.org/stormwater/generic.cfm?doc\\_id=3499](http://www.dupageco.org/stormwater/generic.cfm?doc_id=3499). (accessed August 9, 2009)

Indiana Department of Environmental Management. IDEM: Wetland Mitigation Monitoring. <http://www.in.gov/idem/4407.htm>. (accessed August 9, 2009)

International Conference on Ecology and Transportation. International Conference on Ecology and Transportation Home Page. <http://www.icoet.net/index.asp>. (accessed 2009)

King County Washington. Wetland Mitigation Banking Program.  
<http://www.kingcounty.gov/operations/policies/rules/utilities/put811pr.aspx>. (accessed August 9, 2009)

Maryland Department of the Environment. Mitigation.  
[http://www.mde.state.md.us/Programs/WaterPrograms/Wetlands\\_Waterways/regulations/mitigation.asp](http://www.mde.state.md.us/Programs/WaterPrograms/Wetlands_Waterways/regulations/mitigation.asp). (accessed August 9, 2009)

Michigan Department of Environmental Quality. DEQ - Local Wetland Regulations.  
[http://www.michigan.gov/deq/0,1607,7-135-3313\\_3687-24312--,00.html](http://www.michigan.gov/deq/0,1607,7-135-3313_3687-24312--,00.html). (accessed August 9, 2009)

———. DEQ - Wetland Mitigation. [http://www.michigan.gov/deq/0,1607,7-135-3313\\_3687-86447--,00.html](http://www.michigan.gov/deq/0,1607,7-135-3313_3687-86447--,00.html). (accessed August 9, 2009)

Missouri Department of Natural Resources. 401 Water Quality Certification.  
<http://www.dnr.mo.gov/env/wpp/401/>. (Accessed August 09, 2009)

National Center for Manufacturing Sciences. Wetlands Information Resource Locator.  
<http://www.envcap.org/statetools/swift/swift.html>. (Accessed August 9, 2009)

National Oceanic and Atmospheric Administration Fisheries Service. National Wetlands Action Plan, Clean Water Act Section 404 Mitigation Guidance Directory.  
<http://www.mitigationactionplan.gov/links.html>. (Accessed 2009)

———. NOAA Fisheries Northeast Regional Office - Habitat Socio-Economics Programs: Mitigataion Calculator.  
<http://www.nero.noaa.gov/hcd/socio/MitigationCalculator.htm>. (accessed August 9, 2009)

New Hampshire Department of Environmental Services. Welcome - Wetland Mitigation Program - Wetlands Bureau - NH Department of Environmental Services.  
<http://des.nh.gov/organization/divisions/water/wetlands/wmp/index.htm>.  
(accessed August 9, 2009)

New Jersey Department of Environmental Protection. NJDEP Land Use Regulation Program (DLUR) - Mitigation - Mitigation Ratios.  
<http://www.nj.gov/dep/landuse/mratios.html>. (accessed August 9, 2009)

New York State Department of Environmental Conservation. Freshwater Wetlands Permit Program: Standards for Issuance - NYS Dept. of Environmental Conservation. <http://www.dec.ny.gov/permits/6273.html>. (accessed August 9, 2009)

Oregon Department of State Lands. Wetlands/Waterways Removal-Fill Do You Want to Be a Mitigation Banker?  
[http://oregonstatelands.us/DSL/PERMITS/mit\\_banker.shtml](http://oregonstatelands.us/DSL/PERMITS/mit_banker.shtml). (accessed August 9, 2009)

Siragusa, K. S. 2008. Integrating a watershed approach into Clean Water Act Section 404, wetland and stream compensatory mitigation lessons learned and recommendations for Georgia. Internet Resource; Archival Material Date of Entry: 20090824. (Accessed August 24, 2009)  
<http://purl.galileo.usg.edu/uga%5Fetd/siragusa%5Fkelly%5F200805%5Fms>

Tampa Bay Water. Wetland Mitigation.  
<http://www.tampabaywater.org/programs/mitigation.aspx>. (accessed August 09, 2009)

Thompson, J. W. J. N. S. S. 2008. The federal wetland permitting program avoidance and minimization requirements.  
[http://www.elistore.org/reports\\_detail.asp?ID=11275&topic=wetlands](http://www.elistore.org/reports_detail.asp?ID=11275&topic=wetlands).  
[Internet Resource; Computer File Date of Entry: 20080409]. Washington, DC: Environmental Law Institute 2008 (Accessed August 24, 2009).

Virginia Department of Environmental Quality. Virginia DEQ - Wetlands - Mitigation.  
<http://www.deq.state.va.us/wetlands/mitigate.html>. (accessed August 9, 2009)

Virginia Marine Resources Commission. Regulation: Wetlands mitigation-compensation policy and supplemental guidelines.  
<http://www.mrc.virginia.gov/Regulations/fr390.shtml>. (accessed August 9, 2009)

Washington State Department of Transportation. Wetland Mitigation.  
<http://www.wsdot.wa.gov/Environment/Biology/Wetlands/mitigation.htm>.  
(accessed August 9, 2009)

Washington State Department of Transportation (WSDOT). 2008. Wetland and Buffer Impact Assessment Guidance: Washington State Department of Transportation  
<http://www.wsdot.wa.gov/NR/rdonlyres/D0FE60A8-A193-4615-A684-27E66CFBFB61/0/WetMitBuffImpAssess.pdf>.

Wisconsin Department of Natural Resources. Proposed Rules for Wetland Compensatory Mitigation in Wisconsin.

[http://dnr.wi.gov/wetlands/mitigation/documents/training\\_030402\\_pp\\_regulations.pdf](http://dnr.wi.gov/wetlands/mitigation/documents/training_030402_pp_regulations.pdf). (accessed August 9, 2009)

———. Wetland Compensatory Mitigation - WDNR.

<http://www.dnr.state.wi.us/wetlands/mitigation/>. (accessed August 9, 2009)

REPORT DOCUMENTATION PAGE				Form Approved OMB No. 0704-0188	
Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing this collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. <b>PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.</b>					
1. REPORT DATE (DD-MM-YYYY) July 2011		2. REPORT TYPE Final report		3. DATES COVERED (From - To)	
4. TITLE AND SUBTITLE  A Bibliography of Selected Literature on Indirect Impacts Associated with Clean Water Act Section 404 Permits				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)  Timothy C. Wilder, William M. Ford, and Marie M. Perkins				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)  U.S. Army Engineer Research and Development Center Environmental Laboratory 3909 Halls Ferry Road Vicksburg, MS 39180-6199				8. PERFORMING ORGANIZATION REPORT NUMBER  ERDC/EL TR-11-6	
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION / AVAILABILITY STATEMENT  Approved for public release; distribution is unlimited.					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT This report summarizes a review of the scientific literature from the year 2000 to the present that characterizes indirect impacts associated with Clean Water Act Section 404 permits. Also of interest was literature from 2004 forward that addresses compensatory mitigation for impacts, particularly with respect to current policy. Literature containing derivations of the search terms "Clean Water Act," "404," "temporary fill," "dredge and fill," "impact," "secondary impact," and "cumulative impact" in the title, keyword or abstract field(s) was selected. When these searches produced few results, the number of search terms was expanded. This series of searches returned in excess of 5,500 bibliographic records. Each record's abstract was then reviewed for relevance to the Corps of Engineer's 404 permitting program and assigned to at least one of 20 groups according to the focus of that particular study. A review for relevance and assignment to groups reduced the number of records to 1,252 (approximately 10% of which were assigned to more than one group).					
15. SUBJECT TERMS Bibliography Clean Water Act Compensatory mitigation Indirect impact Section 404 permits					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES  137	19a. NAME OF RESPONSIBLE PERSON
a. REPORT UNCLASSIFIED	b. ABSTRACT UNCLASSIFIED	c. THIS PAGE UNCLASSIFIED			19b. TELEPHONE NUMBER (include area code)